THE SEASON

In the early fall of 1933 an appreciable wave of Red-breasted Nuthatches swept south across the United States. As winter approached we heard of an incursion of Grosbeaks, Crossbills, and Redpolls in New England. Once or twice flocks of White-winged Crossbills were reported from Long Island, where this species is very rare. The Snow Bunting seemed to be unusually plentiful along the shore.

on the irregular movements, distribution, and Ala. (1); Ark. (1); Calif. (2); Colo. (1); Conn. (1); Del. (1); D. C. (1); Fla. (2); Ga. omitted due to lack of space, and perhaps we N. C. (2); Ohio (14); Okla. (3); Pa. N. J. (3); N. Y., L. I. (9); N. Y., otherwise (4); Minn. (1); Miss. (1); Mo. (2); Mont. (1); Ky. (2); Maine (1); Md. (2); Mass. (5); (1); Ills. (6); Ind. (3); Iowa (3); Kans. (1); in the United States. They are from they contain of the above-mentioned species to The Season than to give such records as cannot do better in this single page allotted fortunately, many census reports have to be tively and statistically later. This year, unto winter, which may be studied comparaabundance of such northern birds from winter following: Va. (3); Wis. (4). From them we have the R. I. (1); S. C. (1); Tenn. (3); Tex. (2); The published Christmas Census gives data

hatch, 1, Dec. 16, Henry Stevenson. Barring-Nuthatch, 2, Dec. 24, Ralph H. Imler. Pres.). Palo, Ills., Evening Grosbeak, 12, Barrington Bird Club (Mrs. Robert Work, ton, Ills., Red-breasted Nuthatch, 1, Dec. 24, Overing. Babson Park, Mass., Red-breasted Calais, Me., American Crossbill, 2, Dec. 26, M. E. Blessing, Mr. and Mrs. W. J. Armour, Marshall, W. J. Hayward, Miss Hayward, Mrs. W. R. Felton, Bill Felton, Mrs. F. W twice this fall, Jack Keegan. Sioux City, Iowa, Dec 27; Canadian Pine Grosbeak observed Nuthatch, 1, Dec. 21, Lester W. Smith breasted Nuthatch, 2, Dec. 27, Robert John M. Dudley. Landover, Md., Red-Mr. and Mrs. Carl Younglove, Mrs. Mary Red-breasted Nuthatch, 1, Dec. 24, Mr. and Dennis to Brewster, Mass., Red-breasted Nut-Bailey. Junction City, Kans., Red-breasted Birmingham, Ala., Red-breasted Nut-

C. Little, Sarah B. Crowell, J. Olivia Crowell hatch, 2, Dec. 24, Leslie T. Little, Florence poll, 30, Dec. 25, Charles Evans and Gustav ing, 1, Dec. 27, Mrs. Kenneth B. Wetherbee 26, Groton, Mass., Pine Grosbeak, Dec. 22 and hattan Beach and Sheepshead Bay), Snow Nuthatch, 1, Dec. 24, Gerbert Rebell. Brooklyn, L. I., N. Y. (Prospect Park, Man-Pumyea. Rutherford, N. J., Red-breasted Grosbeak, 4, Redpoll, 3, Dec. 25, Kathrine breasted Nuthatch, 7, Rocky Mountain Pine George H. Pride. Minneapolis, Minn., Red-Russell Davis. Worcester, Mass., Snow Bunt-Evening Grosbeak, 50, Dec. 25, Bunting, 16, Dec. 23, John Mayer. Fort Plain, N. Y., Snow Bunting, 30, Dec. 27, Douglas Ayres, Jr. Rochester, N. Y., Snow Red-breasted Nuthatch, 1, Dec. 24, D. G. and J. T. Nichols. Miller Place, L. I., N. Y., Charles Boehrer). Garden City, L. I., N. Y., 10, Dec. 24, Samuel Browne, Thomas Hiley, John McIlvian, Thomas Quay, Nelson D. W. Mount Holly, N. J., Red-breasted Nuthatch, Kell, Andrew Westberg, Carleton Thoroman. Swanson. Columbia Falls, Mont., about 75, Dec. 27, Watkins Glen Bird Club Bunting, 35, Dec. 25, (Mrs.) Amelia M., A. Evening Grosbeak, 1, Dec. 25, George P. Club (James Cunneen, Bernard Brennan, Bunting, 20, Dec. 27, Brooklyn Bird-Lovers 26, George C. Mason. Medford, Wisc., Eve-Nuthatch, 3, Dec. 28, Martin Curtler, Wil-Watkins Glen, N. Y., Snow Bunting, flock of Marguerite, and Wm. K. Heydweiller. Helme. Queens County, L. I., N. Y., Snow hatch, 1, Dec. 24, Murl Deusing, William Mills. Milwaukee, Wisc., Red-breasted ning Grosbeak, 1, Redpoll, 2, Dec. 26, Donald liam Smith, Middleton Freeman. Newport Jones. (more heard), Dec. 23, Walter and Edmund Swarthmore, Pa., Red-breasted Nuthatch, 2 Redpoll, 30, Dec. 25, Erie Audubon Society. Dec. 24, B. P. Bole, Jr. Erie, Pa., Common Lake Co., Ohio, Red-breasted Nuthatch, Dec. 25, Laurie M. Stewart. Kirtland Hills, Creek, N. C., Red-breasted Nuthatch, 12, (Mrs. Horace R. White, Pres.). Hunting News, Va., Red-breasted Nuthatch, I, Dec. Tudor Richards. Leominster, Charlottesville, Va.Mass.,

Bird-Lore's Thirty-fourth Christmas Census

which we have received, and for which we wish to express our appreciation. Reduced as it is of necessity, however, we believe that this thirty-fourth annual census is of major importance. It has taken a host of observers into the field in a spirit of friendly competition.

The largest list is the record-breaking one from Santa Monica, Calif.—156 species and 34,794 individuals. In the Eastern States, Bronx Region, N. Y., and Cape May County, N. J., each list 96 species with 32,424 and 31,229 individuals respectively, a remarkable maximum to achieve, considering the winter climate of these Middle-Atlantic States. It shows what may be done by organized groups working well-chosen and thoroughly familiar territory, year after year. The 67 species listed from Buckeye Lake, Ohio, by a single observer, is perhaps equally noteworthy for an inland locality of comparable latitude.

In the eastern part of the United States the Red-breasted Nuthatch is very generally distributed, appearing in upward of one-third the reports submitted from Maine, Vt., Mass., N. Y. (L. I.), N. Y. (otherwise), N. J., Pa., Md., Va., W. Va., N. C., Ala.; in a less proportion of those from R. I., Conn., Wisc., Minn., Ohio, Ills., Iowa, Mo.; and in numbers at Cape Ann, Mass. (55) and Cleveland, Ohio (96).

Montreal and Vicinity, Que.—Dec. 24; 9 a.m. to 4.20 p.m. Cloudy; 20 in. of snow; tempabout 18°. Observers together most of the time. American Golden-eye, 2; American Merganser, 8; Canadian Ruffed Grouse, 1; Screech Owl, 1; Eastern Crow, 1; Downy Woodpecker, 1; Black-capped Chickadee, 24; Brown Creeper, 4; Starling, 770 (est.); Domestic Sparrow, not estimated. Total, 10 species, 812 individuals. Also seen recently: Herring Gull, Richardson's Owl, Pine Grosbeak, Snow Bunting, White-breasted Nuthatch, Hairy Woodpecker.—V. C. WYNNE-EDWARDS, COLIN NICOL, H. A. C. JACKSON, L. McI. TERRILL (Members Province of Quebec Society for Protection of Birds).

Dec. 26, Eastern Golden-crowned Kinglet, 1; Carolina Wren, 2.—W. Brown, R. Haist, Crow, 5; Eastern Purple Finch, 3; Canadian Pine Grosbeak, 6; Eastern Snow Bunting, 15. talled Hawk, 1; Eastern Belted Kingfisher, 2; Northern Pine Siskin, 30. Dec. 22, Eastern 4588 individuals. Also seen recently: Dec. 17, Red-breasted Merganser, 1; Eastern Eastern Tree Sparrow, 80; Swamp Sparrow. 1; Eastern Song Sparrow, 8. Total, 36 species, Robin, 4; Starling, 780; English Sparrow, 300; Eastern Cardinal, 2; Slate-colored Junco, 120; Chickadee, 65; White-breasted Nuthatch, 8; Brown Creeper, 1; Winter Wren, 1; Eastern 550; Ring-billed Gull, 2; Eastern Screech Owl, 1; Eastern Hairy Woodpecker, 1; Northern Ring-necked Pheasant, 12; Glaucous Gull, 10; Great Black-backed Gull, 27; Herring Gull, Downy Woodpecker, 11; Northern Horned Lark, 22; Northern Blue Jay, 6; Black-capped 1; Old-squaw, 12; American Merganser, 70; Eastern Goshawk (?), 1; American Rough-legged Duck, 400; Canvasback, 1; Greater Scaup Duck, 2000; American Golden-eye, 75; Bufflehead Medad, and Sulphur Springs. Horned Grebe, 3; Common Mallard, 1; Red-legged Black totaling 8 observers, covering part of Dundas Marsh, Burlington Bay, La Salle Park, Lake pletely; wind strong, southwest; temp., max. 12° at noon, min. 6° at 5 P.M. Four parties Hawk, 1; Northern Bald Eagle, 3; Eastern Sparrow Hawk, 1; Canada Ruffed Grouse, Hamilton, Ont.—Dec. 27; 9 A.M. to 5.15 P.M. Clear; 6 in. of snow; bay frozen over com

Foote, and William Ross.

Dr. and Mrs. G. O. McMillan, G. W. North, H. C. Nunn, R. Nunn, Miss E. Smith, J. H. Williams.

S. Dale, Eli Davis, Roy Devenish, Verne Franks, Frank Girling, Harry Girling, logical Club (Bill Archer, J. F. Calvert, Robert Calvert, Stewart Calvert, E. M. Ring-necked Pheasant, 56; Herring Gull, 39; Eastern Screech Owl, 1; Great Horned Owl, 2; Sparrow Hawk, 1; Eastern Ruffed Grouse, 1; Eastern Bob-white, 40 (2 coveys of 20 each); Merganser, 302; Eastern Red-tailed Hawk, 4; American Rough-legged Hawk, 6; Eastern well open; ground covered with 1 to 2 in. of snow; wind medium to fresh, northeast; temp WILL GIRLING, R. T. HEDLEY, J. C. HIGGINS, HARRY KIMBER, EDISON MATTHEWS, MR. and Also seen recently: Eastern Robin and Eastern Evening Grosbeak.—McIlwraith Ornitho-26; Eastern Song Sparrow, 5. Total, 35 species, 1779 individuals, (+ English Sparrows) Common Redpoll, 12; Eastern Goldfinch, 12; Slate-colored Junco, 18; Eastern Tree Sparrow, (hundreds); Eastern Meadowlark, 1; Eastern Cardinal, 29; Canadian Pine Grosbeak, 58; Black-capped Chickadee, 197; White-breasted Nuthatch, 40; Red-breasted Nuthatch, 2; pecker, 6; Northern Downy Woodpecker, 25; Northern Blue Jay, 48; Eastern Crow, 585; Short-eared Owl, 1; Eastern Belted Kingfisher, 9; Northern Flicker, 8; Eastern Hairy Woodboth Common and Red-legged varieties represented), 27; American Golden-eye, 107; American working in the morning, others in the afternoon. Common Mallard, 1; Black Duck (probably 24° at 8 a.m., 32° at noon, 29° at 8 p.m. Combined list of 11 parties (18 individuals), some Mrs. E. H. McKone, C. G. Watson. Brown Creeper, 8; Eastern Golden-crowned Kinglet, 24; Starling 78; English Sparrow, London, Ont. (vicinity of).—Dec. 23. Daylight until dark. Sky overcast; streams pretty

Ottawa, Ont.—Dec. 24; 8 A.M. to 4.30 P.M. Cloudiness 100 per cent throughout; occasional light snow and sleet in P.M., steady hailstorm after 3.30 P.M.; 18 in. snow on ground; wind light, easterly, variable; temp. 12° at 8 A.M., 15° at 3 P.M. Sixteen observers in 6 parties, in various directions about Ottawa. American Golden-eye, 36; American Merganser, 20; Sharpshinned Hawk, 2; Canada Ruffed Grouse, 8; Ring-necked Pheasant, 2; Eastern Screech Owl, 1; Northern Barred Owl, 1; Eastern Hairy Woodpecker, 7; Northern Downy Woodpecker, 10; Northern Blue Jay, 1; Eastern Crow, 315; Black-capped Chickadee, 116; White-breasted Nuthatch, 13; Red-breasted Nuthatch, 1; Brown Creeper, 1; Northern Shrike, 1; Starling, 384; English Sparrow, 596; Canadian Pine Grosbeak, 25; Common Redpoll, 11; Northern Pine Siskin, 21. Total, 21 species, 1572 individuals. One Eastern Robin seen Dec. 23.—Otrawa Field-Naturalists' Club (R. M. Anderson, George Clark, R. E. Delury, G. W. Dennis, T. G. Harmond, C. E. Johnson, G. Johnson, C. R. Lewis, Harrison F. Lewis, Hoyes Lloyd, R. Lockwood, K. A. McElroy, C. M. Sternbeerg, Stanley Sternbeerg, Peggy Whitehers, Harlow Wright).

Pakenham, Ont.—Dec. 26; 9 A.M. to 3 P.M. Dull; snow falling, poor visibility; 18 in. of snow; raw east wind; temp. o°. Traveled 12 miles on snowshoes. Observers separate. Canada Ruffed Grouse, 8; Downy Woodpecker, 1; Blue Jay, 2; Black-capped Chickadee, 11; White-breasted Nuthatch, 1; Starling, 7; Evening Grosbeak, 4; Snow Bunting, 41. Total, 8 species, 75 individuals.—Verna M. Ross, Edna G. Ross, A. F. Ross, Wilmer Ross.

Summerland, Okanagan Lake, B. C.—Dec. 20. Cloudy and attempting to rain; snow 19 in. in hills to slush and ice on lake-front; very strong south wind all day; temp. averaging about 35°. By car along 12 miles of lake-front, thence on foot over adjoining fruit-benches back to pine-clad hills. Observers separate. Mallard, 6; American Golden-eye, 4; Goshawk, 1; Hawk (sp.?), 1; Duck Hawk, 1; Pigeon Hawk, 1; Ruffed Grouse, 2; California Quail, 480; Pheasant, 152; American Coot, 200; Killdeer, 2; Wilson's Snipe, 3; Herring Gull, 11; Hairy Woodpecker, 4; Batchelder's Woodpecker, 1; Flicker, 36; Crow, 1; Magpie, 61; Black-headed Jay, 9; Raven, 3; Clark's Nutcracker, 2; Long-tailed Chickadee, 16; Mountain Chickadee, 12; Slender-billed Nuthatch, 4; Red-breasted Nuthatch, 1; Dipper, 1; Robin, 65; Golden-crowned Kinglet, 4; Bohemian Waxwing, 115; Northwestern Shrike, 2; House Sparrow, 120; Redwinged Blackbird, 40; Meadowlark, 3; Evening Grosbeak, 8; Redpoll, 15; Goldfinch, 110;

Red Crossbill, 14; Junco (hyemalis) 15; Junco (oreganus) 523; Tree Sparrow, 5; Gambel's Sparrow 1; Rusty Song Sparrow, 35. Total, 42 species, 2091 individuals.—Eric M. Tatt, Herbert M. Simpson, S. A. Liddell.

Bar Harbor, Maine.—Dec. 23; 6.45 A.M. to 4.15 P.M. Clear in A.M., partly cloudy in P.M. about 10 in. of snow; wind light, northwest; temp. 8° at start, 20° at return. About 30 miles by auto, 5 miles on foot. Observers together. Holbœll's Grebe, 3; Red-legged Black Duck, 71; American Golden-eye, 8; Old-squaw, 28; White-winged Scoter, 2; Bald Eagle, 1; Canada Ruffed Grouse, 1; Herring Gull, 164; Northern Downy Woodpecker, 10; Arctic Three-toed Woodpecker, 1; American Crow, 13; Black-capped Chickadee, 18; Red-breasted Nuthatch, 17; Brown Creeper, 4; Eastern Robin, 3; Eastern Golden-crowned Kinglet, 16; Starling, 10; English Sparrow, 2; Pine Grosbeak, 10; American Crossbill, 21; White-winged Crossbill, 27; Slate-colored Junco, 4; Eastern Tree Sparrow, 10; Eastern Song Sparrow, 2. Total, 24 species, 446 individuals.—A. E. Broweer, Vernon Lunt, Arthur Stupka.

Brewer, Maine.—Dec. 25; 7.45 a.m. to 3.15 p.m. Fair; 7 in. of crusted snow; wind northwest, strong; temp. at start 28°, at return 18°. Woods, fields, city streets, river bank; 8 miles on foot. American Merganser, 5; Glaucous Gull, 1 (8 × glasses, at rest and in flight, at 25 yards); Herring Gull, 97; Hairy Woodpecker, 1; Downy Woodpecker, 1; Black-capped Chickadee, 9; White-breasted Nuthatch, 2; Mockingbird, 1 (seen intermittently from Oct. 7 to Dec. 18); Golden-crowned Kinglet, 2; Starling, 42; English Sparrow, 59; Evening Grosbeak, 9; Pine Grosbeak, 40; Tree Sparrow, 6; White-throated Sparrow, 1. Total 15 species, 276 individuals.—Byron W. Barker.

Brunswick, Maine.—Dec. 25; 9 a.m. to 1 p.m. Clear, bright sun; 6 in. of snow; moderate west wind; temp. 18° to 24°. By automobile 15 miles and on foot from Brunswick to Mere Point, Maquoit Bay, and return. Black Duck, 35; Golden-eye, 58; Bufflehead, 15; Old-squaw, 76; Bald Eagle, 1; Herring Gull, 150 (est.); Horned Lark, 1; Blue Jay, 1; Crow, 12; Black-capped Chickadee, 22; White-breasted Nuthatch, 1; Red-breasted Nuthatch, 1; Starling, 250 (est.); Evening Grosbeak, 5; Snow Bunting, 27. Total, 15 species, 655 individuals.—Alfred O. Gross, William A. Gross.

Presque Isle, Maine.—Dec. 23; 8 to 11 A.M.; 1 to 4 P.M. (roughly, sunrise to sunset, with time out for dinner). Slightly cloudy; over 3 ft. of snow; no wind; temp. at start o°, at noon 10° above, at return 3° above. On foot 13 miles through open and wooded farm country, partly covered on snowshoes. Observers together. Eastern Hairy Woodpecker, 2 (1 at feeding station); Northern Downy Woodpecker, 1 (at feeding station); Eastern Crow, 2 (unusual winter record for this section); Black-capped Chickadee, 20 (15 at feeding station); Starling, 6; English Sparrow, 20; Redpoll, 25; Eastern Snow Bunting, 3. Total, 8 species, about 80 individuals.—Louis Bouchard, Raymond Hilt, Carleton Duncan, Ralph Delano, Glen Chamberlain.

Waterville, Maine.—Dec. 23; 9 A.M. to 5.30 P.M. Clear in A.M., overcast in P.M.; about 18 in. of snow on ground; wind light, northwest to northeast; temp. highest 25°, lowest 10°. American Golden-eye, 1; American Merganser, 6; Canada Ruffed Grouse, 3; Northern Downy Woodpecker, 1; Northern Blue Jay, 1; Eastern Crow, 3; Black-capped Chickadee, 10; Starling, 126; English Sparrow, 50; Eastern Evening Grosbeak, 15; Eastern Goldfinch, 26; Eastern Tree Sparrow, 29; Eastern Snow Bunting, 103. Total, 13 species, 374 individuals.—Edward H. Perkins, Wesley Perkins.

East Westmoreland, N. H.—Dec. 23; 8 A.M. to 4.30 P.M. Bright sunshine in forenoon, cloudy in afternoon; 4 in. of snow with an inner crust; calm; temp. 12° at start, 26° at return. About 7 miles on foot. Observers together. Ruffed Grouse, 12 (abundance of tracks); Barred Owl, 1 (heard); Northern Pileated Woodpecker, 1 (heard); Hairy Woodpecker, 1; Downy Woodpecker, 3; Blue Jay, 8; Black-capped Chickadee, 38; Pine Grosbeak, 11; Evening Grosbeak, 2; Starling, 7; Goldfinch, 2; Tree Sparrow, 82 (2 flocks). Total, 12 species, 168 individuals. A flock of 22 Evening Grosbeaks first appeared on November 11 and have been

present since; the 2 above recorded probably were from this flock. On Dec. 25, 53 Snow Buntings were seen.—Lewis O. Shelley, Donald Jenkins.

Bennington). The c. 24; 8.15 a.m. to 4.30 p.m. Clear in morning, with slight haze in afternoon, Bennington).—Dec. 24; 8.15 a.m. to 4.30 p.m. Clear in morning, with slight haze in afternoon, Bennington).—Dec. 24; 8.15 a.m. to 4.30 p.m. Clear in morning, with slight haze in afternoon, light fleecy clouds; 1 to 3 in. of snow; wind southeast, very light; temp. 39° at start, 52° at return. Ten miles on foot. Observers separate. Common Canada Goose, 1 (captured alive); Eastern Sparrow Hawk, 1; Ruffed Grouse, 11; Ring-necked Pheasant, 14; Eastern Hairy Woodpecker, 2; Northern Downy Woodpecker, 3; Blue Jay, 10; Crow, 4; Black-capped Chickadee, 25; White-breasted Nuthatch, 2; Robin, 1; Golden-crowned Kinglet, 3; Starling, 100; English Sparrow, 13; Canadian Pine Grosbeak, 20; Eastern Goldfinch, 3; Eastern Tree Sparrow, 27. Total, 17 species, about 240 individuals. A flock of about 20 Evening Grosbeaks was seen three or four days before this census was taken.—Mr. and Mrs. Harry Ross. John Armstrong, Dr. and Mrs. Luckettus H. Ross, Miss Salome Bixby Ross.

Wells River, Vt. (portions of the Connecticut Valley and enclosing range of hills west of river).—Dec. 26; 10 a.m. to 4.30 p.m. Snowing, 6 in. of snow at start, 10 in. at return in fields, 2 in. deeper in woods; wind northwest, moderate; temp. 3° at start, 6° at return. Eight miles on foot. American Merganser, 16; Canada Ruffed Grouses, 5; Great Horned Owl, 1; Northern Downy Woodpecker, 1; Northern Blue Jay, 1; Black-capped Chickadee, 46 (7 flocks); White-breasted Nuthatch, 1; Red-breasted Nuthatch, 1; Eastern Golden-crowned Kinglet, 2; Starling, 46 (4 flocks); Canadian Pine Grosbeak, 6; Eastern Golden-crowned Kinglet, 2; Starling, 46 (4 flocks). Total, 13 species, 155 individuals. During the month the following additional species have been observed: Sharp-shinned Hawk, Ring-necked Pheasant, Northern Barred Owl, Northern Pileated Woodpecker, Eastern Hairy Woodpecker, Eastern Crow, Brown Creeper, Eastern Robin, Northern Shrike, Eastern Evening Grosbeak, Slate-colored Junco, and Eastern Snow Bunting, a total of 25 species for December.—Wendell P. Smith.

5 P.M. Heavily overcast with fog at times and some mist; thin layer of snow and badly iced European Cormorant, 60; Great Blue Heron, 4 (possibly 6); Red-legged and Common Black of which, composed of 10 men, was at sea part of day. Common Loon, 5; Horned Grebe, 34; roads inland; light, variable winds and temp. about 40° all day. Observers in 4 parties, one pecker, 12; Northern Horned Lark, 400; Prairie Horned Lark, 3; Northern Blue Jay, 40; Ducks, 30; American Pintail, 3; American Golden-eye, 110; Bufflehead, 3; Old-squaw, 31; Kingfisher, 1; Northern Flicker, 24; Eastern Hairy Woodpecker, 3; Northern Downy Wood-Gull, 6; Great Black-backed Gull, 90; American Herring Gull, 900; Atlantic Kittiwake, 14; Marsh Hawk, 1; Eastern Sparrow Hawk, 3; Purple Sandpiper, 46; Glaucous Gull, 9; Iceland American Scoter, 7; Red-breasted Merganser, 200; Northern Red-shouldered Hawk, 2; Eastern Harlequin Duck, 2; American Eider, 65; White-winged Scoter, 36; Surf Scoter, 10; SHREVE, O. K. SCOTT, T. L. SOUTHACK, WENDELL TABER, ROBERT WALCOTT, F. B. WHIT-SON, JR., F. B. LAWSON, C. F. LEATHERBEE, S. H. LOW, W. A. MARCY, J. B. MAY, BENJAMIN Eliot, Jr., Ludlow Griscom, J. B. Hallet, R. M. Hinchman, Raiph Lawson, Raiph Lawforms, about 7250 individuals.—ROBERT CHAFFEE, E. J. DICKSON, R. Eastern Song Sparrow, 10; Lapland Longspur, 7; Eastern Snow Bunting, 100. Total, 63 colored Junco, 125; Eastern Tree Sparrow, 220; Eastern Fox Sparrow, 2; Swamp Sparrow, 3; Northern Pine Siskin, 165; Eastern Goldfinch, 150; White-winged Crossbill, 500; Slate-Grosbeak, 5; Eastern Purple Finch, 6; Canadian Pine Grosbeak, 25; Common Redpoll, 8; Western Palm Warbler, 1; English Sparrow, 80; Eastern Meadowlark, 15; Eastern Evening Cedar Waxwing, 13; Northern Shrike, 4; European Starling, 2700; Myrtle Warbler, 300; Nuthatch, 55; Brown Creeper, 10; Eastern Robin, 8; Eastern Golden-crowned Kinglet, 130; Eastern Crow, 240; Black-capped Chickadee, 160; White-breasted Nuthatch, 9; Red-breasted Razor-billed Auk, 3; Brünnich's Murre, 4; Dovekie, 13; Black Guillemot, 20; Eastern Belted Cape Ann, Mass. (and adjacent territory including Ipswich Beach).-Dec. 24; 7 A.M. to J. EATON, S. A.

Cape Cod, Mass. (North Eastham to East Dennis and Chatham).—Dec. 27; daylight to

effects of the cold weather on both the birds and the observers.—Aaron C. Bagg, Maurice Junco, 129; Eastern Tree Sparrow, 51; Swamp Sparrow, 1; Eastern Song Sparrow, 15; Eastern Snow Bunting, 18. Total, 60 species, 4498 individuals. The small numbers are owing to the hatch, 5; Eastern Bluebird, 12; Golden-crowned Kinglet, 16; Northern Shrike, 1; Starling, Hobbs, Benjamin Leavitt, Seth H. Low, Oliver M. Scott, Wendell Taber. Broun, Philip J. Darlington, Jr., Ludlow Griscom, Richard Hinchman, Robert L. Eastern Goldfinch, 16; Ipswich Sparrow, 1; Eastern Savannah Sparrow, 3; Slate-colored 1000; Myrtle Warbler, 69; English Sparrow, 28; Eastern Meadowlark, 9; Eastern Cowbird, 1; (sp. ?), 1; Northern Flicker, 6; Northern Downy Woodpecker, 2; Northern Horned Lark, Ring-billed Gull, 8; Bonaparte's Gull, 2; Brünnich's Murre, 1; Mourning Dove, 1; small Owl 1; Red-backed Sandpiper, 21; Sanderling, 1; Black-backed Gull, 33; Herring Gull, 1100; legged Hawk, 1; Marsh Hawk, 2; Sparrow Hawk, 1; Bob-white, 15; Coot, 20; Wilson's Snipe, American Eider, 340; White-winged Scoter, 22; Surf Scoter, 10; American Scoter, 11; Ruddy Red-legged Black Duck and Black Duck, 558 (some of each trapped and banded); Pintail, 3: parties over carefully chosen routes within prescribed diameter. Loon, 12; Red-throated dark. Clear; ground snow-covered; small ponds and marshes frozen; very strong northwest Northern Blue Jay, 2; Eastern Crow, 105; Black-capped Chickadee, 27; Red-breasted Nut-Duck, 10; American Merganser, 1; Red-breasted Merganser, 92; Red-tailed Hawk, 1; Rough-Greater Scaup, 30; Ring-necked Duck, 22; Golden-eye, 138; Bufflehead, 15; Old-squaw, 283; wind after yesterday's northeast gale and blizzard; temp. 12° to 20°. Observers in three Loon, 1; Horned Grebe, 7; Pied-billed Grebe, 2; Canada Goose, 35; American Brant, 83; 97;

Cohasset and North Scituate, Mass.—Dec. 25; 8.30 a.m. to 12 m. and 2 to 4 p.m. Fair; ground bare; fresh northwest wind. On foot 5 to 6 miles. Observers together. Common Loon, 1; American Golden-eye, 10; Old-squaw, 12; White-winged Scoter, 1; Surf Scoter, 5; Red-breasted Merganser, 20; Purple Sandpiper, 4; Iceland Gull, 1; Great Black-backed Gull, 12; Herring Gull, 204; Eastern Belted Kingfisher, 2; Northern Flicker, 1; Northern Downy Woodpecker, 5; Northern Horned Lark, 30; Northern Blue Jay, 5; Eastern Crow, 17; Black-capped Chickadee, 47; White-breasted Nuthatch, 5; Red-breasted Nuthatch, 4; Brown Creeper, 2; Catbird, 1; Eastern Robin, 9; Eastern Golden-crowned Kinglet, 2; Cedar Waxwing, 46; Starling, 125; Myrtle Warbler, 1; English Sparrow, 12; Eastern Evening Grosbeak, 2; Eastern Purple Finch, 13; Northern Pine Siskin, 15; Eastern Goldfinch, 14; Eastern Savannah Sparrow, 1; Sate-colored Junco, 20; Eastern Tree Sparrow, 6; White-throated Sparrow, 1; Eastern Fox Sparrow, 1; Eastern Song Sparrow, 3. Total, 37 species, about 660 individuals.—Henry Emdicott, Lauxence B. Fletcher, Charles B. Floyd, John B. May, John G. and Winsor M. Tyler.

Holyoke, Mass. (vicinity of Mt. Tom).—Dec. 25; 7 a.m. to 5 p.m. Light clouds; several inches of snow; much of Connecticut River and most ponds frozen over; wind northwest, brisk; temp. 32° at start, 25° at return. Fifteen miles, part by motor car, part on foot. Observers together. Red-legged Black Duck, 120; Common Black Duck, 70; American Goldeneye, 6; American Merganser, 99; Red-shouldered Hawk, 1; Sparrow Hawk, 3; Ruffed Grouse, 2; Ring-necked Pheasant, 2; Herring Gull, 48 (1 flock); Downy Woodpecker, 2; Blue Jay, 10; Crow, 76; Black-capped Chickadee, 21; White-breasted Nuthatch, 2; Northern Shrike, 1; Starling; 85; English Sparrow, 15; Meadowlark, 13 (1 flock); Evening Grosbeak, 30 (1 flock); Goldfinch, 2; Slate-colored Junco, 6; Tree Sparrow, 59. Total, 22 species, about 675 individuals. Black Ducks mostly at Forest Park, Springfield.—A. C. Bace, A. M. Bage, A. B. MITCHELL.

Lenox and Pittsfield, Mass. (including Pleasant Valley Sanctuary).—Dec. 23; 8.30 A.M. to M. Mostly cloudy; r to 3 in. snow; all still water frozen; west wind; temp. 23° at start, 29° at end. Observers not together. Eastern Ruffed Grouse, 4; Eastern Hairy Woodpecker, 1; Northern Downy Woodpecker, 1; Eastern Crow, 24+; Northern Blue Jay, 14+; Black-capped Chickadee, 61+; White-breasted Nuthatch, 4; Northern Shrike, 1; Starling, 8; Eastern Meadowlark, 1; English Sparrow, 15 or 16; Canadian Pine Grosbeak, 5; Eastern

Goldfinch, 13; Eastern Tree Sparrow, 38+; Eastern Snow Buntng, 45+. Total, 15 species, 121+ individuals. On the 23d, a Barred Owl was seen in Pittsfield (S. W. Bailey) and on the 24th, 4 Evening Grosbeaks were noted (S. M. Pell). Pine Grosbeaks have been common during November and December—S. MORRIS PELL, G. BARTLETT HENDRICKS.

Wellesley, Mass. (Wellesley College campus and vicinity).—Dec. 22; 9.30 A.M. to 12 M., 130 to 3.30 P.M. Fair to cloudy; ground ice-covered; lake frozen; wind west, strong; temp. 41° at start, 43° at return. Observers together, on foot. Northern Flicker, 1; Northern Downy Woodpecker, 3; Northern Blue Jay, 10; Eastern Crow, 21; Black-capped Chickadee, 15; White-breasted Nuthatch, 1; Red-breasted Nuthatch, 2; Brown Creeper, 1; Eastern Golden-crowned Kinglet, 6; Starling, 50; English Sparrow, 40; Eastern Purple Finch, 4; Canadian Pine Grosbeak, 1 (8 reported recently); Eastern Goldinch, 2; Eastern Tree Sparrow, 3; Slate-colored Junco, 8 (1 partially albino); White-throated Sparrow, 1. Total, 17 species, 169 individuals.—Helen H. and Gordon Bort Wellman.

for several weeks.—Elizabeth Dickens, Robinson Lewis, William Lewis, Mildred wake Gull, 2; Saw-whet Owl, 1 (dead); Kingfisher, 1; Horned Lark, 9; Prairie Horned Lark, 3 Old Harbor to South Light; Old Harbor to Centre. Fifteen miles on foot. Observers in 4 CLIFFORD WHALEY, JR. TINKER, CASSIUS BALL, BERTRAM BALL, FRANK PAYNE, JR., ALBION SLATE, FRED ROSE, Sprague, Adrian Sprague, Jr., Mary Thomas, Herbert Thomas, Edith Sprague, Thelma Snow Bunting, 3. Total, 27 species, 550 individuals. Mockingbird was seen by Mary Thomas, 86; Meadowlark, 59; Red-winged Blackbird, 10; Slate-colored Junco, 1; Song Sparrow, 8; (resident); Mockingbird, 1; Robin, 2; Starling, 201; Myrtle Warbler, 1; English Sparrow, Ring-necked Pheasant, 2; American Coot, 1; Black-backed Gull, 1; Herring Gull, 100; Kittigroups. Common Loon, 6; Red-throated Loon, 1; Dovekie, 1; Gannet, 2; Cormorant, (sp.?) 1; began falling at 9 A.M.; deep, swirling snow by 11.30; wind northeast, 36 miles per hour; Edith Sprague, and Herbert Thomas in a locality where it has been observed almost daily American Bittern, 1; Canada Goose, 1; Red-breasted Merganser, 44; Sparrow Hawk, 1; temp. 30° at start, 32° at return. Dickens Point to Cooneymus; Clay Head to Sandy Point; Block Island, R. I.—Dec. 26; 8 A.M. to 12 M. Cloudy and ground bare at start; snow

Lincoln, R. I. (West Lonsdale to Limerock Village, including west shore of Blackstone River and Moshassuck Valley watershed).—Dec. 26; 7 a.m. to 12.45 p.m. Cloudy at start, snowing heavily at return; ground bare, frozen at start, 2 in. of snow at return; wind northeast, strengthening all day; temp. 23° at start, 22° at return. On foot 7½ miles. American Goldeneye, 3; Eastern Sparrow Hawk, 1; Herring Gull, 13; Eastern Belted Kingfisher, 1; Eastern Hairy Woodpecker, 1; Northern Downy Woodpecker, 2; Northern Blue Jay, 4; Eastern Crow, 7; Black-capped Chickadee, 22; White-breasted Nuthatch, 2; Eastern Robin, 6; Eastern Golden-crowned Kinglet, 3; Starling, 11; Northern Pine Warbler, 1 (male); English Sparrow, 11; Eastern Meadowark, 1; Slate-colored Junco, 108; Eastern Tree Sparrow, 44; White-throated Sparrow, 1 (immature); Eastern Song Sparrow, 3. Total, 20 species, 245; individuals. The Pine Warbler came into a barn in which I had sought shelter from a storm and its points were carefully noted with a 7× power glass. The Kingfisher was also seen on the 20th. Pine Siskins were noted on the 16th, 20th, and 23d and a Northern Shrike on the 19th.—Alfred E. Eynon.

Little Compton, R. I. (and vicinity).—Dec. 23; 10.30 A.M. to 4.30 P.M. Clear the early part of the trip, cloudy the latter part; wind northwest, light; temp. between 34° and 37°. Tiverton Stone Bridge, Tiverton, R. I., to Sakonnet and Warren Points, Little Compton, R. I., and across the state line to Horseneck Beach and Gooseberry Neck, Bristol County, Mass. Trip by auto, with short excursions on foot. Three observers together. Loon, 26; Horned Grebe, 5; Great Blue Heron, 3; Common Canada Goose, 15; Black Duck, 133; Baldpate, 17; American Golden-eye, 49; White-winged Scoter, 2; American Scoter, 6; American Merganser, 32; Red-breasted Merganser, 8; American Rough-legged Hawk (black phase), 1; Eastern Sparrow Hawk, 1; Great Black-backed Gull, 7; Herring Gull, 148; Eastern Crow, 75;

Starling, 107; English Sparrow, 50; Eastern Meadowlark, 8; Eastern Song Sparrow, 1. Total, 20 species, 694 individuals. Species seen in the same territory on December 7 include Red-throated Loon, 2; Double-crested Cormorant, 3; Eastern Red-tailed Hawk, 1; Blackbellied Plover, 1; Purple Sandpiper (a flock of about a dozen); Bonaparte's Gull, 25; Razorbilled Auk, 1; Brünnich's Murre, 1; Snowy Owl, 1; Eastern Field Sparrow, 1; and a dead Dovekie was picked up, stained brown with oil or some such foreign matter.—Mr. and Mrs. N. Theodore Peterson and Clifton A. Peterson.

DEAN, DOUGLAS KRAUS, CARLOS G. WRIGHT, ALBERT A. BARDEN, JR. observers and the white outer tail feathers and white patch in the wings noted.—WILLIAM Song Sparrow, 8. Total, 41 species, 6722+ individuals. The Mockingbird was seen by 3 adee, 55; White-breasted Nuthatch, 10; Red-breasted Nuthatch, 6; Brown Creeper, 9; 20; Slate colored Junco, 60; Tree Sparrow, 25; White-throated Sparrow, 6; Fox Sparrow, 1; Warbler, 40; English Sparrow, 30; Meadowlark, 1; Purple Finch, 1; Pine Siskin, 2; Goldfinch, Mockingbird, 1; Robin, 6; Bluebird, 7; Golden-crowned Kinglet, 18; Starling, 400; Myrtle Hairy Woodpecker, 2; Downy Woodpecker, 10; Blue Jay, 6; Crow, 15; Black-capped Chick-Pheasant, 1; Great Black-backed Gull, 1; Herring Gull, 500; Belted Kingfisher, 1; Flicker, 8; Hawk, 1; Marsh Hawk, 1; Sparrow Hawk, 1; Ruffed Grouse, 2 (reported by a hunter we met); Bufflehead, 50; American Merganser, 3; Red-breasted Merganser, 6; Red-shouldered (?) Night Heron, 3; Black Duck, 200; Greater Scaup Duck, 5000+; American Golden-eye, 200; Observers in 3 groups in morning, together in afternoon. Horned Grebe, 6; Black-crowned northwest, light; temp. 29° at start, 30° at return. In machine, 50 miles; on foot, 12 miles Narragansett Bay).—Dec. 23; 7.15 A.M. to 4.15 P.M. Clear; ground bare; ponds frozen; wind Providence, R. I. (N. Providence, Rumford, and the eastern part of Warwick along

Warwick, R. I.—Dec. 26; 9 A.M. to I P.M. Snowing; ground bare at start, 4 in. of snow at finish; wind strong, northeast; temp. 22° to 26°. Five miles on foot. Black-crowned Night Heron, 1; Northern Flicker, 1; Northern Downy Woodpecker, 1; Northern Blue Jay, 4; Eastern Crow, 10; Black-capped Chickadee, 7; White-breasted Nuthatch, 2; Brown Creeper, 1; Cedar Waxwing, 12; Starling, 200; Myrtle Warbler, 7; Slate-colored Junco, 9; Eastern Tree Sparrow, 28; Eastern Song Sparrow, 1. Total, 14 species, 284 individuals.—HARRY S. HATIRAWAY.

ARETAS A. SAUNDERS. Ducks, Wood Ducks, Mergansers, and most of the Black Ducks were on an inland reservoir.-massing of the birds, they could not have been found with 6 imes binoculars. The Ring-necked ing each individual bird in rafts of Scaup Ducks with a 20X telescope. Because of close 40 species, 5130 individuals. The Canvasbacks and the single Redhead were found by examin-7; Tree Sparrow, 48; Field Sparrow, 2; White-throated Sparrow, 3; Song Sparrow, 7. Total 4; Starling, 47; Myrtle Warbler, 2; English Sparrow, 48; Meadowlark, 15; Slate-colored Junco, Blue Jay, 8; Crow, 10; Black-capped Chickadee, 14; White-breasted Nuthatch, 4; Bluebird, Short-eared Owl, 1; Belted Kingfisher, 1; Flicker, 1; Downy Woodpecker, 1; Horned Lark, 14; Great Black-backed Gull, 1; Herring Gull, 950; Ring-billed Gull, 2; Mourning Dove, 1; Scoter, 33; American Merganser, 12; Sparrow Hawk, 3; Ring-necked Pheasant, 2; Killdeer, 1; 2600; Golden-eye, 185; Bufflehead, 30; Old-squaw, 220; White-winged Scoter, 540; 275; Wood Duck, 2; Redhead, 1; Ring-necked Duck, 18; Canvasback, 9; Greater Scaup Duck, speedometer, and about 5 miles on foot. Horned Grebe, 5; Great Blue Heron, 3; Black Duck, ground bare; wind northwest, light; temp. 28° at start, 40° at return. Fifty-six miles on the Fairfield, Westport, and Norwalk, Conn.—Dec. 23; 7.15 A.M. to 4.10 P.M. Partly cloudy.

Oxford and Seymour, Conn. (Quaker Farms to Stevenson and Squantuck and hack).—Dec. 23, 8.10 A.M. to 4.10 r.M. Mostly cloudy; no snow except little in patches; moderate north wind; temp. 26° at start, 33° at return. About 13 miles on foot. American Merganser. 9; Red-tailed Hawk, 4; Herring Gull, 8; Ruffed Grouse, 2; Flicker, 2; Hairy Woodpecker, 3. Downy Woodpecker, 9; Blue Jay, 8; Crow, 11; Chickadee, 26; White-breasted Nuthatch, 5; Brown Creeper, 2; Winter Wren, 1; Robin, 2; Bluebird, 6; Golden-crowned Kinglet, 4; Star-

ling, 24; Myrtle Warbler, 10; English Sparrow, 5; Goldfinch, 110 (est.); Junco, 65 (est.); Tree Sparrow, 39; Song Sparrow, 2. Total, 23 species, 357 (est.) individuals. On December 27 I observed 4 Pine Grosbeaks.—ALFRED P. HARGER.

at 2.30 P.M. and back to 48° at sundown; scattered patches of snow in shaded ravines. Over steadily increasing cloudiness with fresh, variable westerly winds; temp. 33° at start to 56° White-winged Scoter, 800 (est.); Surf Scoter, 85; American Scoter, 10; Red-breasted Merganser, 50; Sparrow Hawk, 2; Ring-necked Pheasant, 1; Killdeer, 5; Herring Gull, 1200 6; Black-crowned Night Heron, 1 (heard before dawn); Canada Goose, 37; Mallard, 45 Dec. 22; before dawn to sunset. Clear; stars brilliant; light southwest wind; after dawn, (est.); Ring-billed Gull, 6 (r flock); Flicker, 1; Hairy Woodpecker, 1; Downy Woodpecker, 5; (probably mostly feral); Red-legged and Common Black Duck, 450 (est.); Old-squaw, 20 miles on foot. Common Loon, 1; Red-throated Loon, 3; Holbœll's Grebe, 1; Horned Grebe, 43 species, over 3500 individuals. Also very many thousands of Scoters too distant for identi-Starling, 50; Myrtle Warbler, 80 (est.); English Sparrow, 65 (est.); Eastern Meadowlark, 1; Nuthatch, 10; Red-breasted Nuthatch, 2; Eastern Bluebird, 3; Golden-crowned Kinglet, 2; Horned Lark, 6; Blue Jay, 14; Eastern Crow, 15; Black-capped Chickadee, 65; White-breasted fication. The absence of Raptores and all Marila significant.—Allan Dudley Cruickshank. White-throated Sparrow, 5; Swamp Sparrow, 2; Song Sparrow, 18 (many singing). Todd's Point); Slate-colored Junco, 3 (quite flabbergasted by scarcity); Tree Sparrow, 70; Purple Finch, 2; Goldfinch, 4; Ipswich Sparrow, 1 (carefully studied on sandy stretches of Southwestern Connecticut (Greenwich, Mianus River, Sound Beach, and Stamford).-

Woodbury, Conn., to Bethlehem and back.—Dec. 26; 8.30 A.M. to 4 P.M. Snowing all day; wind northeast; 7 in. of snow; temp. 26° at start, 25° at return. About 8½ miles on foot alone. Black Duck, 2; Hairy Woodpecker, 2; Northern Downy Woodpecker, 2; Blue Jay, 3; American Crow, 10; Black-capped Chickadee, 2; Starling, 2; Evening Grosbeak, 5 (1 flock); Slate-colored Junco, 1; Tree Sparrow, 7. Total, 10 species, 36 individuals. The Evening Grosbeaks were very tame and allowed approach to within 25 feet, where they were studied with 8× glasses. Large bill, yellow on head, black and white wings—all clearly noted.—H. E. Pearson

Short-eared Owl, 4; Northern Flicker, 10; Northern Horned Lark, 21; Northern Blue Jay, 2; 40; Red-breasted Merganser, 7; Marsh Hawk, 1; Sparrow Hawk, 6; Virginia Rail, 1; Coot, 450; Black Duck 3; Baldpate, 3; Pintail, 3; Canvasback, 20; Scaup, 4000; Golden-eye, 100; Blue Heron, 8; Black-crowned Night Heron, 1; Mute Swan, 110; Canada Goose, 110; Brant, east at 4 P.M.; temp. 27° at start, 33° at return. Common Loon, 1; Horned Grebe, 4; Great in A.M., clear in P.M.; ground bare; light north wind at start, shifting to south at 1.30 P.M. and Marsh Wren, 1; Short-billed Marsh Wren, 2; Fastern Robin, 3; Bluebird, 4; Golden-crowned Eastern Crow, 40; Black-capped Chickadee, 11; Red-breasted Nuthatch, 4; Long-billed 130; Great Black-backed Gull, 12; Herring Gull, 500; Ring-billed Gull, 1; Snowy Owl, 1; Bufflehead, 33; Old-squaw, 100; White-winged Scoter, 3000; Surf Scoter, 25; American Scoter, 4; Eastern Tree Sparrow, 25; White-throated Sparrow, 1; Swamp Sparrow, 1; Eastern Song Goldfinch, 13; Eastern Savannah Sparrow, 12; Sharp-tailed Sparrow, 2; Slate-colored Junco, Kinglet, 2; Starling, 175; Myrtle Warbler, 50; English Sparrow, 50; Eastern Meadowlark, 4; Sparrow, 9; Snow Bunting, 20. Total, 52 species, 9140 individuals. Also found dead Screech Owl (fresh) and Ruffed Grouse.—Leroy WILCOX. East Moriches to Hampton Bays, L. I., N. Y .- Dec. 23; 7 A.M. to 4.45 P.M. Partly cloudy

North Shore, L. I., N. Y. (St. James to Nissequogue, Old Field Point, Lake Grove, and Smithtown).—Dec. 24; 7.15 A.M. to 4.40 P.M. Dense fog all day over harbor and sound; clear inland; gentle southwest wind in P.M.; temp. 41° in fog, 55° inland at 1 P.M. Fifty miles by car and on foot. Common Loon, 10; Horned Grebe, 4; Pied-billed Grebe, 1; Black Duck, 100; Pintail, 1; American Golden-eye, 2; Bufflehead, 3; Old-squaw, 7; White-winged Scoter, 300; Pintail, 8; Red-breasted Merganser, 40; Red-tailed Hawk, 1; Bob-white, 2; Black-backed Gull, 8; Herring Gull, 100; Ring-billed Gull, 7; Screech Owl, 1; Kingfisher, 5; Downy Wood-pecker, 5; Blue Jay, 9; Crow, 800; Fish Crow, 3; Chickadee, 50; White-breasted Nuthatch,

1; Red-breasted Nuthatch, 5; Brown Creeper, 1; Robin, 2; Golden-crowned Kinglet, 1; Starling, 250; Myrtle Warbler, 40; Goldfinch, 10; Pine Siskin, 1; Junco, 55; Tree Sparrow, 77; White-throated Sparrow, 3; Sharp-tailed Sparrow, 1; Swamp Sparrow, 1; Song Sparrow, 4. Total, 38 species, 1914 individuals. Pied-billed Grebe studied at close range with 6- and 8-power glasses, and curved bill and other characteristics noted.—Greek and Robert Raisrow, Fred M. Packard.

Port Washington, L. I. (Port Washington to Sands Point to the Jesse Rick's Estate).—Dec. 23; 10.30 to 11.30 a.M., 1.30 to 5.30 p.m. Clear; wind northeast, light; temp. 39° a.M., 36° p.M. Five miles on foot. Observers together. Canada Goose, 115; Common Mallard, 200; Black Duck, 1801; American Pintail, 6; Green-winged Teal, 12; Wood Duck, 20; Canvasback, 3; Greater Scaup, 21; American Golden-eye, 55; Red-breasted Merganser, 2; Cooper's Hawk, 1; Sparrow Hawk, 1; Great Black-backed Gull, 2; Herring Gull, 549; Mourning Dove, 68; Kingfisher, 1; Flicker, 6; Downy Woodpecker, 6; Blue Jay, 5; American Crow, 241; White-breasted Nuthatch, 1; Robin, 4; Golden-crowned Kinglet, 2; Starling, 91; Myrtle Warbler, 8; House Sparrow, 32; Purple Finch, 3; Redpoll, 1 (singing); Goldfinch, 2; Slate-colored Junco, 26; Tree Sparrow, 11; White-throated Sparrow, 16; Song Sparrow, 13. Total, 33 species, about 3325 individuals.—Gladys Gordon Fry, Reuben Ross.

SHOPEE, R. RORDEN, R. MATYCH, O. KNORR, H. BOHN). of belly but because the sun was in his eyes he doesn't want to be positive. Laughing R. Scott, W. Sheehan, H. Boshe, A. Walker, E. and E. Standfast, L. Lockridge, A Gulls lingered unusually late.—Queens County Bird Club (H. Kritzler, A. McBride, McBride. Matych, who reported the Redpoll, observed the red cap and stripes down side individuals. The Towhee is seen every day in Flushing and was banded on Dec. 7 by Fox Sparrow, 6; Swamp Sparrow, 1; Song Sparrow, 132. Total, 64 species, 15,184 (est.) Slate-colored Junco, 239; Tree Sparrow, 318; Field Sparrow, 4; White-throated Sparrow, 98 poll (?), 1 (Matych); Pine Siskin, 152; Goldfinch, 77; Towhee, 1; Savannah Sparrow, 1; 28; Red-wing, 7; Rusty Blackbird, 9; Purple (?) Grackle, 8; Purple Finch, 1; Common Red-1; Robin, 11; Golden-crowned Kinglet, 2; Starling, 500+; English Sparrow, 65; Meadowlark 31; Red-breasted Nuthatch, 1; Brown Creeper, 9; Winter Wren, 1; Long-billed Marsh Wren, Eastern Crow, 313; Fish Crow, 51; Black-capped Chickadee, 63; White-breasted Nuthatch, Hairy Woodpecker, 4; Downy Woodpecker, 43; Horned Lark, 250 (est.); Blue Jay, 51; Barn Owl, 6; Screech Owl, 6; Saw-whet Owl, 1; Belted Kingfisher, 7; Northern Flicker, 5; Ring-billed Gull, 150 (est.); Laughing Gull, 66; Bonaparte's Gull, 2; Mourning Dove, 37; white, 61 (4 coveys); Killdeer, 25; Great Black-backed Gull, 13; Herring Gull, 2000 (est.); 2; Red-tailed Hawk, 4; Red-shouldered Hawk, 7; Marsh Hawk, 1; Sparrow Hawk, 18; Boh-Six groups of observers on foot and one in car. Common Loon, 1; Horned Grebe, 4; Great Duck, 1; American Golden-eye, 40; Old-squaw, 1; White-winged Scoter, 16; Cooper's Hawk, Black Duck, 10; Black Duck, 225; Greater (?) Scaup Duck, 10,400 (est.); Lesser Scaup Blue Heron, 3; Black-crowned Night Heron, 47; Canada Goose, 45; Mallard, 1; Red-legged (for a while); very light breeze in P.M. from southwest; temp. 34° at start, 36° at return to Queens Village and Forest Hills).—Dec. 23; 7 a.m. to 7 P.m. Cloudy; clearing up by midday Queens County, L. I., N. Y. (Rockaway to Flushing, Flushing and Little Neck Bay south

Southern Nassau County, L. I., N. Y. (Jones Beach and Massapequa to Long Beach and Roslyn).—Dec. 23; 7 A.M. to 5 P.M. Partly cloudy; no wind; temp., max. 52°, min. 38°. Three parties with automobiles. Common Loon, 3; Red-throated Loon, 1; Gannet, 3; Double-crested Cormorant, 7; Great Blue Heron, 3; Black-crowned Night Heron, 2; American Bittern, 2; Mallard, 35; Black Duck, 200; Red-legged Black Duck, 2500; Gadwall, 1; European Widgeon, 2; Baldpate, 50; Pintall, 3; Green-winged Teal, 40; European Teal, 1; Canvasback, 1; Scaup, 2; Golden-eye, 1; Bufflehead, 7; Old-squaw, 20; American Scoter, 25; White-winged Scoter, 1; Surf Scoter, 6; Red-breasted Merganser, 35; Red-shouldered Hawk, 1; Marsh Hawk, 3; Pigeon Hawk, 1; Sparrow Hawk, 8; Bob-white, 2; Ring-necked Pheasant, 1; Wilson's Snipe, 1; Purple Sandpiper, 3; Sanderling, 2; Black-backed Gull, 60; Herring Gull, 14,000; Ring-

billed Gull, 8; Bonaparte's Gull, 1; Long-eared Owl, 1; Short-eared Owl, 2; Kingfisher, 1; Flicker, 1; Downy Woodpecker, 15; Horned Lark, 400; Blue Jay, 36; Crow, 85; Fish Crow, 2; Chickadee, 50; White-breasted Nuthatch, 10; Red-breasted Nuthatch, 7; Carolina Wren, 11; Catbird, 12; Robin, 21; Golden-crowned Kinglet, 10; Northern Shrike, 1; Starling, 350; Myrtle Warbler, 41; Meadowlark, 23; Red-winged Blackbird, 1; Purple Grackle, 1; Cowbird, 1; Pine Siskin, 16; Goldfinch, 18; Ipswich Sparrow, 2; Savannah Sparrow, 1; Vesper Sparrow, 1; Junco, 250; Tree Sparrow, 100; Field Sparrow, 25; White-throated Sparrow, 35; Fox Sparrow, 4; Swamp Sparrow, 10; Song Sparrow, 40; Lapland Longspur, 1; Snow Bunting, 10. Total, 75 species, about 18,500 individuals. Also House Sparrow, common.—Woodmere Academy Bird Club (D. D. and A. F. Berolzheimer, T. and H. Vogel, R. Arbib, R. Weil, R. Barnett, R. Loewi, D. D. and D. E. Harroweer, B. C. and R. W. Berliner).

crowned Kinglet, 1; Northern Shrike, 1; Starling, 50; Myrtle Warbler, 295; House Sparrow, 8; 55; Eastern Crow, 12; Black-capped Chickadee, 4; Mockingbird, 1; Eastern Robin, 1; Golden-8; Double-crested Cormorant, 1; Mute Swan, 1; Common Black Duck, 4; Canvasback, 4; Breslau, Walter Sedwitz, Ralph Lind, C. Stahloff (Local Bird Club). Purple Sandpiper, 3; Great Black-backed Gull, 4; Herring Gull, 315; Ring-billed Gull, 1; observed at 20 feet; all Eiders were on edge of Scoter flocks); American Scoter, 400; Whiteice or snow; all ponds open with little ice at edges; wind southwest, then west, very quiet; Sound).—Dec. 24; 6.55 A.M. to 4.45 P.M. Foggy until 9 A.M., then clearing; ground free from Song Sparrow, 11; Snow Bunting, 105. Total, 48 species, about 3073 individuals.—Leo Eastern Meadowlark, 5; Cowbird, 1; Eastern Tree Sparrow, 70; Swamp Sparrow, 3; Eastern Kingfisher, 1; Northern Flicker, 6; Northern Downy Woodpecker, 1; Northern Horned Lark, Bonaparte's Gull, 68; Atlantic Kittiwake, 2; Dovekie, 1; Snowy Owl, 1; Short-eared Owl, 1; Hawk, 1; American Rough-legged Hawk, 1; Marsh Hawk, 3; Eastern Sparrow Hawk, 1; winged Scoter, 300; Surf Scoter, 1100; Red-breasted Merganser, 85; Eastern Red-tailed American Golden-eye, 24; Old-squaw, 28; King Eider, 21 (Juvenal males; a few, mostly temales, (2 were heard callingl); Red-throated Loon, 4; Holbœll's Grebe, 2; Horned Grebe, 23; Gannet, temp. 40° at start and same at return. Car used. Observers together. Common Loon, 55 Montauk, L. I., N. Y. (Fort Pond, the Inlet, Great Pond, and Montauk Light, also along

ganser, 6; American Merganser, 44; Red-breasted Merganser, 1; Cooper's Hawk, 1; Eastern at finish (velocity 18 miles); temp 38° to 53°. Seven parties working mostly in pairs with best single-party lists of 52 and 50 within boundaries of New York City. Horned Grebe, 1; south to Baxter Marshes, all points within 15 miles of each other).—Dec. 24; 6 A.M. to 6 P.M. 6; Blue Jay, 147; Eastern Crow, 62; Fish Crow, 6; Black-capped Chickadee, 436; Tufted Tit-Woodpecker, 13; Northern Downy Woodpecker, 52; Northern Horned Lark, 4; Tree Swallow, Duck Hawk, 1; Eastern Sparrow Hawk, 14; Eastern Bob-white, 80; Ring-necked Pheasant, Red-tailed Hawk, 2; Northern Red-shouldered Hawk, 4; Broad-winged Hawk, 1 (small, squaw (heard); Scoter, many (3 definitely White-winged); Ruddy Duck, 1; Hooded Mer-Great Blue Heron, 4; Black-crowned Night Heron, 70; Canada Goose, 3; Common Mallard, 6; mouse 5; Northern White-breasted Nuthatch, 76; Red-breasted Nuthatch, 7; Brown Creeper 2; Short-eared Owl, 3; Eastern Belted Kingfisher, 15; Northern Flicker, 6; Eastern Hairy Gull, 2; Barn Owl, 2; Screech Owl, 2; Great Horned Owl, 1; Barred Owl, 6; Long-eared Owl Great Black-backed Gull, 4; Herring Gull, 10,000 (est.); Ring-billed Gull, 5; Bonaparte's 30; King Rail, 2; Killdeer, 8; American Woodcock, 1; Wilson's Snipe, 10; Iceland Gull, 2; translucent wing-spots and rusty on shoulders—A. D. C.); American Rough-legged Hawk, 1; to immature Red-shouldereds; solid white under-wing parts noted along with absence of exceedingly tame, critically maimed Buleo, carefully checked since Dec. 7, directly compared winged Teal, 3; Wood Duck, 23; Greater Scaup, 750 (est.); American Golden-eye, 71; Old-Red-legged and Common Black Duck, 1100 (est.); Baldpate, 11; American Pintail, 7; Greendaylight hours along southern shore points; wind southeast at start (velocity 4 miles), south Fair visibility inland all day, absolute zero visibility all day over northern waters and for 6 Bronx Region, N. Y. (area from Rye Beach and part of Piermont Marshes (west of Hudson)

> census, the day after, or both).—The Bronx County Bird Club (A. D. Cruickshank, J. Orth, and A. Thomas). W. F. Drescher, C. Farley, R. A. Herbert, J. J. Hickey, I. Kassoy, P. Kessler, J. F. Kuerzi, R. Kuerzi, J. F. Matuszewski, E. Mayr, C. O. Mellinger, M. Oboiko, Scoters, 5 Surf Scoters, 60 Canvasbacks, and 1 Glaucous Gull (all seen the day before the prevented the seeing of 1 Common Loon, 2 Red-throated Loon, 1000 (est.) White-winged water-birds, made the observation of several common species a matter of sheer luck, and mariners as "the worst harbor fog in twenty years" cut down the recorded numbers of many ('Rock Dove'), 3, of an entirely wild, self-sustaining colony. What was described by local Bunting, 1. Total, 96 species and subspecies, 32,424 (est.) individuals. Also feral Pigeon 2; Swamp Sparrow, 33; Eastern Song Sparrow, 246; Lapland Longspur, 1; Eastern Snow since Dec. 10); Eastern Field Sparrow, 37; White-throated Sparrow, 79; Eastern Fox Sparrow colored Junco, 634; Eastern Tree Sparrow, 1300 (est.); Eastern Chipping Sparrow, 1 (present Savannah Sparrow, 4; Common Sharp-tailed Sparrow, 2; Eastern Vesper Sparrow, 1; Slate-9; Northern Pine Siskin, 25; Eastern Goldfinch, 107; White-winged Crossbill, 3; Eastern Eastern Cowbird, 2; Eastern Cardinal, 1; Eastern Purple Finch, 12; Canada Pine Grosbeak, Eastern Meadowlark, 52; Eastern' Red-winged Blackbird, 100 (est.); Rusty Blackbird, 11 Grant's Tomb); Myrtle Warbler, 92; Northern Yellow-throat, 1; House Sparrow, 635 (est.); 9; Eastern Winter Wren, 5; Carolina Wren, 1; Long-billed Marsh Wren, 9; Short-billed American Pipit, 16; Cedar Waxwing, 1; Starling, 15,750 (est., flying to roosts at and near Marsh Wren, 2; Brown Thrasher, 1; Eastern Robin, 6; Eastern Hermit Thrush, 3; Eastern 19; Eastern Golden-crowned Kinglet, 55; Eastern Ruby-crowned Kinglet,

Peterson, James Savage, J. H. Schmahl, E. C. Ulrich, W. Vaughan, Alfred Wander, RUTH WEIECHEISER. Mrs. L. Mansfield, Richard Mansfield, Robert Mansfield, H. D. Mitchell, Roger Doll, Mr. and Mrs. T. M. Kelly, Ward Klepfer, Mrs. G. Kratzler, H. H. Larkin, and 3 Gadwall were observed.—C. S. Beardslee, Clarence Beal, W. Brockner, Carolyn 4; Eastern Snow Bunting, 17. Total, 60 species, 9812 individuals. Dec. 23, 1 Kumlien's Gull Eastern Tree Sparrow, 404; Swamp Sparrow, 2; Eastern Song Sparrow, 8; Lapland Longspur, Sparrow, 412; Red-winged Blackbird, 4; Canada Pine Grosbeak, 1; Slate-colored Junco, 25: Creeper, 12; Eastern Golden-crowned Kinglet, 5; Northern Shrike, 2; Starling, 3194; English capped Chickadee, 108; White-breasted Nuthatch, 46; Red-breasted Nuthatch, 1; Brown billed Gull, 195; Bonaparte's Gull, 247; Barn Owl, 5; Eastern Screech Owl, 3; Snowy Owl, 1; Woodpecker, 36; Prairie Horned Lark, 15; Northern Blue Jay, 18; Eastern Crow, 791; Black Long-eared Owl, 1; Northern Flicker, 2; Eastern Hairy Woodpecker, 2; Northern Downy Ruffed Grouse, 1; Ring-necked Pheasant, 817; Glaucous Gull, 2; Herring Gull, 596; Ringhawk, 3; Sharp-shinned Hawk, 1; Cooper's Hawk, 3; Eastern Red-tailed Hawk, 6; American eye, 1423; Bufflehead, 26; Old-squaw, 269; Harlequin Duck, 3; White-winged Scoter, 6; in 8 parties. Common Loon, 1; Holbæll's Grebe, 1; Horned Grebe, 2; Great Blue Heron, 1; 2 in. of snow; no wind; temp. 46° to 34°. On foot 38 miles and 180 miles by car. Observers with fog becoming heavy in afternoon, making observation difficult; rain in late afternoon; Rough-legged Hawk, 6; Bald Eagle, 1; Marsh Hawk, 5; Eastern Sparrow Hawk, 16; Eastern Hooded Merganser, 2; American Merganser, 83; Red-breasted Merganser, 22; Eastern Gos-Redhead, 40; Canvasback, 212; Greater and Lesser Scaup Ducks, 106; American Golden-Common Mallard, 49; Red-legged and Common Black Duck, 520; American Pintail, 1; Tonawanda, Bear Swamp, and Willoughby Marsh).—Dec. 24; 7 a.m. to 4.30 p.m. Cloudy, Buffalo, N. Y. (to Erie Beach, along Niagara River, to Niagara Falls, Grand Island,

Geneva, N. Y.—Dec. 24; 8 A.M. to 5 P.M. Cloudy all day, with sun breaking through for 5 minutes about 6 times throughout the day; ground bare; very light wind; temp. 43° at 8 A.M., 46° at M., 48° at 5 P.M. Combined list of 7 parties, 16 persons, working in groups of 2 or 3. Covered nearly rectangular area extending 5 miles north of Geneva, 6 miles south, 2 miles east and 3 miles west. Loon, 1; Horned Grebe, 32; Black Duck, 38; Redhead, 12,000;

Canvasback, 32; Greater Scaup, 4,500; Lesser Scaup, 150; Golden-eye, 28; Bufflehead, 13; Old-squaw, 31; Sharp-shinned Hawk, 1; Cooper's Hawk, 1; Red-tailed Hawk, 4; Red-shouldered Hawk, 2; Sparrow Hawk, 3; Ring-necked Pheasant, 62; Coot, 1; Great Black-backed Gull, 1; Herring Gull, 65; Ring-billed Gull, 22; Screech Owl, 1; Great Horned Owl, 1; Red-bellied Woodpecker, 2; Hairy Woodpecker, 13; Downy Woodpecker, 18; American Crow, 120; Black-capped Chickadee, 63; White-breasted Nuthatch, 45; Red-breasted Nuthatch, 2; Brown Creeper, 3; Winter Wren, 1; Robin, 2; Golden-crowned Kinglet, 2; Starling, 343; English Sparrow, 277; Goldfinch, 4; Slate-colored Junco, 10; Tree Sparrow, 117; Song Sparrow, 1. Total, 39 species, 21,012 individuals.—G. P. Van Eseltine, Robert Van Eseltine, L. D. Ward, John Parrott, W. E. Lauterdale, E. H. Wheeler, R. I. Eurell, W. E. Lauterdale, Jr., Stephen Eaton, E. T. Emmons, A. E. Emmons, F. Z. Hartzell, J. Devaney, B. Devaney, H. A. Sutherland, Flage Sutherland.

Minerva (Essex Co.), N. Y.—Dec. 23; 7 A.M. to 4 P.M. Clear at start, cloudy at noon, snow in afternoon; ground snow-covered; streams ice-covered; no wind; temp. 7° to 30°. About 25 miles by automobile, 4 miles on foot. Observers together. Territory included typical Adirondack mountainous woods and clearings along Boreas River and in Essex, Hamilton, and Warren counties. Ruffed Grouse, 2; Hairy Woodpecker, 1; Blue Jay, 5; Black-capped Chickadee, 65; Acadian Chickadee, 6; English Sparrow, 135 (est.); Eastern Goldfinch, 3; Snow Bunting, 100 (est.). Total, 8 species, 317 (est.) individuals. Two Pine Grosbeaks were also seen on same day in village of North Creek by other observers.—Barton J. Baker, Barriogron S. Havens, Vincent J. Schaefer.

Lyndonville (Orleans Co.), N. Y.—Dec. 26; 8 to 12 A.M., 1.15 to 5.15 P.M. About 4 in. snow on ground, snowing all day; light northeast wind; temp. 20° at start, 22° at return. About 5 miles on foot, 67 miles by auto. Observers together. Ducks (unidentified), 4; Screech Owl, 1; Ring-necked Pheasant, 307 (54 cocks, 253 hens); Downy Woodpecker, 1; Hairy Woodpecker, 3; Prairie Horned Lark, 13; Crow, 223; Black-capped Chickadee, 2; Starling, 111; English Sparrow, 299; Slate-colored Junco, 10; Tree Sparrow, 65; Snow Bunting, 112. Total, 13 species, 1151 individuals. Note. The absence from this list of many common species, especially Hawks, Ducks, and Gulls, is due entirely to the storm which made it impossible to see but a short distance. During the day 7¼ inches of snow fell.—George,

Otisville (Orange Co.), N. Y. (through village and neighboring countryside).—Dec. 27;
Otisville (Orange Co.), N. Y. (through village and neighboring countryside).—Dec. 27;
7,30 A.M. to 12 M. Clear, with scattered clouds passing overhead; ground covered with 7 in.
7,30 A.M. to 12 M. Clear, with scattered clouds passing overhead; ground covered with 7 in.
7,30 A.M. to 12 M. Clear, with scattered clouds passing overhead; ground covered with 7 in.
7,30 A.M. to 12 M. Clear, with scattered clouds passing overhead; ground covered with 7 in.
7,30 A.M. to 12 M. Clear, with scattering separate (Patterson recording from 8,30 to 11,30 A.M.).
6 fabout 15 miles on foot. Observers separate (Patterson recording from 8,30 to 11,30 A.M.).
6 fabout 15 miles on foot. Observers separate (Patterson recording from 8,30 to 11,30 A.M.).
6 fabout 15 miles on foot. Observers separate (Patterson Hairy Woodpecker, 1; Northern Patterson, 1; Eastern Crow, 6; Black-capped Chickadee, 2;
6 fastern Winter Wren, 1; Eastern Ruby-crowned Kinglet is wintering in a wooded swamp. The Eastern Song Sparrow, 8. Total, 17 species, 439 individuals. During December the following birds were seen but were not recorded on the day of the census: Eastern Screech Owl, 1;
8 horthern Flicker, 2; Northern Pileated Woodpecker, 1; White-breasted Nuthatch, 2; Eastern Robin, 1. The Ruby-crowned Kinglet is wintering in a wooded swamp. The Eastern Golden8 Robin, 1. The Ruby-crowned Kinglet is wintering in a wooded swamp. The Eastern Golden8 Robin, 1. The Eastern Sparrow, 25; Swamp Sp

Port Chester, N. Y. (to Kensico Lake; Manursing Island, Rye; Old Greenwich, Conn., and back).—Dec. 24; 6.30 A.M. to 5 P.M. Heavy fog almost all day; light northeast wind; temp. 43° at start, 41° at return. About 8 miles on foot. Observers in 3 groups. Automobiles used. Holbcell's Grebe, 1; Horned Grebe, 3; Common Loon, 1; Great Blue Heron, 1; Black-crowned Night Heron, 2; Canada Goose, 25; Common Mallard, 28 (mostly feral); Black-Duck, 85; American Golden-eye, 100; Bufflehead, 7; White-winged Scoter, 3; American

Merganser, 200; Red-breasted Merganser, 6; Cooper's Hawk, 1; Red-shouldered Hawk, 1; Sparrow Hawk, 5; Bob-white, 13; Ruffed Grouse, 1; Ring-necked Pheasant, 9; Coot, 3; Killdeer, 13; Great Black-backed Gull, 1; Herring Gull, 1500 (est.); Ring-billed Gull, 2; Barred Owl, 1; Barn Owl, 1; Belted Kingfisher, 3; Northern Flicker, 1; Yellow-bellied Sapsucker, 2; Northern Hairy Wóodpecker, 2; Northern Flowny Woodpecker, 12; Blue Jay, 40; American Crow, 20; Black-capped Chickadee, 90; White-breasted Nuthatch, 8; Winter Wren, 1; Catbird, 1; Robin, 1; Hermit Thrush, 1; Bluebird, 9; Golden-crowned Kinglet, 10; Starling, 165; Myrtle Warbler, 300; House Sparrow, 90; Purple Finch, 1; Goldfinch, 20; Slate-colored Junco, 37; Tree Sparrow, 210; White-throated Sparrow, 25; Fox Sparrow, 1; Swamp Sparrow, 1; Song Sparrow, 45. Total, 52 species, 3108 (est.) individuals. Long-eared Owl observed at Port Chester on Dec. 20. Ruby-crowned Kinglet observed at White Plains on Dec. 21.—19nn T. Zmacer, Albert R. Brand, William Bolton Cook, Miss Brooks, John Orth, Carl Gudar, Richard L. Burdsall, Paul Cecil Spofford, Herbert S. Kohlberg.

R. E. Horsey, H. S. Miller, Dewey Rommel, David Horsey. 250; Pine Grosbeak, 13; Pine Siskin, 4; Goldfinch, 3; Slate-colored Junco, 50; Tree Sparrow, 2; Brown Creeper, 1; Robin, 1; Golden-crowned Kinglet, 3; Starling, 450; English Sparrow, 26 Gordon Meade reported the Sparrow Hawk and Sharp-shinned Hawk.—Wm. L. G. Edson 19 Mr. Miller observed the Glaucous Gull, Prairie Horned Lark, and Purple Finch. December 250; Swamp Sparrow, 3; Song Sparrow, 6. Total, 31 species, 3002 (est.) individuals. December Crow, 11; Black-capped Chickadee, 34; White-breasted Nuthatch, 2; Red-breasted Nuthatch Herring Gull, 560 (est.); Ring-billed Gull, 50; Hairy Woodpecker, 2; Downy Woodpecker, 8; Ring-necked and Silver Pheasant released in Mendon Ponds Park about 5 years ago), 8; legged Hawk, 1; Marsh Hawk, 1; Ring-necked Pheasant, 200; Mutant Pheasant (hybrid of Merganser (probably American), 7; Red-tailed Hawk, 1; Red-shouldered Hawk, 1; Rough-Rommel together. Mallard, 75; Black Duck, 1000 (est.); Scaup Duck, 3; Old-squaw, 2; into likely bird-areas. Messrs. Edson, R. E. and David Horsey together and Miller and temp. 37° at start, 54° at finish. Area covered in auto about 1 by 18 miles, with trips afoot foggy, especially in the forenoon; ground with about 1 in. of snow; wind southwest, light; Haven to Palmer's Glen to Mendon Ponds Park).—Dec. 24; 7.45 A.M. to 5 P.M. Cloudy and Rochester, N. Y. (Highland Park to Durand-Eastman Park and Sea Breeze to Glen

crowned Kinglet, 9; Cedar Waxwing, 3; Northern Shrike, 1; Starling, 700 (est.); William Gapczynski, Esly Hallenbeck, Joseph Janiec, Mortimer MacDonald, B. D 211; Swamp Sparrow, 4; Song Sparrow, 14. Total, 32 species, about 2010 individuals. Also, Sparrow, 180 (est.); Eastern Goldfinch, 12; Slate-colored Junco, 29; Eastern Tree Sparrow 25; Red-breasted Nuthatch, 2; Brown Creeper, 2; Eastern Winter Wren, 1; Eastern Goldenand ponds ice-covered, except below dams; small streams partly open; no wind; temp. 20° Robert Treat, Jr., Robert Underwood. Milier, Joseph Overstreet, Meredith Runner, W. R. Steele, Averill Stewart Dec. 24, Snow Bunting, 200.—George Bainbridge, Guy Bartlett, William Donnelly Jay, 19; Eastern Crow, 550 (est.); Black-capped Chickadee, 76; White-breasted Nuthatch, Woodpecker, 5; Northern Downy Woodpecker, 19; Prairie Horned Lark, 18; Northern Blue Great Horned Owl, 2; Northern Barred Owl, 1; Eastern Belted Kingfisher, 4; Eastern Hairy Ruffed Grouse, 8; Ring-necked Pheasant, 54; Herring Gull, 10; Eastern Screech Owl, 2; Merganser, 45; Sharp-shinned Hawk, 1; Marsh Hawk, 1; Eastern Sparrow Hawk, 1; Eastern vliet Reservoir, Meadowdale, and intervening territory. Red-legged Black Duck, 1; American Lock 8 to Mohawk View, both sides of river; Collins Lake, Central Park, Niskayuna, Waterto 29°. By automobile and on foot. Observers in 5 groups of 2 or more. Mohawk River from Schenectady, N. Y.—Dec. 23; 7 A.M. to 5 P.M. Cloudy; ground with 2 in. of snow; river

Staten Island, N. Y.—Dec. 24; 7.30 A.M. to 5.30 P.M. Dense fog all A.M., clearing late P.M., no wind; temp. 45° at start, 55° at return. Mostly on foot. Four observers—a party of 2 and two singles to 1 P.M., then all together. Horned Grobe, 1; Great Blue Heron, 3; Black Duck, 2; Greater Scaup, 23; American Golden-eye, 5; Bufflehead, 2; White-winged Scoter, 1;

Red-tailed Hawk, 2; Red-shouldered Hawk, 1; Marsh Hawk, 1; Sparrow Hawk, 2; Pheasant, 1; Greater Yellow-legs, 1; Great Black-backed Gull, 1; Herring Gull, 300; Ring-billed Gull, 32; Bonaparte's Gull, 425; Barn Owl, 1; Kingfisher, 1; Flicker, 6; Downy Woodpecker, 3; 32; Winter Grow, 50; Fish Crow, 1; Black-capped Chickadee, 2; White-breasted Nuthatch, 2; Winter Wren, 1; Robin, 10; Pipit, 4; Starling, 2000; English Sparrow, 50; Meadowlark, 4; Purple Grackle, 75; Goldfinch, 55; Savannah Sparrow, 1; Junco, 70; Tree Sparrow, 200; Chipping Sparrow, 1; Field Sparrow, 2; White-throated Sparrow, 4; Fox Sparrow, 3; Swamp Sparrow, 1; Song Sparrow, 40. Total, 43 species, 3411 individuals. Tree Sparrows heard in Sparrow, 1; Song Sparrow, 40. Total, 43 species, 3411 individuals. Tree Sparrows heard in Sparrow, 1; Song Sparrow, 40. Total, 43 species, 3411 individuals.

as 1932: Barnegat City to Beach Haven; Barnegat and vicinity to West Creek. Common 45° to 54°; mild; spring peeper calling in A.M.; turtle, insects. Four parties over same area 3200; Baldpate, 10; Redhead, 5; Ring-necked Duck, 2; Canvasback, 600; Scaup (probably Bittern, 1; Canada Goose, 46; Brant, 450; Mallard, 3; Red-legged and Common Black Duck, Sanderling, 63; Great Black-backed Gull, 17; Herring Gull, 1600; Ring-billed Gull, Snipe, 1; Purple Sandpiper, 2; Red-backed Sandpiper, 325; Semipalmated Sandpiper, 1; Duck Hawk, 2; Sparrow Hawk, 6; Eastern Bob-white, 10; Semipalmated Plover, 1; Wilson's Northern Red-shouldered Hawk, 1; American Rough-legged Hawk, 10; Marsh Hawk, 6; Merganser, 5; Red-breasted Merganser, 30; Sharp-shinned Hawk, 2; Red-tailed Hawk, 1; winged Scoter, 40; Surf Scoter, 182; American Scoter, 103; Hooded Merganser, 5; American mostly Greaters), 650; American Golden-eye, 710; Bufflehead, 150; Old-squaw, 808; White-Loon, 5; Red-throated Loon, 11; Horned Grebe, 18; Gannet, 3; Great Blue Heron, 8; American crowned Kinglet, 4; Ruby-crowned Kinglet, 1; Northern Shrike, 2; Starling, 700; Myrtle 7; Hairy Woodpecker, 9; Downy Woodpecker, 8; Northern Horned Lark, 111; Blue Jay, 7; Laughing Gull, 1; Mourning Dove, 8; Great Horned Owl, 2; Barred Owl, 2; Northern Flicker, Cowbird, 112; Cardinal, 10; Purple Finch, 2; Pine Siskin, 2; Goldfinch, 241; Ipswich Sparrow, Warbler, 540; English Sparrow, 165; Meadowlark, 126; Red-wing, 166; Rusty Blackbird, Catbird, 1; Brown Thrasher, 1; Eastern Robin, 51; Hermit Thrush, 2; Bluebird, 4; Golden-Northern Raven, (usual place), 1; Eastern Crow, 235; Carolina Chickadee, 50; Tufted Titof such extreme size, with long tail and pointed wings, that both observers believe it to have Snow Bunting, 4. Total, 92 species and subspecies, 12,097 (est.) individuals. Also a very Sparrow, 10; Fox Sparrow, 8; Swamp Sparrow, 6; Song Sparrow, 60; Lapland Longspur, 3; Sparrow, 1; Slate-colored Junco, 140; Tree Sparrow, 156; Field Sparrow, 8; White-throated 1; Savannah Sparrow, 1; Acadian Sharp-tailed Sparrow, 1; Sharp-tailed Sparrow, 6; Seaside mouse, 3; White-breasted Nuthatch, 2; Brown Creeper, 1; Winter Wren, 1; Carolina Wren, 7; Cobb, O. Eayre, R. Evans, J. L. Edwards, C. Jackson, J. M. Johnson, J. H. Keep, F. W. Also fresh tracks of Clapper Rail, seen in same locality on Dec. 10.-C. Brown, Dr. been a Gyrfalcon. One, Mr. Vogt, had seen a Gyrfalcon in life. Bird about 100 yards distant. large Falcon seen early by Vogt and Loetscher; color pattern not definitely determined but LOETSCHER, JR., C. K. and C. M. NICHOLS, C. H. ROGERS, H. N. RUSSELL, JR., C. A. URNER, Barnegat, N. J.—Dec. 24; 4 A.M. to 5 P.M. Clear to hazy; wind freshening, south; temp. 13;

WILLIAM VOGT, L. L. WALSH.

Bernardsville, N. J. (Mine Mount, Ravine Lake, and Lamington).—Dec. 24; 6 a.m. to Bernardsville, N. J. (Mine Mount, Ravine Lake, and Lamington).—Dec. 24; 6 a.m. to 1 p.m., 2 to 5 p.m. Heavy fog gradually clearing by noon; ground bare; no wind; temp. 28° 1 p.m., 2 to 5 p.m. Heavy fog gradually clearing by noon; ground bare; no wind; temp. 28° 1 g. d. A.m., 41° at m. Observers together. Mallard, 4; Black Duck, 50; Sharp-shinned Hawk, 1; at 6 a.m., 41° at m. Observers together. Mallard, 4; Black Duck, 50; Sharp-shinned Hawk, 1; Killdeer, Red-tailed Hawk, 1; Marsh Hawk, 1; Sparrow Hawk, 1; Ring-necked Pheasant, 2; Killdeer, 3; Herring Gull, 1; Eastern Belted Kingfisher, 3; Flicker, 2; Hairy Woodglass); Horned Owl, 3; Barred Owl, 1; Eastern Blue Lark, 50; Blue Jay, 6; Eastern Crow, 50; Black-pecker, 4; Downy Woodpecker, 7; Horned Lark, 50; Blue Jay, 6; Eastern Crow, 50; Black-pecker, 4; Downy Woodpecker, 7; Horned Lark, 50; Blue Jay, 6; Eastern Crow, 50; Black-pecker, 4; Downy Woodpecker, 7; Horned Lark, 50; Blue Jay, 6; Eastern Crow, 50; Black-pecker, 4; Downy Woodpecker, 7; Horned Lark, 50; Blue Jay, 6; Eastern Crow, 50; Black-pecker, 4; Downy Woodpecker, 7; Horned Lark, 50; Blue Jay, 6; Eastern Crow, 50; Black-pecker, 4; Downy Woodpecker, 7; Horned Lark, 50; Blue Jay, 6; Eastern Crow, 50; Black-pecker, 4; Downy Woodpecker, 7; Horned Lark, 50; Blue Jay, 6; Eastern Crow, 50; Black-pecker, 4; Downy Woodpecker, 7; Horned Lark, 50; Blue Jay, 6; Eastern Crow, 50; Black-pecker, 4; Downy Woodpecker, 7; Horned Lark, 50; Blue Jay, 6; Eastern Crow, 50; Black-pecker, 4; Downy Woodpecker, 7; Horned Lark, 50; Blue Jay, 6; Eastern Crow, 50; Black-pecker, 4; Downy Woodpecker, 7; Horned Lark, 50; Blue Jay, 6; Eastern Crow, 50; Black-pecker, 4; Downy Woodpecker, 7; Horned Lark, 50; Blue Jay, 6; Eastern Crow, 50; Black-pecker, 4; Downy Woodpecker, 5; Call Raw, 50; Black-pecker, 5; Call Raw, 50; Black-pecker, 50; Black-pecker, 50; Black-pecker, 50; Black-pecker, 50; Black-pecker, 50; Black-pecker, 50; Bla

White-throated Sparrow, 2; Song Sparrow, 10. Total, 37 species, 616 individuals.—Сунтна Kuser Herbst, Dryden Kuser.

HOBART VAN DEUSEN, RAYMOND F. HAULENBEEK. duals. English Sparrows numerous but not included.—Evarrs Loomis, Theodore Brigden, mate, care being taken to avoid duplication.) Total, 25 species, approximately 1575 indivi-280; White-throated Sparrow, 33; Eastern Song Sparrow, 48. (Larger numbers are approxi-Pine Siskin, 12; Eastern Goldfinch (heard); Slate-colored Junco. 130; Eastern Tree Sparrow, Golden-crowned Kinglet, 9; Starling, 450; Eastern Meadowlark, 6; Eastern Cardinal, out before the end. Total ground covered, 23 to 25 miles afoot. Sharp-shinned (?) Hawk, 1; Thrasher (clearly seen at close range), 1; Eastern Robin, 1; Eastern Hermit Thrush, Tufted Titmouse, 31; Northern White-breasted Nuthatch, 36; Brown Creeper, 4; Brown Downy Woodpecker, 19; Blue Jay, 110; Eastern Crow, 340; Black-capped Chickadee, 55; Eastern Red-tailed Hawk, 2; Northern Flicker, 1; Eastern Hairy Woodpecker, 1; Northern (about 7 miles), there joining Party No. 1, 8.30 A.M. to 12.30 P.M. Two observers dropped Party No. 2: Caldwell Park, West Caldwell, Passaic Bridge and vicinity, to Pine Brook temp. at start 5°, at return 18°. Party No. 1: Caldwell Park, Roseland, Troy Meadows to Pine Brook, to Horseneck Bridge to Clinton to Caldwell (about17 miles), 7 A.M. to 3.45 P.M. Caldwell, N. J .- Dec. 27 (?). Clear; 11 in. of fresh snow; wind south, light to moderate 4.

C. Roland, C. M. Rusk, Jr., H. L. Seidelman, W. Stone, J. F. Street, P. B. Street, H. Underdown, E. S. Weyl, W. H. Yoder. McDonald, R. F. Miller, J. L. Moore, Jr., J. K. Potter, R. H. Pough, E. J. Reimann, row, 240; Snow Bunting 1. Total, 96 species, 31, 220 individuals.—O. Brown, J. M. Cadbury, J. W. Cadbury, J. D. Carter, E. Choate, H. H. Collins, Jr., C. Doak, M. Doak, J. J. Durkin, J. T. Higgins, H. G. M. Jopson, P. A. Livingston, E. W. Marshall, Jr., N. Sparrow, 7; White-throated Sparrow, 160; Fox Sparrow, 5; Swamp Sparrow, 14; Song Spar-Sparrow, 7; Seaside Sparrow, 11; Vesper Sparrow, 3; Junco, 122; Tree Sparrow, 340; Field 4 (McDonald and others); Goldfinch, 112; Towhee, 2; Savannah Sparrow, 96; Sharp-tailed winged Blackbird, 360; Purple Grackle, 11; Cowbird, 125; Cardinal, 71; Evening Grosbeak 12; Starling, 1200; Myrtle Warbler, 1000; English Sparrow, 300; Meadowlark, 325; Redand others); Hermit Thrush, 5; Bluebird, 36; Golden-crowned Kinglet, 1; Cedar Waxwing, Thrasher, 1; Robin, 21; Wood Thrush, 1 (a very close view, seemed reluctant to fly, McDonald Winter Wren, 3; Carolina Wren, 10; Short-billed Marsh Wren, 10; Mockingbird, 2; Brown Crow, 1250; Fish Crow, 52; Carolina Chickadee, 44; Tufted Titmouse, 8; Brown Creeper, 3: Woodpecker, 6; Downy Woodpecker, 6; Horned Lark, 90; Tree Swallow, 8; Blue Jay, 4: Great Horned Owl, I (heard); Short-eared Owl, 2; Belted Kingfisher, 5; Flicker, 28; Hairy day by J. F. Street); Black Guillemot, 2 (Yoder); Puffin, 1 (J. F. Street); Mourning Dove, 41; palmated Sandpiper, 11; Sanderling, 190; Great Black-backed Gull, 5; Herring Gull, 3000; Snipe, 1; Purple Sandpiper, 1; Least Sandpiper, 1; Red-backed Sandpiper, 1000; Semi-16; American Bittern, 3; Canada Goose, 1; Snow Goose, 3; Black Duck, 6190; Scaup (sp. ?), 2200; Golden-eye, 99; Old-squaw, 104; White-winged Scoter, 1050; Surf Scoter, 10,050; Ring-billed Gull, 100; Bonaparte's Gull, 190; Forster's Tern, 2 (Livingston; seen previous Hawk, 12; Bob-white, 31; Sora, 1; Coot, 1; Killdeer, 38; Black-bellied Plover, 24; Wilson's shouldered Hawk, 3; Bald Eagle, 4; Marsh Hawk, 12; Pigeon Hawk, 1 (Weyl); Sparrow Turkey Vulture, 90; Sharp-shinned Hawk, 4; Cooper's Hawk, 4; Red-tailed Hawk, 4; Red-American Scoter, 510; Ruddy Duck, 1; American Merganser, 1; Red-breasted Merganser, 2; (Tatum); Horned Grebe, 26; Gannet, 26; Great Blue Heron, 16; Black-crowned Night Heron, others in cars and on foot. Common Loon, 15; Red-throated Loon, 13; Holbœll's Grebe, in 15 groups; 3 groups in boats—one off-shore, one on sounds and inlets, one on Delaware Bay; 6.45 A.M. to 5.15 P.M. Hazy to clear; wind light, south to southeast; temp. 45° to 65°. Observers Cape May County, N. J. (at no time more than 71/2 miles from Rio Grande).-Dec. 24;

Essex County (Elizabeth Region), N. J.—Dec. 24; 6.15 a.m. to 5 p.m. (before dawn till after dark). Very foggy till noon; clear in p.m.; ground clear and wet, except in woods where

small patches of snow remained; ponds partly frozen with old ice, partly open; wind east and very light; temp. ranged between 45°, 55°, and 35°. Covered Port Newark and Newark Bay, area as other years. Observers in 2 main parties and several alone. Maximum one-party Springfield, Orange Reservation, Commonwealth Reservoir, Hatfield Swamp, West Caldwell, Newark and Elizabeth Meadows, Elizabeth Reservoir, Echo Lake Park, Rahway River at Gull, 60; Mourning Dove, 3; Kingfisher, 1; Hairy Woodpecker, 8; Downy Woodpecker, 15; Hawk, 2; Sparrow Hawk, 2; Pheasant, 8; Herring Gull, 26; Ring-billed Gull, 2; Bonaparte's Scaup, 1; Sharp-shinned Hawk, 2; Red-tailed Hawk, 4; Red-shouldered Hawk, 1; Marsh list, 37 species. Great Blue Heron, 3; Mallard, 20; Black Duck, 15; Baldpate, 1; Pintail, 1; Delawanna, also various feeding stations all within prescribed distance and the same general Caldwell and Verona Parks, Glenfield, Branch Brook and Wequahic Parks, Montclair and Nuthatch, 2; Brown Creeper, 2; Hermit Thrush, 1; Robin, 9; Bluebird, 7; Golden-crowned capped Chickadee, 58; Tufted Titmouse, 22; White-breasted Nuthatch, 21; Red-breasted Red-headed Woodpecker, 4; Flicker, 1; Horned Lark, 22; Crow, 368; Blue Jay, 45; Black-Sparrow, 1 (Rusling); Field Sparrow, 1; Junco, 122; Song Sparrow, 66; Swamp Sparrow, 3; land Longspur, 12 (1 flock); White-throated Sparrow, 31; Tree Sparrow, 330; Chipping Finch, 12; Goldfinch, 42; Savannah Sparrow, 15; Pine Siskin (?), 1 (heard only in fog); Lap-Blackbird, 2; Meadowlark, 26; Rusty Blackbird, 250 (1 flock); Purple Grackle, 2; Purple Kinglet, 26; Starling, 1017; Myrtle Warbler, 7; House Sparrow, 99; Cowbird, 5; Red-winged immaculate breast etc., noted in direct comparison with Tree Sparrow.—Mrs. C. S. Hegeman, pellets of 4 found on census date. Total, 53 species, 2817 (est.) individuals. Chipping Sparrow's Cardinal, o. On Dec. 23, 6 Cedar Waxwings were seen. Two Owls present but not seen; Mr. and Mrs. Walter Mueller, John Q. Adams, Robert Burkhart, Warren F. Eaton, JOHN THOMPSON, DEWITT C. REID, WILLIAM RUSLING, FLOYD P. WOLFARTH, and Mrs.

Moorestown, N. J.—Dec. 23; 7 a.m. to 5 p.m. Clear; ground bare; calm at start, later Moorestown, N. J.—Dec. 23; 7 a.m. to 5 p.m. Clear; ground bare; calm at start, later moderate southeast wind; temp. 38° at start, 50° at 3.30 p.m. (when one party returned). Three parties in cars, one in canoe. Great Blue Heron, 1; Black Duck, 15; Duck (sp.), 310; Three parties in Sparrow Hawk, 4; Bob-white, 1; Marsh Hawk, 4; Cooper's Hawk, 1; Red-tailed American Merganser, 1; Turkey Vulture, 11; Marsh Hawk, 4; Cooper's Hawk, 1; Red-tailed American Sparrow Hawk, 4; Bob-white, 1; Killdeer, 17; Herring Gull, 15; Mourning Hawk, 3; American Crow, 38; Fish Crow, 7; Chickadee, 8; Tufted Titmouse, Phoebe, 1; Blue Jay, 15; American Crow, 33; Fish Crow, 7; Chickadee, 8; Tufted Titmouse, 0; White-breasted Nuthatch, 2; Red-breasted Nuthatch, 6; Brown Creeper, 3; Winter Wren, 0; White-breasted Nuthatch, 2; Red-winged Blackbird, 1; Purple Grackle, 2002 (est.); Cardinal, Sparrow, 39; Meadowlark, 9; Red-winged Blackbird, 1; Purple Grackle, 2002 (est.); Cardinal, Sparrow, 8; Swamp Sparrow, 6; Song Sparrow, 23. Total, 43 species, about 3203 individuals.—Sparrow, 8; Swamp Sparrow, 6; Song Sparrow, 23. Total, 43 species, about 3203 individuals.—Sparrow, 25. Total, 43 species, about 3203 individuals.—Sparrow, 25. Total, 43 species, about 3203 individuals.—Sparrow, 26. Total, 43 species, 300 MICKLE, ANNA A. Joseph M. Cadbury, Joseph S. Milliam B. Evans, J. Howard Mickle, Anna A. Joseph M. Cadbury, 1055ph S. Sank, William B. Evans, J. Howard Mickle, Anna A. Joseph M. Cadbury, 1055ph S. Sank, William B. Evans, J. Howard Mickle, Anna A. Joseph M. Cadbury, 1055ph S. Sank, William B. Evans, J. Howard Mickle, Anna A. Joseph M. Cadbury, 1055ph S. Sank, William B. Evans, J. Howard Mickle, Anna A. Joseph M. Cadbury, 1055ph S. Sank, William B. Evans, J. Howard Mickle, Anna A. Joseph M. Cadbury, 1055ph S. Sank, William B. Evans, J. Howard Mickle, Anna A. Joseph M. Cadbury, 1055ph S. Sank, 200 ph. 105 ph.

MICKILE, ROBERT J. SIM, MARY B. SIM.

Princeton, N. J. (within a 9-mile diameter).—Dec. 22; about 7 A.M. to 6 and 7.30 P.M.

Princeton, N. J. (within a 9-mile diameter).—Dec. 22; about 7 A.M. to 6 and 7.30 P.M.

Mostly clear; ground bare; lake and ponds frozen, streams mostly open; wind southwest, strong; temp. 32° to 53°. Observers in 3 parties, afoot throughout. Mallard, 14; Black Duck, strong; temp. 32° to 53°. Observers in 3 parties, afoot throughout. Mallard, 14; Black Duck, strong; temp. 32° to 53°. Observers in 3 parties, afoot throughout. Mallard, 14; Black Duck, strong; temp. 33° to 53°. Observers in 3 parties, 23; Rarn Owl, 3; Screech Owl, 1; Great Horned (females); Herring Gull, 2; Mourning Dove, 23; Barn Owl, 3; Screech Owl, 1; Great Horned (females); Herring Gull, 2; Mourning Dove, 23; Barn Owl, 3; Red-headed Woodpecker, 1; Hairy Woodpecker, 5; Downy Woodpecker, 17; Horned Lark, 35 (1 flock); Blue Jay, 20; 1; Hairy Woodpecker, 5; Downy Woodpecker, 17; Horned Lark, 35 (1 flock); Blue Jay, 20; 1; Hairy Woodpecker, 5; Downy Woodpecker, 17; Red-breasted Nuthatch, 2; Brown Creeper, 3; Tufted Tit, 27; White-breasted Nuthatch, 17; Red-breasted Nuthatch, 2; Brown Creeper, 3; Tufted Tit, 27; White-breasted Nuthatch, 17; Red-breasted Nuthatch, 2; Brown Creeper, 3; Tufted Tit, 27; White-breasted Nuthatch, 17; Red-breasted Nuthatch, 2; Grackle, 5; (1 flock); Starling, 2308; Myrtle Warbler, 2; House Sparrow, 09; Meadowlark, 25; Grackle, 5; (1 flock); Starling, 2308; Myrtle Warbler, 2; House Sparrow, 1 (Rogers); Junco, 245; Cardinal, 33; Purple Finch, 7; Goldfinch, 15; Savannah Sparrow, 2; Song Sparrow, 10, 1000 Cardinal, 20; Martie Warbler, 2; Martie Sparrow, 2; Song Sparrow, 10, 1000 Cardinal, 20; Martie Warbler, 2; Martie Sparrow, 2; Song Sparrow, 10, 1000 Cardinal, 20; Martie Warbler, 2; Martie Sparrow, 2; Song Sparrow, 10, 1000 Cardinal, 20; Martie Warbler, 2; Martie Ma

Total, 47 species, 3870 (est.) individuals. Birds in general unusually scarce.—C. H. Rogers, H. N. Russell, Jr., and F. W. Loetscher, Jr.; R. W. Storer and H. V. Coes.

Bedford County, Pa.—Dec. 24; 7.15 A.M. to 3 P.M. Clear; ground free of snow; wind west, light; temp. 58° at start, 69° at return. About 15 miles on foot near Osterburg. Cooper's Hawk, 1; Ruffed Grouse, 3; Hairy Woodpecker, 2; Downy Woodpecker, 4; Horned Lark, 2; Crow, 125; Black-capped Chickadee, 21; Tufted Titmouse, 22; White-breasted Nuthatch, 8; Starling, 4; Cardinal, 6; Goldfinch, 15; Slate-colored Junco, 80; Tree Sparrow, 31. Total, 14 species, 324 individuals.—David Berkheimer.

of all, the conspicuous blackish wing-linings. We believe it is the first record for Pennsylvania size, the uniformly gray mantle with white spots at the tips of the wings, and, most important the foot of State Street in Eric. All the diagnostic features were carefully noted—the smaller 250+; Snow Bunting, 1. Total, 44 species, 4605+ individuals. A female King Eider, in a 5; Evening Grosbeak, 2; White-winged Crossbill, 1; Slate-colored Junco, 30; Tree Sparrow, Northern Flicker, 4; Hairy Woodpecker, 1; Downy Woodpecker, 3; Black-capped Chickadee, 20; Bonaparte's Gull, 45; European Little Gull, 1; Great Horned Owl, 1; Short-eared Owl, 1; Golden-eye, 1000+; Bufflehead, 18; King Eider, 1; White-winged Scoter, 2; Hooded Mer-—Clarence M. Beal, Roger T. Peterson. Swans appeared to be frozen in. The Little Gull was discovered among Bonaparte's Gulls at freezing during the day. Canvasbacks were seen with their feet frozen in the ice. Several badly frozen condition, was caught by hand, and it died soon afterward. The bay was rapidly Golden-crowned Kinglet, 4; Starling, 300+; Myrtle Warbler, 25; House Sparrow, 2; Cardinal, 20; Tufted Titmouse, 1; White-breasted Nuthatch, 2; Brown Creeper, 2; Winter Wren, 1; Hawk, 1; Bob-white, 12; Ring-necked Pheasant, 1; Herring Gull, 1000+; Ring-billed Gull ganser, 8; American Merganser, 400+; Red-breasted Merganser, 12; Bald Eagle, 3; Sparrow 100+; Canvasback, 200+; Greater Scaup Duck and Lesser Scaup Duck, 350+; American 22; Mallard, 2; Red-legged Black Duck and Common Black Duck, 750+; Pintail, 1; Redhead, temp. 8° at start, 8° at return. Observers together. By car between points. Whistling Swan, flurries intermittent throughout the day; ground snow-covered; wind northwest, strong; Erie, Pa. (Presque Isle and Erie harbor).—Dec. 27; daylight to dark. Sky overcast, snow

Glenolden, Pa. (Tinicum, Swarthmore to Springton Reservoir).—Dec. 24; 6.30 A.M. to 5 P.M. Dense fog until 10 A.M., clear thereafter; temp. 34° at start, 44° on return. Observers working separately and in groups. Common Loon, 2; Common Mallard, 3; Black Duck, 70; American Merganser, 38; Cooper's Hawk, 1; Red-tailed Hawk, 4; Red-shouldered Hawk, 1, Sparrow Hawk, 2; Killdeer, 3; Herring Gull, 17; Mourning Dove, 1; Barn Owl, 2 (heard); Belted Kingfisher, 1; Flicker, 1; Hairy Woodpecker, 3; Downy Woodpecker, 4; Blue Jay, 2; Eastern Crow, 23; Carolina Chickadee, 2; Tufted Titmouse, 6; White-breasted Nuthatch, 7; Red-breasted Nuthatch, 3; Brown Creeper, 2; Winter Wren, 4; Carolina Wren, 4; Robin, 2; Bluebird, 5; Starling, 350+; English Sparrow, 50+; Red-winged Blackbird, 125+; Rusty Blackbird, 4; Grackle (sp. ?), 3; Cardinal, 7; Goldfinch, 15; Slate-colored Junco, 40; Tree Sparrow, 50+; Field Sparrow, 6; White-throated Sparrow, 25; Swamp Sparrow, 2; Song Sparrow, 10. Total, 40 species, 900+ individuals.—Mr. and Mrs. V. A. Debes, Earle T. Higgons, W. Burrit Wright, James Irvin, Mabel B. and John A. Gillespie.

Philadelphia, Pa. (East Park Reservoir, west bank of the Schuylkill River from the Public Boathouse to the Wissahickon Creek; Wissahickon Valley to city line; Stenton).— Dec. 24; 7 a.K. to 5 p.K. Low fog in the morning, lifting about 11.30; wind shifting from southeast to southwest; temp. 40° at start, 50° at return. One observer separated from the party all day. American Merganser, 20; Cooper's Hawk, 1; Red-tailed Hawk, 1; Red-shouldered Hawk, 1; Sparrow Hawk, 3; Bob-white, 20 (2 coveys and 1 individual); Ringnecked Pheasant, 9 (2 cocks and 7 hens); Herring Gull, 200; Mourning Dove, 35 (1 flock); Screech Owl, 1; Long-eared Owl, 1 (dead in snare); Belted Kingfisher, 1; Flicker, 1; Hairy Woodpecker, 12; Downy Woodpecker, 21; Crow, 150; Black-capped Chickadee, 16; Tufted Titmouse, 10; White-breasted Nuthatch, 12; Red-breasted Nuthatch, 1; Winter Wren, 4;

Carolina Wren, 8; Robin, 1; Hermit Thrush, 1; Golden-crowned Kinglet, 14; Starling, 200; English Sparrow, 100; Meadowlark, 9; Cardinal, 30; Purple Finch, 17 (1 flock); Goldfinch, 19; Towhee, 1; Slate-colored Junco, 125; Tree Sparrow, 33; Field Sparrow, 45; White-throated Sparrow, 36; Fox Sparrow, 1; Song Sparrow, 46. Total, 38 species, 1166 (est.) individuals.—William Jay, Robert W. Smith, Gerard Reimel, Frederick C. Schmid, Jr.

Reading, Pa. (to Lake Ontelaunee, Antietam, and Birdsboro).—Dec. 24; 6.30 A.M. to A.30 P.M. Foggy in morning, clearing at noon; ground bare; wind light, southeast; 40° at 4.30 P.M. Foggy in morning, clearing at noon; ground bare; wind light, southeast; 40° at 4.30 P.M. Foggy in morning, clearing at noon; ground bare; wind light, southeast; 40° at 4.30 P.M. Foggy in morning, clearing at noon; ground bare; wind light, southeast; 40° at 4.30 P.M. Foggy in morning, clearing at noon; ground bare; wind light, 50° Black Start, 55° at return. By car and on foot, 28 miles. Observers in 2 groups. Mallard, 59 Black P.M. Foggy in Merchand, 2; Flicker, 1; 20°, Ring-necked Pheasant, 14; Killdeer, 2; Wilson's Snipe, 4; Belted Kingfisher, 2; Flicker, 1; 20°, Ring-necked Pheasant, 14; Killdeer, 2; Wilson's Snipe, 4; Belted Kingfisher, 2; Flicker, 1; 20°, Ring-necked Pheasant, 11; Blue Jay. 11; Eastern Crow, 85; Chickadee, 21; Tufted Titmouse, 3; White-breasted Nuthatch, 12; Red-breasted Nuthatch, 1; Winter Wren, 3; Cedar Wax-3; White-breasted Nuthatch, 13; Purple Finch, 2; Eastern Goldfinch, 4; Slate-colored wing, 4; Meadowlark, 9; Cardinal, 13; Purple Finch, 2; Eastern Goldfinch, 4; Slate-colored Junco, 65; Tree Sparrow, 280; Field Sparrow, 1; White-throated Sparrow, 29; Song Sparrow, 16. Total, 34 species, about 851 individuals.—Anna P. and Mary Deeter, Byron Nunro-16.

MACHER, EARL L. POOLE.

Scranton, Pa.—Dec. 24; 11 A.M. to 4.15 P.M. Clear; ground bare; ponds frozen; no wind:
Scranton, Pa.—Dec. 24; 11 A.M. to 4.15 P.M. Clear; ground bare; ponds frozen; no wind:
Scranton, Pa.—Dec. 24; 11 A.M. to 4.15 P.M. Clear; ground bare; ponds frozen; no wind:
scranton, Pa.—Dec. 24; 11 A.M. to 4.15 P.M. Scranton, 5 miles. Observers together. Area included temp. 40° to 58°. By motor, 25 miles, observers together. Area included temp. 40° to 58°. By motor, 25 miles, Observers together. Area included temp. 40° to 58°. By motor, 25 miles, Observers together. Area included temp. 40° to 58°. By motor, 25 miles, Observers together. Area included temp. 40° to 58°. By motor, 25 miles, Observers together. Area included temp. 40° to 58°. By motor, 25 miles, Observers together. Area included temp. 40° to 58°. By motor, 25 miles, Observers together. Area included temp. 40° to 58°. By motor, 25 miles, Observers together. Area included temp. 40° to 58°. By motor, 25 miles, Observers together. Area included temp. 40° to 58°. By motor, 25 miles, Observers together. Area included temp. 40° to 58°. By motor, 25 miles, Observers together. Area included temp. 40° to 58°. By motor, 25 miles, 30° together. Area included temp. 40° together. Area included temp. 41° together. Area included temp. 40° together. Area

Sewickley, Pa. (Big Travis Creek).—Dec. 23; 8 A.M. to 12.30 P.M. Cloudy; ground Sewickley, Pa. (Big Travis Creek).—Dec. 28° at start. Distance, 10 miles. Obclear; light west wind, freshening toward noon; temp. 28° at start. Distance, 10 miles. Obclear; light west wind, freshening toward noon; temp. 28° at start. Distance, 10 miles. Obclear; light west wind, freshening toward noon; temp. 28° at start. Distance, 28° Prairie servers together. Ruffed Grouse, 5; Hairy Woodpecker, 1; Downy Woodpecker, 5; Prairie Horned Lark, 15; Chickadee, 28; Tufted Titmouse, 20; White-breasted Nuthatch, 14; Winter Wren, 1; Carolina Wren, 12; Starling, 48; English Sparrow, 12; Cardinal, 28; Goldfinch, 20; Wren, 1; Carolina Wren, 12; Starling, 48; English Sparrow, 12; Cardinal, 28; Goldfinch, 20; Junco, 84; Tree Sparrow, 196; Song Sparrow, 7. Total, 16 species, 496 individuals.—Bayara Junco, 84; Tree Sparrow, 196; Song Sparrow, 7. Total, 16 species, 496 individuals.—Bayara Junco, 84; Tree Sparrow, 196; Song Sparrow, 7. Total, 16 species, 496 individuals.—Bayara Junco, 84; Tree Sparrow, 196; Song Sparrow, 7. Total, 16 species, 496 individuals.—Bayara Junco, 84; Tree Sparrow, 196; Song Sparrow, 7. Total, 16 species, 496 individuals.—Bayara Junco, 84; Tree Sparrow, 196; Song Sparrow, 7. Total, 16 species, 496 individuals.—Bayara Junco, 84; Tree Sparrow, 196; Song Sparrow, 7. Total, 16 species, 496 individuals.—Bayara Junco, 84; Tree Sparrow, 196; Song Sparrow

H. CHRISTY, FRANK A. HEGNER.

Springs, Pa.—Dec. 23; 7.30 A.M. to 12 M. Clear; ground bare; wind south, light; mild, Springs, Pa.—Dec. 23; 7.30 A.M. to 12 M. Clear; ground bare; wind south, light; mild, springs, Pa.—Dec. 23; 7.30 A.M. to 12 M. Clear; ground bare; wind south, light; mild, springs, Pa.—Dec. 23; 7.30 A.M. to 12 M. White-breasted Woodpecker, 1; Blue Jay, 2; Black-capped Chickadee, 6; Tufted Titmouse, 4; White-breasted Nuthatch, 4; Blue Jay, 2; Black-capped Chickadee, 6; Tufted Titmouse, 4; White-breasted Nuthatch, 4; Blue Jay, 2; Black-capped Chickadee, 6; Tufted Titmouse, 4; White-breasted Nuthatch, 4; Sparrow, 1. Total, 13 species, 60 individuals. Fine day, but birds very quiet and inactive.—Sparrow, 1. Total, 13 species, 60 individuals. Fine day, but birds very quiet and inactive.—

ANSEL B. MILLER.

West Chester, Pa. (radius 71/2 miles from town in all directions).—Dec. 27; 9.30 a.M. to West Chester, Pa. (radius 71/2 miles from town in all directions).—Dec. 27; 9.30 a.M. to 1 p.m. and 2.15 to 5 p.m. Clear; 6 in. of snow; wind west-northwest, moderately strong; temp. 1 p.m. and 2.15 to 5 p.m. Clear; 6 in. of snow; wind west-northwest, moderately strong; temp. 1 p.m. and 2.15 to 5 p.m. Clear; 6 in. of snow; wind west-northwest, moderately strong; temp. 1 p.m. and 2.15 to 5 p.m. and 2.15 to 5 p.m. and 2.15 to 5 p.m. and 2.15 groups. Turkey Vulture, 14 Sharp-shinned Hawk, 1; Red-shouldered Hawk, 1; Sparrow Hawk, 5; Bob-white, 33 (2 coveys); Ring-necked Pheasant, 3; Mourning Dove, 11; Screech Owl, 1; Bob-white, 2; Yellow-bellied Sapsucker, 1; Downy Woodpecker, 11; Blue Jay, 23; Crow, 846 felicker, 2; Yellow-bellied Sapsucker, 1; Downy Woodpecker, 11; Blue Jay, 23; Crow, 846 felicker, 2; Yellow-bellied Sapsucker, 1; Carolina Wren, 2; Robin, 1; Hermit Thrush, 1; Red-breasted Nuthatch, 11; Winter Wren, 1; Carolina Wren, 2; Robin, 1; Hermit Thrush, 1; Golden-crowned Kinglet, 3; Starling, 294 (est.); English Sparrow, 73; Cardinal, 26; Purple Golden-crowned Kinglet, 3; Starling, 294 (est.); English Sparrow, 190; White-throated Sparrow, 190; Sparrow, 30. Total, 32 species, 1941 (est.) individuals.—Joseph Cope, Ellen F. 2; Song Sparrow, 30. Total, 32 species, 1941 (est.) individuals.—Joseph Cope, Ellen F. Cope, Mrs. Robert B. Rhoads, W. Roger White-Worth, Albert E. Conway, Jr., Arthure L. Groff, Hellen E. Rhoads, W. Roger White-Worth, Albert E. Conway, Jr., Arthure Hoopes, Eddar J. Parker, Alice W. Swayne, Isaac G. Roberts, Ella S. Roberts.

Wyncote, Pa. (within a 6-mile radius).—Dec. 23; 7.30 A.M. to 5.15 P.M. Clear; ground bare; light southeast wind; temp. 40° at start, 44° on return. More than 20 miles by auto

and afoot. Observers together nearly all the time. Cooper's Hawk, 2; Red-tailed Hawk, 4; Bob-white, 9 (1 covey); Ring-necked Pheasant, 64 (13 males); Mourning Dove, 4; Barn Owl, 1; Screech Owl, 1; Long-eared Owl, 8; Flicker, 2; Hairy Woodpecker, 6; Downy Woodpecker, 17; Blue Jay, 1; Crow, 59; Black-capped Chickadee, 17; Tufted Titmouse 18; White-breasted Nuthatch, 11; Brown Creeper, 5; Winter Wren, 1; Carolina Wren, 3; Golden-crowned Kinglet, 3; Starling, 274; Myrtle Warbler, 2; English Sparrow, 58; Meadow-lark, 2; Cardinal, 22; Purple Finch, 1; Goldfinch, 2; Slate-colored Junco, 112; Tree Sparrow, 81; Field Sparrow, 5; White-throated Sparrow, 45; Fox Sparrow, 1; Song Sparrow, 27. Total, 34 species, 872 individuals.—William W. Frech, Everett S. Gruscom, James S. Morgans, Edward H. Parry, Kenneth E. Paul, Malcolm M. Smith, Henry L. Thompson (for the Wyncote Bird Club); joined for the count at Briar Bush Bird Sanctuary by Florence C. Cappende

Townsend, Odessa, and Port Penn, Del.—Dec. 27; 7 a.m. to 4.30 p.m. Clear; ground and shrubbery covered with ice, but ponds mostly open; wind northwest; temp. 20° to 25°. On foot and in car. Observers together. Great Blue Heron, 3; Black-crowned Night Heron, 2 (immature); American Merganser, 102; Red-breasted Merganser, 6; Black Duck, 220 (est.); Pintail, 2; American Golden-eye, 1; Ruddy Duck, 4; Turkey Buzzard, 10; Red-tailed (?) Hawk, 2; Rough-legged Hawk, 1; Sharp-shimed (?) Hawk, 1; Marsh Hawk, 11; Sparrow Hawk, 4; Herring Gull, 95 (est.); Ring-billed Gull, 35 (est.); Mourning Dove, 27; Belted Kingfisher, 1; Downy Woodpecker, 1; Horned Lark, 160; Crow, 22; Blue Jay, 1; Tufted Kinghsher, 2; Chickadee, 3; White-bellied Nuthatch, 3; Golden-crowned Kinglet, 2; Carolina Wren, 2; Mockingbird, 1; Starling, abundant; Meadowlark, 58; Red-winged Blackbird, 2; Rusty Blackbird, 40; Cardinal, 18; Savannah Sparrow, 2; Field Sparrow, 3; Tree Sparrow, 15; Slate-colored Junco, 40; White-throated Sparrow, 3; Song Sparrow, 7. Total, 39 species, 1421 (est.) individuals.—Cedric E. Cooper, Walden Pell, 2d.

Sparrow, 5; Eastern Song Sparrow, 50. Total, 58 species, 1700 (est.) individuals.—A. A 50; Eastern Meadowlark, 30; Eastern Red-wing, 3; Rusty Blackbird, 2; Eastern Cardinal, 35; crowned Kinglet, 3; American Pipit, 23; Cedar Waxwing, 1; Starling, 50; English Sparrow, Carolina Chickadee, 30; Tufted Titmouse, 40; Red-breasted Nuthatch, 2; Brown Creeper, 5; 10; Sharp-shinned Hawk, 1; Northern Red-shouldered Hawk, 3; Southern Bald Eagle, 2; Lesser (?) Scaup, 100; American (?) Merganser, 1 (female); Turkey Vulture, 25; Black Vulture, covered intensively. Observers in pairs or singly. Pied-billed Grebe, 1; Great Blue Heron, 7; upland, on left bank of Potomac at and a short distance below mouth of Piscataway Creek, Area of about 2 square miles, comprising swamp, river-bottom, and borders of adjacent Marsh Hawk, 2; Killdeer, 2; Herring Gull, 2; Ring-billed Gull, 15; Eastern Mourning Dove, Mallard, 2; Black Duck, 150; Gadwall, 15; Baldpate, 100; Pintail, 15; Canvasback, 40; intermittent, gentle southwesterly wind; temp. 34° at start, 57° at return, max. about 65° BAKER, EDWIN T. MCKNIGHT, THOMAS B. NOLAN, W. W. RUBEY. Eastern Purple Finch, 25; Eastern Goldfinch, 35; Towhee, 1; Slate-colored Junco, Eastern Winter Wren, 10; Carolina Wren, 15; Eastern Mockingbird, 5; Eastern Hermit Downy Woodpecker, 15; Northern Blue Jay, 50; Southern (?) Crow, 40; Fish Crow, 1; headed Woodpecker, 4; Yellow-bellied Sapsucker, 4; Eastern Hairy Woodpecker, 3; Northern 20; Eastern Belted Kingfisher, 1; Northern Flicker, 20; Red-bellied Woodpecker, 15; Red-Eastern Tree Sparrow, 150; Eastern Field Sparrow, 8; White-throated Sparrow, 35; Swamp Accokeek Md.—Dec. 22; 7.45 A.M. to 4.15 P.M. Clear to partly cloudy; ground bare; 4; Eastern Bluebird, 75; Eastern Golden-crowned Kinglet, 75; Eastern Ruby-

Southern St. Marys County, Md. (St. Marys City to Point Lookout).—Dec. 24; 9.25 A.M. to 4.15 P.M. Clear; no snow on ground; no wind except a light northwest breeze on the Point; temp. 45° at start, 62° at end. By automobile, 12 miles; plus detours on foot of 2 to 3 miles. Observers together. Horned Grebe, 11; Pied-billed Grebe, 1; American Golden-eye, 20; Old-squaw, 20; Scoter (probably Surf), 3; Turkey Vulture, 25; Black Vulture, 2; Cooper's Hawk, 2; Red-shouldered Hawk, 1; Bald Eagle (immature), 1; Marsh Hawk (male), 1;

Sparrow Hawk, 1; (Bob-white, 10, seen just beyond boundary of area); Killdeer, 21; Sanderling, 3; Herring Gull, 1; Ring-billed Gull, 4; Laughing Gull, 3; Bonaparte's Gull, 3; Gulls (probably Herring and Ring-billed, from size, but too far distant to permit of identification), 60+; Eastern Belted Kingfisher, 1; Northern Flicker, 3; Hairy Woodpecker, 1; Downy Woodpecker, 2; Eastern Crow, 18; Carolina Chickadee, 10; Tufted Titmouse, 3; Red-breasted Nuthatch, 7+; Eastern Winter Wren, 1; Carolina Wren, 7; Eastern Mockingbird, 2; Eastern Robin, 2; Eastern Hermit Thrush, 1; Eastern Bluebird, 11+; Eastern Golden-crowned Kinglet, 1; European Starling, 40 (1 flock); English Sparrow, 9 (1 flock); Eastern Meadowlark, 20; Eastern Red-winged Blackbird, 66 (64 in 1 flock); Cardinal, 4; Northern Pine Siskin, 4; Eastern Goldfinch, 8; Savannah Sparrow, 3; Slate-colored Junco, 34; Swamp Sparrow, 2; Song Sparrow, 4. Total, 45 species, 447+ (not over 475) individuals.—W. Howard Ball, H. G. Deignan, Phoebe Knappen.

Amelia, Va. (vicinity of Amelia and Winterham).—Dec. 25; 7.25 A.M. until 12 M., 2 to 4.30 r.M. Clear; no snow; light wind from north; temp. at start 47°. On foot, 11 miles; 6 miles by automobile. Senior observer alone in A.M., 3 working together in r.M. Turkey Vulture, 13; Black Vulture, 10; Red-shouldered Hawk, 3 working together in r.M. Turkey Vulture, 13; Black Vulture, 12; Red-bellied Woodpecker, 1; Red-headed Woodpecker, 46; Flicker, 4; Pleated Woodpecker, 2; Red-bellied Woodpecker, 1; Red-headed Woodpecker, 1; Hairy Woodpecker, 1; Downy Woodpecker, 1; Phœbe, 3; Blue Jay, 47; Crow, 35; Chickader, 7; Tufted Titmouse, 8; White-breasted Nuthatch, 3; Winter Wren, 1; Carolina Wren, 1; Mockingbird, 11; Robin, 14; Hermit Thrush, 2; Bluebird, 11; Golden-crowned Kinglet, 12; Shrike, 1; Meadowlark, 8; Purple Grackle, 2; Cardinal, 5; Purple Finch, 8; Goldfinch, 18; Junco, 139; Field Sparrow, 33; White-throated Sparrow, 37; Fox Sparrow, 1; Song Sparrow, 2. Total, 35 species, 508 individuals. An unusual occurrence for this section was the finding of a flock of Blue Jays, 30 individuals of which were counted. They were probably migrants.—Miss Mary C. Sheppard, Harry J. Sheppard, John B. Lewis.

Black Vulture, 5; Eastern Red-tailed Hawk, 5; Eastern Sparrow Hawk, 5; Bob-white, 51 (4 coveys); Eastern Belted Kingfisher, 1; Northern Flicker, 3; Eastern Hairy Wood-21 miles by auto, 5 miles on foot. Four observers working together. Turkey Vulture, 16; 12 miles; farmland, pine, cedar, and oak woodlots, and along stream with cover of thin ice; temp. 10° at start, 20° at return. Waterman's Wood to Tide Spring and return, diameter of pecker, 1; Northern Downy Woodpecker, 8; Prairie Horned Lark, 50 (4 flocks); Blue Jay, 3; throated Sparrows on the black berries of the honeysuckle vines about 10 feet above ground Sparrow, 20; Eastern Song Sparrow, 1; Snow Bunting [?], 1. Total, 35 species, 1778 individuals. Eastern Goldfinch, 14; Slate-colored Junco, 240; Eastern Tree Sparrow, 55; White-throated Myrtle Warbler, 2; English Sparrow, 28; Eastern Meadowlark, 27; Eastern Cardinal, 28; Golden-crowned Kinglet, 2; Eastern Ruby-crowned Kinglet, 16; Starling, 750 (partly est.): Wren, 1; Carolina Wren, 1; Mockingbird, 6; Hermit Thrush, 12; Eastern Bluebird, White-breasted Nuthatch, 5; Red-breasted Nuthatch, 12; Brown Creeper, 1; Eastern Winter Eastern Crow, 375 (partly est.); Carolina Chickadee, 12; Tufted Titmouse, 13; Northern The Snow Bunting was seen by all observers with 8X binoculars, feeding with the White –D. R. Hostetter, Homer Mumaw, Titus Lehman, Melvin Ruth. Harrisonburg, Va.—Dec. 27; 8 A.M. to 4 P.M. Clear; 3 in. of snow; wind north, light;

Henrico County, Va. (Byrd Park to Curles Neck Farm).—Dec. 26; 6.30 A.M. to 5 P.M. Cloudy all day, light to heavy intermittent showers until 2.30 P.M.; visibility poor most of time; vegetation covered with ice at daybreak; wind southwest, light; temp. 32° at start, 33° at return. By automobile 30 miles and 4 miles on foot, but within area not exceeding 15 miles in diameter. Observers together most of time. Pied-billed Grebe, 1; Canada Goose, 500; Mallard, 21; Black Duck, 1; Pintail, 20; Wood Duck, 1; Ring-necked Duck, 152; American Golden-eye, 15; Bufflehead, 2; American Merganser, 7; Cooper's Hawk, 1; Sharp-shinned Hawk, 1; Red-tailed Hawk, 1; Sparrow Hawk, 3; Killdeer, 3; Herring Gull, 66 (partly est.); Ring-billed Gull, 3; Mourning Dove, 89; Barred Owl, 1 (came to squeak); Great Horned Owl, 1 (heard); Belted Kingfisher, 1; Flicker, 26; Red-bellied Woodpecker, 4; Red-headed Woodpecker, 4;

pecker, 3; Yellow-bellied Sapsucker, 4; Hairy Woodpecker, 1; Downy Woodpecker, 6; Pileated Woodpecker, 2 (heard); Phœbe, 1; Blue Jay, 9; Crow, 62; Carolina Chickadee, 11; Tufted Titmouse, 23; Brown Creeper, 5; Winter Wren, 2; Carolina Wren, 9; Mockingbird, 4; Brown Thrasher, 2; Robin, 1; Hermit Thrush, 4; Bluebird, 39; Golden-crowned Kinglet, 12; Ruby-crowned Kinglet, 10; Migrant Shrike, 1; Starling, 98; (partly est.); Myrtle Warbler, 1; Meadowlark, 71; Red-winged Blackbird, 3500 (est.); Rusty Blackbird, 3; Purple Grackle, 1; Cardinal, 37; Purple Finch, 1; Goldfinch, 36; Towhee, 4; English Sparrow, 56 (partly est.); Slate-colored Junco, 125 (est., 6 flocks); Field Sparrow, 31 (3 flocks); White-throated Sparrow, 187 (est., 9 flocks); Song Sparrow, 24. Total, 59 species, approximately 6195 individuals. The Phœbe was seen at close range by all of the observers.—Mrs. Elizabeth M. Shaw, Mrs. A. O. James, Edward Davis, C. O. Handley.

Lexington, Va.—Dec. 22; 8.30 A.M. to 5 P.M. Clear in A.M., light clouds in P.M.; ground bare; fairly strong west wind; temp. 36° at start, 60° at finish. About 35 miles by auto, 6 miles on foot. Big Spring Pond, White Rock Mountain, open fields. Observers together. Great Blue Heron, 1; Mallard, 2; Common Black Duck, 1; Green-winged Teal, 1; Turkey Vulture, 45; Black Vulture, 3; Sharp-shinned (?) Hawk, 1; Sparrow Hawk, 1; Bob-white, 7; Killdeer, 3; Mourning Dove, 33; Belted Kingfisher, 2; Northern Flicker, 1; Northern Pileated Woodpecker, 1; Red-bellied Woodpecker, 2; Northern Downy Woodpecker, 6; Phœbe, 1; Prairie Horned Lark, 40; Blue Jay, 3; Eastern Crow, 109; Carolina Chickadee, 10; Tufted Titmouse, 18; White-breasted Nuthatch, 1; Red-breasted Nuthatch, 2; Winter Wren, 1; Carolina Wren, 3; Mockingbird, 9; Eastern Robin, 2; Hernit Thrush, 1; Bluebird, 40; Migrant Shrike, 3; Starling, 40; Myrtle Warbler, 9; English Sparrow, 70; Meadowlark, 14; Cardinal, 22; Purple Finch, 6; Goldfinch, 40; Slate-colored Junco, 73; Tree Sparrow, 26; White-crowned Sparrow, 2; White-throated Sparrow, 3; Song Sparrow, 12. Total, 43 species, 1080 (est.) individuals. We have not known the White-crowned Sparrow to winter here before. Two Ravens, a species not uncommon in the mountains near Lexington, were heard and seen on Dec. 25.—J. J. Murray, R. P. Carroll, J. H. Grey, Jr.

Petersburg, Va. (North bank of Appomattox River as far as Hopewell).—Dec. 24; 9.30 a.M. to 12.30 p.M. Clear; strong south wind; temp. 58° at start, 70° at return. About 20 miles by auto and on foot. Black Duck, 3; Scaup Duck, 4; Turkey Buzzard, 16; Red-shouldered Hawk, 1; Sparrow Hawk, 2; Herring Goll, 4; Ring-billed Gull, 2; Mourning Dove, 3; Belted Kingfisher, 1; Flicker, 7; Red-bellied Woodpecker, 2; Hairy Woodpecker, 2; Downy Woodpecker, 1; Blue Jay, 30; Eastern Crow, 33; Fish Crow, 5; Carolina Chickadee, 21; Tufted Titmouse, 11; White-breasted Nuthatch, 2; Brown Creeper, 1; Winter Wren, 1; Carolina Wren, 2; Mockingbird, 2; Herrint Thrush, 1; Bluebird, 8; Golden-crowned Kinglet, 9; Migrant Shrike, 1; Starling, 100+; Meadowlark, 5; Cardinal, 5; Goldfinch, 31; Towhee, 11; Slate-colored Junco, 75; White-throated Sparrow, 3; Song Sparrow, 7. Total, 35 species, 412+individuals.—Stanley C. Church.

French Creek, W. Va.—Dec. 25; 7.30 A.M. to 5 p.M. Partly cloudy; ground bare; moderate southwest wind; temp. 34° at start, 38° at return. In morning, 10 miles on foot; in afternoon, 11 miles by car to vicinity of Buckhannon. Observers separate in morning, together in afternoon. Eastern Goshawk, 11 (common in central W. Va. this year); Sharp-shinned Hawk, 11; Eastern Ruffed Grouse, 1; Eastern Bob-white, 11 (1 covey); Eastern Screech Owl, 1; Northern Flicker, 9; Northern Pileated Woodpecker, 5; Red-hellied Woodpecker, 3; Red-headed Woodpecker, 16; Prairie Horned Lark, 7; Northern Blue Jay, 22; Eastern Crow, 15; Carolina Chickadee, 27; Tufted Titmouse, 49; White-breasted Nuthatch, 22; Red-breasted Nuthatch, 3; Eastern Winter Wren, 3; Carolina Wren, 14; Eastern Robin, 5; Eastern Hermit Thrush, 15; Eastern Bluebird, 4; Eastern Golden-crowned Kinglet, 8; Starling, 6; English Sparrow, 11; Eastern Cardinal, 23; Northern Pine Siskin, 2; Eastern Goldfinch, 17; Red-eyed Towhee, 3; Eastern Vesper Sparrow, 2; Carolina Junco, 127; Eastern Tree Sparrow, 26; Eastern Field

Sparrow, 3; Eastern Song Sparrow, 14. Total, 36 species, 485 individuals.—RUTH BROOKS, A. B. BROOKS, MACRICE BRUOKS.

woods and campus (Odum, Coker); Strowd's Lowgrounds and adjoining woods and fields temp. 30° to 70°. Morning: University Lake (with rowboat), Hogan's Pond, University ginia), 1; Killdeer, 9; American Woodcock, 1; Wilson's Snipe, 3; Eastern Mourning Dove, 8; Black Vulture, 1; Cooper's Hawk, 1; Eastern Red-tailed Hawk, 2; Northern Red-shouldered and other likely places covered. All points easily within a 5-mile radius. On foot and by car (Taylor, Breckenridge). Afternoon: Observers together; some of above localities revisited, 4; Eastern Robin, 3; Eastern Hermit Thrush, 17; Eastern Bluebird, 36; Eastern Golden-Crow, 15; Carolina Chickadee, 31; Tufted Titmouse, 27; White-breasted Nuthatch, 14; Southern Downy Woodpecker, 10; Eastern Phæbe, 12; Northern Blue Jay, 38; Southern Kingfisher, 1; Flicker, 17; Southern Pileated Woodpecker, 1; Red-bellied Woodpecker, 6; 170 (flock of 150, est); Eastern Screech Owl, 2 (heard); Barred Owl, 1 (heard); Eastern Belted Hawk, 3; Osprey (?), 1; Eastern Bob-white, 15 (2 coveys); King Rail, 4; Rail (Sora or Vir-7; Hooded Merganser, 16 (3 males); Red-breasted (?) Merganser, 2 (females); Turkey Vulture, 1; Common Mallard, 20; Common Black Duck, 10; Wood Duck, 3; Lesser (?) Scaup Duck, (afternoon). Horned Grebe, 1; Pied-billed Grebe, 6; Great Blue Heron, 2; American Bittern, 25; Eastern Purple Finch, 80; Eastern Goldfinch, 112; Red-eyed Towhee, 38; Eastern Savancrowned Kinglet, 45; Eastern Ruby-crowned Kinglet, 5; American Pipit, 1; Cedar Waxwing, Wren, 17; Carolina Wren, 21; Eastern Mockingbird, 4; Catbird, 5 (together); Brown Thrasher, Red-breasted Nuthatch, 1; Brown-headed Nuthatch, 6; Brown Creeper, 2; Eastern Winter Red-headed Woodpecker, 6; Yellow-bellied Sapsucker, 7; Southern Hairy Woodpecker, 8; ing glimpse was obtained (Taylor). Relying on the hasty look, it appeared to be a Sora, but with its call (Taylor). A medium-sized, dark Rail was almost stepped upon, but only a fleetnoted (Odum, Coker). The Osprey was heard twice but not seen by one who is well acquainted uals. Horned Grebe observed at 15 yards; size, white throat, red eyes and other points 50; Swamp Sparrow, 147; Eastern Song Sparrow, 130. Total, 75 species, 2747 (est.) individ-Sparrow, 65; Eastern Field Sparrow, 38; White-throated Sparrow, 555; Eastern Fox Sparrow, nah Sparrow, 15; Eastern Vesper Sparrow, 1; Slate-colored Junco, 250; Eastern Chipping Eastern Red-wing, 500 (est.); Rusty Blackbird, 40 (est.); Purple Grackle, 10; Eastern Cardinal, 35; Starling, 10; Myrtle Warbler, 15; Pine Warbler, 8; English Sparrow, 12; Meadowlark, 20; from the standpoint of distribution and occurrence a Virginia Rail would be more probable. -EDMUND TAYLOR, ARNOLD BRECKENRIDGE, COIT COKER, EUGENE ODUM (members of Chapel Hill, N. C.—Dec. 23; 6 A.M. to 6 P.M. (11/2 hours out for lunch). Clear; no wind

Chapel Hill Ornithological Club). wind; temp. 36° at start, 62° at return. About 12 miles on foot. Swamps, pine woods, and bellied Sapsucker, 5; Red-bellied Woodpecker, 6; Phæbe, 4; Southern Blue Jay, 7; Crow, 4: Hawk, 1; Bob-white, 42; Killdeer, 3; Mourning Dove, 75 (est.); Flicker, 16; Southern Hairy fields. Turkey Vulture, 1; Black Vulture, 2; Cooper's Hawk, 1; Marsh Hawk, 1; Sparrow nah Sparrow seen on Dec. 21.—WILLIAM B. WARD. 60 (est.). Total, 47 species, 1107 individuals. Bewick's Wren, Chipping Sparrow, and Savan-Grackle, 4; Cardinal, 8; American Goldfinch, 28; Towhee, 9; Vesper Sparrow, 6; Slate-colored Warbler, 2; English Sparrow, 18; Meadowlark, 35; Red-winged Blackbird, 50 (est.); Purple American Pipit, 150 (est.); Loggerhead Shrike, 3; Starling, 24; Myrtle Warbler, 14; Pine Hermit Thrush, 1; Bluebird, 22; Golden-crowned Kinglet, 1; Ruby-crowned Kinglet, 12; Carolina Wren, 4; Winter Wren, 1; Mockingbird, 14; Brown Thrasher, 6; Robin, 100 (est.); Carolina Chickadee, 3; Tufted Titmouse, 2; Brown-headed Nuthatch, 4; Brown Creeper, 1; Woodpecker, 1; Southern Downy Woodpecker, 2; Red-cockaded Woodpecker, 2; Yellow-Junco, 125 (est.); Field Sparrow, 27; White-throated Sparrow, 200 (est.); Song Sparrow, Timmonsville, S. C.—Dec. 22; 8 a.m. to 12 M.; 1.45 P.M. to 4.15 P.M. Clear; little or no

Atlanta, Ga. (North Boulevard Park, Druid Hills, Harrison Sanctuary, East Lake, U. S. Honor Farm, South River section, Collier Woods).—Dec. 24; 7.30 A.M. to 4.45 P.M. Cloudy.

then clear; windy part of time; temp. 54° at start, 68° at return. About 5 miles on foot, 34 miles in car, 2 miles in Collier Woods by Mrs. Gordon and Mrs. Oliver. Two parties. Pied-billed Grebe, 1; Ring-necked Duck, 4; Sharp-shinned Hawk, 1; Marsh Hawk, 1; Sparrow Hawk, 2; Killdeer, 7; Eastern Mourning Dove, 2; Flicker, 3; Red-bellied Woodpecker, 1; Southern Downy Woodpecker, 4; Phœbe, 2; Blue Jay, 2; Southern Crow, 8; Carolina Chickadee, 4; Tufted Titmouse, 8; White-breasted Nuthatch, 3; Brown Creeper, 1; Carolina Wren, 9; Eastern Mockingbird, 3; Eastern Hermit Thrush, 2; Eastern Bluebird, 9; Golden-crowned Kinglet, 4; Ruby-crowned Kinglet, 6; Loggerhead Shrike, 2; Starling, 800 (est.); Northern Pine Warbler, 1; English Sparrow, 6; Meadowlark (sp. ?), 3; Eastern Red-wing, 102; Rusty Blackbird (Brewer's ?), 10; Eastern Cowbird, 10; Cardinal, 9; Eastern Goldfinch, 11; Towhee (Red-eyed or Alabama), 9; Eastern Vesper Sparrow, 2; Slate-colored Junco, 32; Eastern Chipping Sparrow, 7. Total, 43 species, 1142 (est.) individuals.—Mks. Lewis F. Gordon, Mrs. James Connor Oliver, Earle R. Greene.

species observed Dec. 22: Marsh Hawk, 1; Belted Kingfisher, 1; Myrtle Warbler, 2; Red-SHAW, WALDEMAR T. ZIEGLER. (Dorsey left the field at 1.30 P.M.) winged Blackbird, 3; Savannah Sparrow, 2.—George Andrew Dorsey, Jacques H. Uprow, 4; Swamp Sparrow, 4; Song Sparrow, 27. Total, 54 species, 638 individuals. Additional Starling, 3; Pine Warbler, 15; Palm Warbler, 2; Meadowlark, 40; Cowbird, 20; Cardinal, 27; headed Nuthatch, 4; Brown Creeper, 4; Winter Wren, 1; Carolina Wren, 22; Mockingbird, Junco, 50; Chipping Sparrow, 1; Field Sparrow, 63; White-throated Sparrow, 49; Fox Spar-Purple Finch, 2; Goldfinch, 21; Towhee, 8; Henslow's Sparrow, 10; Vesper Sparrow, 7; 28; Ruby-crowned Kinglet, 11; American Pipit, 1; Cedar Waxwing, 15; Loggerhead Shrike, 3; 12; Brown Thrasher, 1; Robin, 19; Hermit Thrush, 1; Bluebird, 40; Golden-crowned Kinglet, Crow, 15; Carolina Chickadee, 18; Tufted Titmouse, 3; White-breasted Nuthatch, 2; Brownbellied Sapsucker, 2; Hairy Woodpecker, 1; Downy Woodpecker, 1; Phcebe, 7; Blue Jay, 27; Sparrow Hawk, 3; Bob-white, 5; Killdeer, 2; Wilson's Snipe, 1; Mourning Dove, 7; Flicker, of city through golf-course and southwest through wooded hills and pasture-land about the 18; Pileated Woodpecker, 1; Red-bellied Woodpecker, 1; Red-headed Woodpecker, 1; Yellowheadwaters of Camp Creek. Total distance walked, about 25 miles. Observers separate. Atlanta Municipal Airport; western and southern part of residential section of city; and west temp : 59° at start, 50° at return. Territory covered: open fields east of city to and about ually increasing during day; latter part of day dark and cloudy with high wind and drop in ing; rain preceding start; ground wet and muddy all day; wind westerly, light at start, grad-Turkey Vulture, 4; Sharp-shinned Hawk, 2; Red-tailed Hawk, 1; Red-shouldered Hawk, 1; College Park, Ga.—Dec. 26; 7 A.M. to 3 P.M. Cloudy, with brief sunshine during morn-

Macon, Ga.—Dec. 23; 7,30 A.M. to 2,30 P.M. Fair, with little or no wind; temp. 40° at start, 63° at return. About 8 miles on foot through pastures and pine woods from Vineville to waterworks, then from waterworks down the river to Riverside Cemetery. Turkey Vulture, 1; Black Vulture, 1; Red-shouldered Hawk, 1; Sparrow Hawk, 1; Mourning Dove, 8; Flicker, 17; Red-bellied Woodpecker, 5; Yellow-bellied Sapsucker, 3; Southern Downy Woodpecker, 2; Phoebe, 6; Blue Jay, 7; Southern Crow, 7; Carolina Chickadee, 13; Tutted Titmouse, 3; Brown-headed Nuthatch, 8; Brown Creeper, 2; Carolina Wren, 8; Mockingbird, 6; Hermit Thrush, 5; Bluebird, 16; Golden-crowned Kinglet, 2; Ruby-crowned Kinglet, 1; Loggerhead Shrike, 1; Starling, 1; Myrtle Warbler, 1; Pine Warbler, 3 (1 in full song); Palm Warbler, 2; Maryland Yellow-throat, 1; English Sparrow, 15; Meadowlark, 35; Red-winged Blackbird, 1; Cardinal, 20; Purple Finch, 2; Goldfinch, 35; Towhee, 3; Savannah Sparrow, 2; Carolina Junco, 56; Field Sparrow, 12; White-throated Sparrow, 15; Chipping Sparrow, 50; Song Sparrow, 10. Total, 41 species, 389 individuals. Total absence of Red-headed Woodpecker and Brown Thrasher is very unusual.—Fred Denton.

Savannah, Ga. (to Montgomery Cross Road, Isle of Hope, Bonaventure and back, also

and Mrs. Reddy, H. B. Skeele, W. J. Erickson (together); Mr. and Mrs. J. E. Wingo, Grasshopper Sparrow, 2; Vesper Sparrow, 3; Chipping Sparrow, 1; White-throated Boat-tailed Grackle, 11; Cardinal, 12; Goldfinch, 12; Towhee, 24; Savannah Sparrow, 2; 3; Pine Warbler, 4; English Sparrow, 16; Meadowlark, 12; Red-winged Blackbird, 100; head Shrike, 7; White-eyed Vireo, 1; Myrtle Warbler, 91; Maryland Yellow-throated Warbler, Crow, 11; Carolina Chickadee, 25; Tufted Titmouse, 1; Creeper, 1; House Wren, 3; Carolina tailed Hawk, 1; Marsh Hawk, 2; Sparrow Hawk, 3; Killdeer, 15; Wilson's Snipe, 2; Clapper Heron, 13; Duck, 1 (raft); Turkey Vulture, 5; Black Vulture, 21; Cooper's Hawk, 1; Red-MARIE and ANN MAY CAIN (together). row, 89; Swamp Sparrow, 24; Song Sparrow, 5. Total, 61 species, 2050 individuals.—Mr. Thrasher, 8; Robin, 53; Hermit Thrush, 5; Bluebird, 17; Ruby-crowned Kinglet, 9; Logger-Wren, 2; Winter Wren, 20; Short-billed Marsh Wren, 2; Mockingbird, 19; Catbird, 5; Brown Sapsucker, 1; Southern Downy Woodpecker, 1; Phoebe, 7; Blue Jay, 12; Crow, 1206; Fish 2; Ground Dove, 1; Kingfisher, 5; Flicker, 12; Red-headed Woodpecker, 2; Yellow-hellied Rail, 4; Yellow-legs, 7; Sandpiper, 1; Herring Gull, 125; Ring-billed Gull, 20; Mourning Dove, in one group; 3 observers in one group. Great Blue Heron, 3; Snowy Egret, 1; Little Blue temp. 41° at start, 68° at return. About 5 miles on foot, 50 miles in the two cars. Five observers Wilmington Island Tyhee Road, and back).—Dec. 22; 8 A.M. to 2.15 P.M. Clear; no wind:

2; Eastern Chipping Sparrow, 35; Swamp Sparrow, 1. Total, 73 species, 1365+ individuals nal, 2; Eastern Goldfinch, 2; Red-eyed Towhee, 2; White-eyed Towhee, 3; Savannah Sparrow, lark, 8; Eastern (?) Red-wing, 12; Boat-tailed Grackle, 27; Florida Grackle, 5; Florida Cardi 2; Florida (?) Prairie Warbler, 1; Florida (?) Yellow-throat, 11; English Sparrow, 3; Meadow-Loggerhead Shrike, 4; Myrtle Warbler, 5; Northern Pine Warbler, 2; Western Palm Warbler, I; Mockingbird, II; Cathird, 2; Blue-gray Gnatcatcher, 3; Ruby-crowned Kinglet, 3; headed Nuthatch, 3; Eastern House Wren, 2; Florida Wren, 1; Long-billed (?) Marsh Wren, Phoebe, 4; Tree Swallow, 24; Florida Blue Jay, 6; Florida Jay, 7; Fish Crow, 20; Brownbellied Woodpecker, 5; Southern Downy Woodpecker, 3; Red-cockaded Woodpecker, 5; bill noted); Sanderling, 15; Herring Gull, 217+; Ring-billed Gull, 2; Forster's (?) Tern, 8; bellied Plover, 12; Ruddy Turnstone, 8; Wilson's Snipe, 1; Spotted Sandpiper, 4; Greater Black Vulture, 3; Florida Red-shouldered Hawk, 2; Southern Bald Eagle, 1; Marsh Hawk, 3; Ground Dove, 12; Great Horned Owl, 2; Eastern Belted Kingfisher, 8; Flicker, 21; Red-Yellow-legs, 5; Knot, 10; Marbled Godwit, 1 (observed at close range; large size and upturned Osprey, 2; Sparrow Hawk, 3; Bob-white, 10; Semipalmated Plover, 1; Killdeer, 5; Black-Wood Ibis, 5; American Pintail, 150+; Lesser (?) Scaup Duck, 475+; Turkey Vulture, Pelican, 12; Ward's Heron, 7; American Egret, 2; Louisiana Heron, 5; Little Blue Heron, 4; temp. 60° at start. About town, then across Indian River to Cocoa Beach and return. In Royal (or Caspian) Tern, 52; Black Skimmer, 35; Eastern Mourning Dove, 12; Eastern car and on foot. Horned Grebe, 4; Pied-billed Grebe, 12; Florida (?) Cormorant, 11; Brown -Norman Giles, Jr., Nelson Spratt, Jr. Cocoa, Fla.—Dec. 24; 7.30 A.M. to 5.30 P.M. Clear, few cirrus clouds; little or no wind

Daytona Beach, Fla. (to New Smyrna and 7 miles inland).—Dec. 23; 7 a.m. to 12 m.; 2 to 5:30 p.m. Clear; temp. 52° at start, 76° at return. By car and afoot, 90 miles. Horned Grebe, 2; Pied-billed Grebe, 1; Eastern Brown Pelican, 250; Gannet, 4; Florida (?) Cormorant, 5; Ward's Heron, 12; American Egret, 9; Snowy Egret, 3; Louisiana Heron, 6; Little Blue Heron, 10; Black-crowned Night Heron, 2; Yellow-crowned Night Heron, 20; White Ibis, 5; Lesser Scaup Duck, 100; Red-breasted Merganser, 1; Marsh Hawk, 1; Little (?) Sparrow Hawk, 4; Wayne's (?) Clapper Rail, 2; Piping Plover, 2; Black-bellied Plover, 9; Ruddy Turnstone, 16; Spotted Sandpiper, 2; American Knot, 13; Red-backed Sandpiper, 50; Semipalmated Sandpiper, 30; Sanderling, 35; Herring Gull, 20; Ring-billed Gull, 100; Royal Tern, 150; Black Skimmer, 200; Eastern Ground Dove, 12; Florida (?) Barred Owl, 1; Eastern Belted Kingfisher, 13; Southern Flicker, 4; Red-bellied Woodpecker, 6; Southern (?) Downy Woodpecker, 2; Eastern Phoebe, 5; Tree Swallow, 100; Florida Blue Jay, 1; Florida

Crow, 2; Fish Crow, 20; Florida (?) Chickadee, 2; House Wren, 3; Florida Wren, 1; Mockingbird, 15; Catbird, 5; Brown Thrasher, 1; Eastern (?) Robin, 10; Eastern Bluebird, 6; Bluegray Gnatcatcher, 3; Eastern Ruby-crowned Kinglet, 6; Loggerhead Shrike, 4; Myrtle Warbler, 75; Palm Warbler, 10; Ovenbird, 1; Florida (?) Yellow-throat, 6; Southern Meadowlark, 6; Red-winged Blackbird, 4; Florida Cardinal, 3; Eastern Goldfinch, 12; Towhee, 6; Eastern Savannah Sparrow, 4; Pine-woods (?) Sparrow, 2; Eastern Chipping Sparrow, 6; Swamp Sparrow, 2. Total, 65 species, 1423 (est.) individuals.—R. J. Longstreet.

observed on the 26th.—MARIE G. WILLSON, DAISIE M. MORRISON. Florida Yellow-throat, 2; English Sparrow, 7; Eastern Meadowlark, 36; Florida Red-wing, 2; Florida Pine Warbler, 61; Florida Prairie Warbler, 1; Yellow Palm Warbler, 50; Semipalmated Sandpiper, 61; Sanderling, 142; Herring Gull, 128; Ring-billed Gull, 58; Laughing Gull, 280; Royal Tern, 563; Cabot's Tern, 3; Black Skimmer, 3250; Eastern Mourning Dove, 35; Eastern Ground Dove, 15; Great Horned Owl, 1 (heard); Eastern Belted Kingfisher, 19; Southern Flicker, 12; Red-bellied Woodpecker, 32; Red-headed Woodpecker, 13; Sparrow, 12. Total, 80 species, 7123 individuals. Robins were heard here on the 22d 139; Boat-tailed Grackle, 45; Florida Cardinal, 4; White-eyed Towhee, 13; Eastern Savannah bird, 70; Catbird, 1; Brown Thrasher, 3; Eastern Bluebird, 41; Blue-gray Gnatcatcher, 28; Dec. 22; 7,30 a.m. to 6 P.M. Clear; wind north; temp. 45° min., 65° max. About 77 miles in automobile. Observers together. Common Loon, 1; Horned Grebe, 1; Pied-billed Grebe, 1; headed Vireo, 5; Black and White Warbler, 1; Myrtle Warbler, 32; Yellow-throated Warbler, Eastern Ruby-crowned Kinglet, 1; Loggerhead Shrike, 50; White-eyed Vireo, 1; Blue-Blue Jay, 17; Fish Crow, 1; Tufted Titmouse, 12; Eastern House Wren, 8; Eastern Mocking-Southern Downy Woodpecker, 1; Red-cockaded Woodpecker, 1; Eastern Phoebe, 16; Florida Ruddy Turnstone, 12; Least Sandpiper, 10; Red-backed Sandpiper, 40; Eastern Dowitcher, Rail, 1; Florida Gallinule, 3; Semipalmated Plover, 16; Killdeer, 23; Black-bellied Plover, 45; 18; Black Vulture, 32; Florida Red-tailed Hawk, 2; Florida Red-shouldered Hawk, 1; Bald 10; Canvasback, 4; Lesser Scaup Duck, 341; Red-breasted Merganser, 261; Turkey Vulture crowned Night Heron, 15; Eastern Least Bittern, 1; Common Mallard, 10; Blue-winged Teal, Snowy Egret, 28; Louisiana Heron, 35; Little Blue Heron, 78; Eastern Green Heron, 1; Yellow-Eagle, 7; Marsh Hawk, 3; Little Sparrow Hawk, 26; Florida Bob-white, 11; Scott's Clapper Eastern Brown Pelican, 562; Florida Cormorant, 88; Ward's Heron, 30; American Egret, 98; Gulfport, Fla. (to Passagrille, Largo, Gandy Bridge, St. Petersburg, and Pinellas Point.)

numbers.—HOMER T. TOWNSEND, H. H. SCHRODER 6; Myrtle Warbler, 50; Yellow-throated Warbler, 9; Florida Pine Warbler, 6 (singing); Palm Sparrow, 4; Swamp Sparrow, 1. Total, 67 species, 101,186 individuals. Cardinal, 8; Goldfinch, 7; White-eyed Towhee, 6; Savannah Sparrow, 55; White-throated Southern Meadowlark, 17; Florida Red-winged Blackbird, 40; Florida Grackle, 20; Florida and Yellow Palm Warbler, 60; Ovenbird, 1; Florida Yellow-throat, 6; English Sparrow, 4; Kinglet, 25; Loggerhead Shrike, 14; White-eyed Vireo, 4 (singing); Black and White Warbler, Brown Thrasher, 2; Hermit Thrush, 2; Bluebird, 2; Blue-gray Gnatcatcher, 40; Ruby-crowned Nuthatch, 3; House Wren, 5; Florida Wren, 1; Marsh Wren (sp. ?), 1; Mockingbird, 60; Florida Blue Jay, 30; Florida Jay, 2; Fish Crow, 75; Tufted Titmouse, 35; Gray-headed Hairy Woodpecker, 1; Southern Downy Woodpecker, 2; Phœbe, 15; Tree Swallow, 150; 3; Sparrow Hawk, 6; Limpkin, 2; Florida Gallinule, 9; Coot, 100,000; Killdeer, 4; Herring necked Duck, 20; Greater and Lesser Scaup Duck, 200; Turkey Vulture, 4; Black Vulture, 3; 8 a.m. to 5.30 p.m. Clear, light southwest wind; temp. 54° at start, 70° at return. About 10 Pileated Woodpecker, 1; Red-bellied Woodpecker, 8; Yellow-bellied Sapsucker, 1; Southern Gull, 2; Ring-billed Gull, 100; Mourning Dove, 7; Ground Dove, 4; Kingfisher, 3; Flicker, 3; Florida Red-tailed Hawk, 1; Florida Red-shouldered Hawk, 3; Bald Eagle, 2; Marsh Hawk, Anhinga, 2; Ward's Heron, 1; Little Blue Heron, 5; Green Heron, 1; Duck (sp. ?), 9; Ringmiles on foot; auto between points. Observers together most of time. Pied-billed Grebe, 6; Orange County, Fla. (Kelly Park, Rock Springs, to Lake Apopka and vicinity).-Dec. 26;

Bonaparte's Gull, 10; Common Tern, 12 (may include some Forster's); Royal Tern, 9; observer (Weston): Bufflehead, Eastern Bob-white, Pileated Woodpecker, and Western eluded purposeful search. On Dec. 25 the following additional species were noted by a single and subspecies, about 1298 individuals. Brown Pelican, Black Skimmer, and Bob-white White-throated Sparrow, 16; Swamp Sparrow, 7; Song Sparrow (sp. ?), 2. Total, 80 species man's Sparrow, 2; Eastern Chipping Sparrow, 51 (part est.); Eastern Field Sparrow, 21; 17; Alabama Towhee, 7; Eastern Savannah Sparrow, 3; Eastern Vesper Sparrow, 12; Bach-Southern Meadowlark, 60; Gulf Coast Red-wing, 26; Eastern Cardinal, 14; Eastern Goldfinch, Yellow Palm Warbler (several of each differentiated in field), 20; Florida Yellow-throat, 4; Warbler, 2; Myrtle Warbler, 152 (part est.); Northern Pine Warbler, 34; Western Palm and Shrike, 18, Starling, 2; White-eyed Vireo (rare in winter), 1; Solitary Vireo, 1; Orange-crowned Kinglet, 2; Ruby-crowned Kinglet, 42; Pipit, 65 (3 flocks); Cedar Waxwing, 6; Loggerhead roo est.); Hermit Thrush, 3; Eastern Bluebird, 49; Blue-gray Gnatcatcher, 4; Golden-crowned Wren, 1; Eastern Mockingbird, 25; Brown Thrasher, 4; Robin (sp. ?), 126 (includes flock of Brown-headed Nuthatch, 2; House Wren (sp. ?), 3; Carolina Wren, 9; Short-billed Marsh 1; Eastern Phoebe, 18; Southern Blue Jay, 7; Southern Crow and Fish Crow (several of each differentiated in field), 23; Carolina Chickadee, 11; Tufted Timouse, 18; Hairy Woodpecker, 3; Southern Downy Woodpecker, 2; Red-cockaded Woodpecker, Woodpecker, 12; Red-headed Woodpecker, 1; Yellow-bellied Sapsucker, Eastern Mourning Dove, 1; Eastern Belted Kingfisher, 4; Southern Flicker, 12; Red-bellied Sandpiper, 6; Sanderling, 16; Herring Gull, 86; Ring-billed Gull, 22; Laughing Gull, 8; Wilson's Snipe, 1; Spotted Sandpiper, 2 (only midwinter record in 18 years); Red-backed Hawk, 7; Piping Plover, 14; Cuban Snowy Plover, 5; Killdeer, 24; Black-bellied Plover, 23; Black Vulture, 5; Florida Red-shouldered Hawk, 1; Southern Bald Eagle, 1; Little Sparrow Lesser Scaup, 11; American Golden-eye, 5; Red-breasted Merganser, 28; Turkey Vulture, Pied-billed Grebe, 1; Double-crested Cormorant, 22; Ward's Heron, 1; American Bittern, in morning, all 4 together in afternoon. Common Loon, 39 (34 in 1 flock); Horned Grebe, mile diameter. Woods, fields, bay-shore, fresh-water swamp, Gulf beach. Observers in pairs west; temp. 62° at start, 69° at return. About 80 miles by car; 8 miles on foot, all within 15-Henslow's Sparrow.—Curtis L. Kingsbery, Robert C. McClanahan, A. Frederick WICKE, JR., FRANCIS M. WESTON. Pensacola, Fla. - Dec. 24; 7 A.M. to 6 P.M. Clear to partly cloudy; brisk wind from south-Southern 2

by car. Two of three observers together. From 1 mile west of town to 7 miles east and south-Broad-winged Hawk, 1; Southern Bald Eagle, 2; Marsh Hawk, 1; American Osprey, 1; East-Duck, 175; Ring-necked Duck, 10; Turkey Vulture, 7; Florida Red-shouldered Hawk, 1; Florida Duck, 5; Baldpate, 10; American Pintail, 3; Blue-winged Teal, 1; Lesser Scaup Wood Ibis, 1; White Ibis, 10; Blue Goose, 1 (immature; collected); Common Mallard, 1; Egret, 15; Louisiana Heron, 15; Little Blue Heron, 1; Black-crowned Night Heron, 15; lands. Pied-billed Grebe, 24; Water Turkey, 5; Ward's Heron, 4; American Egret, 26; Snowy east, greatest diameter 8 miles. Pinelands, flatwoods, cultivated fields, prairie, and hammock (two other observers). Clear; wind southwest; temp. 65° to 75°. Nine miles by foot, 20 miles 5; Yellow-throated Warbler, 2; Florida Pine Warbler, 33; Western Palm Warbler, 36; House 153; Loggerhead Shrike, 35; Solitary Virco, 1; Orange-crowned Warbler, 1; Myrtle Warbler, Robin, 20; Florida Bluebird, 5; Blue-gray Gnatcatcher, 12; Ruby-crowned Kinglet, 4; Pipit, pecker, 2; Red-bellied Woodpecker, 2; Eastern Phæbe, 15; Tree Swallow, 48; Southern Blue Tern, 1; Eastern Mourning Dove, 30; Eastern Ground Dove, 32; American Barn Owl, 1; Wilson's Snipe, 2; Greater Yellow-legs, 4; Lesser Yellow-legs, 6; Herring Gull, 1; Royal (?) ern Sparrow Hawk, 4; Eastern Bob-white, 12; Limpkin, 1; American Coot, 2; Killdeer, 42; Eastern House Wren, 18; Florida Wren, 2; Eastern Mockingbird, 50; Brown Thrasher, 1; Jay, 7; Florida Crow, 10; Fish Crow, 12; Tufted Titmouse, 1; Gray-headed Nuthatch, 5; Florida Barred Owl, 1; Eastern Belted Kingfisher, 6; Southern Flicker, 1; Pileated Wood-Sanford, Fla. (Seminole County).—Dec. 26; 9 a.m. to 5 p.m. (one observer), 3 to 5.30 p.m.

Sparrow. 24; Southern Meadowlark, 13; Florida Red-wing, 14; Boat-tailed Grackle, 52; Florida Grackle, 12; Florida Cardinal, 2; Eastern Goldfinch, 6; Red-eyed Towhee, 1; White-eyed Towhee, 5; Eastern Savannah Sparrow, 1; Pine-woods Sparrow, 3; Eastern Song Sparrow, 2. Total, 77 species, 1094 (est.) individuals.—Jack Russell, Jessie H. Mason, C. Russell Mason.

Fairhope, Ala. (on Mobile Bay).—Dec. 23; 6.30 a.m. to 12 m., 2 to 5 p.m. Heavy fog at start, clear for rest of day; no wind; temp. 66° at start, 70° at return. Bay Shore, fresh-water swamp, pine-woods, fields. Observers together. Common Loon, 4; Horned Grebe, 2; Eastern Brown Pelican, 3; Canvasback, 7; Red-breasted Merganser, 16; Sparrow Hawk, 3; Florida Red-shouldered Hawk, 1; Bob-white, 2; Killdeer, 73 (est.); Wilson's Snipe, 2; Herring Gull, 21; Royal Tem, 60; Eastern Mourning Dove, 15; Florida Screech Owl, 1; Belted Kingfisher, 2; Southern (7) Flicker, 2; Red-bellied Woodpecker, 2; Yellow-bellied Sapsucker, 2; Phœbe, 4; Southern Blue Jay, 17; Southern Crow and Fish Crow, 258 (est.); Tufted Titmouse, 2; House Wren, 3; Carolina Wren, 1; Red-breasted Nuthatch, 3; Mockingbird, 19; Brown Thrasher, 4; Eastern (7) Robin, 16; Eastern Hermit Thrush, 5; Bluebird, 3; Golden-crowned Kinglet, 11; American Pipit, 27; Loggerhead Shrike, 10; Blueheaded Vireo, 1; Myrtle Warbler, 49; Southern (7) Meadowlark, 33; Eastern Cardinal, 6; Goldfinch, 22; Towhee, 3; Field Sparrow, 20; White-throated Sparrow, 2. Total, 42 species, about 704 individuals.—Homer H. Flagg, Kennethe Edwards, Raymond Flage, Duncan McIntose (Fairhope Bird Club).

Waukesha, Wisc.—Dec. 23; 7, 30 A.M. to 12 M. Cloudy; northeast wind; temp. at start 32°, at return 35°. Mukwonago Swamp area, covering an area of approximately 10 miles. By car, 16 miles, and 10 miles on foot. Three groups covering different parts of the swamp. Marsh Hawk, 8; Ring-necked Pheasant, 12; Herring Gull, 5; Northern Flicker, 5; Eastern Hairy Woodpecker, 2; Northern Downy Woodpecker, 6; Prairie Horned Lark, 3; Northern Blue Jay, 8; Eastern Crow, 17; Black-capped Chickadee, 33; White-breasted Nuthatch, 11; Brown Creeper, 4; Eastern Robin, 3; Starling, 2; English Sparrow, 100 (est.); Giant Redwing, 1; Eastern Purple Finch, 1; Northern Pine Siskin, 30; Eastern Goldfinch, 17; Slate-colored Junco, 80 (est.); Eastern Tree Sparrow, 400 (est.); White-throated Sparrow, 1 (observed at 15 feet in good light with glasses). Total, 22 species, 7,48 individuals. Earlier in the week a pair of American Bitterns, 1 Kingfisher, and 1 Brown Thrasher were seen by Perry Gale within 15 miles of Waukesha.—Edward Cahill, Glen Funk, Roy Lansinger, Jack Frine, Harry Fryatt, Dan McGeen, Robert Mielke, Harold Frank, Howard Price, Kenneth Keuper, Phil Walker, Robert Lockman, Robert Adams, Jake Klein, John Curits, Raymond Reed, Vernor, Rossman, Elmer Lansinger.

STIEMKE (In town), Alton Bussewitz, John Brennan, Ralph Lemke, Frederick Wendt Hawk, 4 (Bussewitz).—Earl and John Danner, Raymond Hoppe (till noon), Richard C. Shrike, 2; Red-headed Woodpecker, 1; Song Sparrow, 1 (Stiemke, Bolle); Rough-legged spots, unusually silent. Coveys of Partridges found tunneling in snowdrifts. 23d, Northern Bunting, 1. Total, 21 species, 775 (est.) individuals. Birds all huddled together in protected Stiemke); Common Redpoll, 85; Slate-colored Junco, 15; Eastern Tree Sparrow, 265; Snow Northern White-breasted Nuthatch, 5; Brown Creeper, 2; Bohemian Waxwing, 13 (last 2 by Woodpecker, 23; Prairie Horned Lark (flock heard after dark; 1 observed flying south over Hungarian Partridge, 129; Bob-white, 66; Ring-necked Pheasant, 14; Northern Barred Owl, 1; servers mostly together. About 23 miles on foot. Red-shouldered Hawk, 1; Marsh Hawk, 1; northwest, 20 to 35 miles per hour; temp. -4° to -6° to -12° . Snow drifting all day. Obstart, clear by 9.30 A.M., "sundogs" 9.05 to 9.20 A.M., 6 in. snow average, drifts 3 feet; wind Cody's Woods, and back yards in city).—Dec. 26; 8 A.M. to 6.10 P.M. Light snow falling at face of moon); Northern Blue Jay, 12; Eastern Crow, 37; Black-capped Chickadee, Long-eared Owl, 1; Northern Flicker, 7; Eastern Hairy Woodpecker, 13; Northern Downy Watertown, Wisc. (Mashkigi Wateg swamps, Rock River to Pipersville, Indian Hill

Appleton, Wisc.—Dec. 24; sunrise to dusk. Cloudy, with snow-flurries until mid-afternoon; r in. of snow; wind west, light, shifting to north, becoming brisk; temp. between 20° and 25°. Open fields, lake-front, river-bank and thicket, ravine, city street and parks, alder and willow swamp, hardwoods, cedar and tamarack swamp. About 30 miles by car, ro miles on foot. Observers together. American Golden-eye, 70: Herring Gull, 6; Northern Downy Woodpecker, r; Northern Blue Jay, 2; Eastern Crow, 3; Black-capped Chickadee, 16; White-breasted Nuthatch, 5; Brown Creeper, 3; English Sparrow, 300 (est.; 1 flock); Eastern Cowbird, 1 (immature); Eastern Cardinal, 2 (pair); Pine Grosbeak, 2; Slate-colored Junco, 14; Eastern Snow Bunting, 500 (est.). Total, 14 species, 923 (est.) individuals. Dec. 25, Tufted Timouse on feeding-tray, first individual seen in fifteen years of observation here.—Mrs. Walter E. Rogers, Kay Trowbride Rogers.

Elkhorn, Wisc. (Lauderdale Lakes and vicinity).—Dec. 26; 9.45 A.M. to 1.30 P.M. and 3 to 4.20 P.M. Partly cloudy; ground snow-covered, drifted; wind northwest, very strong; temp.—5° at start, —4° at finish. About 8 miles on foot. Mallard Duck, 2; Bob-white, 10; Wilson's Snipe, 2; Kingfisher, 1; Hairy Woodpecker, 1; Downy Woodpecker, 1; American Crow, 1; Blue Jay, 7; Black-capped Chickadee, 7; White-breasted Nuthatch, 4; Tree Sparrow, 40+; Slate-colored Junco, 15. Total, 12 species, 91+ individuals.—ROBERT G. DUNBAR.

St. Paul, Minn. (vicinity of Pig's-Eye Island, Battle Creek, through West St. Paul to High Bridge).—Dec. 25; 7.30 a.m. to 5 p.m. Cloudy, light snowfall in p.m.; 2 in. snow; no wind; temp. -13° at start, -5° at return. About 24 miles on foot. Observers together in a.m.; only one observer in p.m. Mallard, 17; Black Duck, 1; Red-tailed Hawk, 1; Bob-white, 37; Ring-necked Pheasant, 69; Wilson's Snipe, 1; Screech Owl, 1; Pieated Woodpecker, 1; Red-bellied Woodpecker, 2; Hairy Woodpecker, 6; Downy Woodpecker, 7; Blue Jay, 6; Crow, 1; Black-capped Chickadee, 17; White-breasted Nuthatch, 4; Brown Creeper, 1; Rusty Blackbird, 4; Cardinal, 13; Redpoll, 15; Slate-colored Junco, 8; Tree Sparrow, 73; Snow Bunting, 150 (est.). Total, 22 species, 435 (est.) individuals. In addition to the 4 Rusties, 12 unidentified Blackbirds were seen.—Alden Risser and Elizabeth Baker.

Red Wing, Minn. (Featherstone Township).—Dec. 26; 11.30 A.M. to 3.30 P.M. Clear; 5 in. of snow; wind north, light; temp. -18° at start, -1° at return. About 8 miles on foot. Observers together. Ruffed Grouse, 1; Hairy Woodpecker, 2; Downy Woodpecker, 3; Blue Jay, 2; Crow, 1; Black-capped Chickadee, 3; White-breasted Nuthatch, 2; Red-breasted Nuthatch, 1; Red-winged Blackbird, 6; Cardinal, 3; Pine Grosbeak, 1; Redpoll, 3; Pine Siskin, 2; Goldfinch, 1; Slate-colored Junco, 8; Tree Sparrow, 11. Total, 16 species, 50 (est.) individuals.—William Cummings, Phillip Featherstone.

Sturgeon Lake, Minn. (from 5 miles south of town along highway to lake, vicinity of lake).—Dec. 27; 10 a.m. to 4 p.m. Clear; 14 in. of snow on level; wind moderate, direction changeable; temp. —20° at start, 0° at return. About 10 miles on foot, 8 miles by car. Observers in 3 parties. Hawk, 1 (Cooper's or Goshawk?); Ruffed Grouse, 1; Prairie Chicken, 2+; Sharp-talled Grouse, 2+; Ring-necked Pheasant, 5; Pileated Woodpecker, 1; Hairy Woodpecker, 1; Blue Jay, 7; Black-capped Chickadee, 35; White-breasted Nuthatch, 1; Pine Grosbeak, 2; Redpoll, 35; Slate-colored Junco, 1; Snow Bunting, 43. Total, 14 species, 137+ individuals.—Minnesora Bird Clurk (Charles DuTori, Ralph Eisle, Leander Fischer, Axel Hansen, Marius Morse, Alden Risser, Robert Upson, William Webb, Messrs. Lewis and Risgaard, Gustav Swanson).

Battle Creek, Mich. (along Kalamazoo River west of city to Camp Custer, Gull Lake, Wintergreen Lake, St. Marys Lake, and Bear Lake).—Dec. 24; 7.30 a.m. to 5 P.M. Cloudy, foggy during the morning; ground not frozen in places; some ice; wind west, very light or none; temp. 40° to 45°. Observers in separate groups, grouped in different manners, some on foot, some in car. Canada Goose, 7; Mallard, 25; Black Duck, 15 (+ raft of 1500 Black Ducks and Mallards); Baldpate, 2; American Pintail, 5; Green-winged Teal, 5; Shoveller, 3; Redhead, 6; Canvasback, 9; Scaup (sp. ?) 6; American Golden-eye, 92; Bufflehead, 21; Hooded Merganser, 6; American Merganser, 7; Sharp-shinned Hawk, 1; Marsh Hawk, 1; Ruffed

Grouse, 5; Bob-white, 1; Ring-necked Pheasant, 4; American Coot, 5; Herring Gull, 8; Ring-billed Gull, 3; Belted Kingfisher, 1; Barred Owl, 1; Red-headed Woodpecker, 1; Hairy Woodpecker, 1; Downy Woodpecker, 14; Prairie Horned Lark, 1; Blue Jay, 15; Crow, 9; Black-capped Chickadee, 50; Tutted Titmouse, 3; White-breasted Nuthatch, 16; Brown Creeper, 2; Starling, 44; Cardinal, 17; Goldfinch, 7; Slate-colored Junco, 4; Tree Sparrow, 184; Song Sparrow, 8; Lapland Longspur, 2. Total, 41 species, 2167 individuals.—Miles D. Pirner, Richard E. Olsen, Cordin J. Henry, Humphrey A. Olsen, Lawrence H. Walk-instaw.

Ecorse, Mich. (river-front to Wyandotte, Lincoln Park, Melvindale, Oakwood Boulevard to Pelham Road, returning by Wabash Railway tracks).—Dec. 22; 8 a.m. to 4 p.m. Sky mostly overcast with cirro-stratus clouds; ground bare; white frost in morning; shore-ice in river; wind moderate, southwest; temp. 29° to 38°. About 12 miles on foot. Ducks (sp. ?), 25; Herring Gull, 325; Downy Woodpecker, 4; Prairie Horned Lark, 5; Blue Jay, 5; Crow, 10 (on island in river); Black-capped Chickadee, 9; Tufted Titmouse, 4; Starling, 614; House Sparrow, 215; Cardinal, 1; Goldfinch, 3; Tree Sparrow, 52; Song Sparrow, 1. Total, 14 species, 1273 individuals.—Ralph Beebe.

Jackson, Mich. (central part of Jackson County).—Dec. 25; 9 A.M. to 5 P.M. Partly cloudy, snow-flurries, ground bare; wind northwest; temp. 23° to 26°. Observers on separate circuits, making a total of about 36 miles afoot. Eastern Ruffed Grouse, 2; Bob-white, 31; Ring-necked Pheasant, 3; Northern Ficker, 2; Eastern Hairy Woodpecker, 6; Northern Downy Woodpecker, 13; Prairie (?) Horned Lark, 5; Blue Jay, 22; Eastern Crow, 5; Black-capped Chickadee, 67; Tufted Titmouse, 3; Northern White-breasted Nuthatch, 10; Brown Creeper, 3; Eastern Golden-crowned Kinglet, 5; Cedar Waxwing, 9; European Starling, 4; English Sparrow, 210; Eastern Cardinal, 8; Eastern Goldfinch, 18; Slate-colored Jucco, 53; Eastern Tree Sparrow, 106. Total, 21 species, 585 individuals.—William G. Fargo, George S. Wing, Harold Wing, Leonard W. Wing, Maurice B. Wing.

Saginaw, Mich. (to Shields and back).—Dec. 24; 10 A.M. to 3.30 P.M. Cloudy, rain changing to snow; wind northeast, moderate; temp. 33° at start, 26° at return. About 7 miles on foot. Observers together. Downy Woodpecker, 6; Blue Jay, 5; Crow, 8; Tufted Titmouse, 2; White-breasted Nuthatch, 16; Brown Creeper, 21; Golden-crowned Kinglet, 50; Cardinal, 2. Total, 10 species, 110 individuals. The Tufted Titmouse was observed and studied with binoculars for a considerable length of time, often within 20 feet; head conspicuously crested, above slate-gray; sides and flanks rufous; very active.—Bruce Wilson, Earl Wilson.

sant, 1; Killdeer, 2; Herring Gull, 4; Ring-billed Gull, 3; Eastern Mourning Dove, 4; Barn Red-wing, 7; Rusty Blackbird, 3; Bronzed Grackle, 1; Eastern Cowbird, 1; Eastern Cardinal, Migrant Shrike, 1; Starling, 272; English Sparrow, 263; Eastern Meadowlark, 19; Eastern ingbird, 1; Eastern Robin, 1; Eastern Bluebird, 2; Eastern Golden-crowned Kinglet, 2; Nuthatch, 23; Brown Creeper, 5; Eastern Winter Wren, 2; Carolina Wren, 16; Eastern Mock-Northern Downy Woodpecker, 30; Horned Lark (only O. a. alpestris noted); Northern Blue 31; Red-bellied Woodpecker, 8; Red-headed Woodpecker, 31; Eastern Hairy Woodpecker, 8; Owl, 1; Eastern Screech Owl, 3; Barred Owl, 1; Eastern Belted Kingfisher, 1; Northern Flicker, 2; American Pintail, 28; Green-winged Teal, 1; Shoveller, 2; Redhead, 2; Ring-necked Duck, Jay, 29; Eastern Crow, 69; Carolina Chickadee, 46; Tufted Titmouse, 57; White-breasted Hawk, 3; Eastern Sparrow Hawk, 14; Eastern Bob-white, 68 (6 coveys); Ring-necked Phea-Hawk, 2; Northern Red-shouldered Hawk, 1; American Rough-legged Hawk, 1; Marsh American Merganser, 32; Sharp-shinned Hawk, 1; Cooper's Hawk, 2; Eastern Red-tailed 1; Lesser Scaup Duck, 2; American Golden-eye, 11; Bufflehead, 4; Hooded Merganser, Grebe, 1; Pied-billed Grebe, 1; Common Mallard, 62; Black Duck, 820; Gadwall, 3; Baldpate, foot, 14 by auto. Conditions practically ideal for recording birds. Common Loon, 2; Horned velocity moderate in A.M., quite strong in P.M.; temp. max. 63°, min. 42°. About 8 miles on and canal free of ice; ground bare and fairly dry; wind south in A.M., southwest in P.M., Buckeye Lake, Ohio.—Dec. 23; 7.30 A.M. to 5.30 P.M. Sky cloudless; lake, streams, ponds,

43; Eastern Goldfinch, 27; Red-eyed Towhee, 2; Slate-colored Junco, 30; Eastern Tree Sparrow, 283; Swamp Sparrow, 2; Mississippi Song Sparrow, 109. Total, 67 species, 2555 individuals.—Milton B. Trautman

Cadiz, Ohio (in thickets and woods near Cadiz and 7 miles north and west).—Dec. 22; Cadiz, Ohio (in thickets and woods near Cadiz and 7 miles north and west).—Dec. 22; 9,15 A.M. to 1 P.M., and 3,30 to 5 P.M. Clear; ground bare; wind west, moderate; temp. for the day 33° to 46°. Red-tailed Hawk, 2; Sparrow Hawk, 1; Bob-white, 13; Ring-necked Pheasant, 2; Flicker, 1; Red-bellied Woodpecker, 3; Downy Woodpecker, 9; Crow, 4; Chickadee, 12; Tufted Titmouse, 11; White-breasted Nuthatch, 7; Cardina Wren, 5; Bluebird, 1; English Starling, 41; Red-winged Blackbird, 6; Cardinal, 10; Goldfinch, 7; Junco, 22; Tree Sparrow, 145; Song Sparrow, 16. Total, 20 species, about 327 individuals. We missed the Mockingbird that is spending its sixth winter in the eastern suburbs of Cadiz.—HARRY B. McCONNELL, The Company of Cadiz.—HARRY B. McCONNELL, The Company of the Cadiz.—HARRY B. McCONNELL, The Company of the Cadiz of the Cadiz of the Company of the Cadiz of

JOHN G. WORLEY, MILTON RONSHEIM, MILTON M. RONSHEIM.

Cieveland, Ohio and vicinity.—Dec. 26; 8, 30 A.M. to 4 P.M. Overcast in morning, developing into heavy snowstorm in afternoon; 3 in. snow; wind moderate to brisk, north; temp 20° to 30°. Lake shore; Edgewater and Gordon City Parks; North Chagrin, Bedford and Brecksville Metropolitan Parks; Aurora Pond District, Gates Mills. About 31 miles on foot; intermediate distances by auto; average diameter of area covered, excluding business district, approximately 15 miles. Four parties; total of 20.5 hours in field. Black Duck, 260; Baldpate, 10; Lesser Scaup Duck, 393; Golden-eye, 7; American Merganser, 3; Sharp-shinned Hawk, 1; ro; Lesser Scaup Duck, 393; Golden-eye, 7; American Merganser, 3; Sharp-shinned Hawk, 1; Red-shouldered (?) Hawk, 1; Bonaparte's Gull, 1500 (est.); Barred Owl, 1; Pileated Woodpecker, 1; Red-bellied Woodpecker, 1; Hairy Woodpecker, 12; Downy Woodpecker, 15; Blue Jay, 14; Black-capped Chickadee, 71; Tufted Titmouse, 61; White-breasted Nuthatch, 45; Red-breasted Nuthatch, 96; Winter Wren, 1; Carolina Wren, 1; Starling, 225; Latch, 18; Red-poll, 13 (Aldrich); Goldfinch, 3; Red-eyed Towhee, 3; Slate-colored Junco, 21; Tree Sparrow, 9; Song Sparrow, 1. Total, 33 species, 2891 (est.) individuals.—J. Aldrich, 1. Pitrack, Dorothy Treat, Ruth Hubbard, A. B. Williams, G. Webster, S. C.

Red-bellied Woodpecker, 9; Red-headed Woodpecker, 94; Hairy Woodpecker, 14; Downy Mourning Dove, 109; Barn Owl, 2; Screech Owl, 5; Barred Owl, 1; Kingfisher, 9; Flicker, 53; shinned Hawk, 1; Cooper's Hawk, 2; Red-tailed Hawk, 7; Red-shouldered Hawk, 2; Roughsoutheastern Franklin County. Great Blue Heron, 1; Mallard, 9; Black Duck, 19; Sharpsparingly. Five parties of 2, 2, 4, 3, and 3 observers working within 15-mile diameter in Chickweed and shepherd's purse in blossom. Swamp tree-frog (Pseudacris triseriata) singing at 5 P.M.; temp., max. 57° at 1 P.M., min. 48° at 5 P.M. Weather mild for the past week. and firm; wind south to southwest, moderate in A.M., strong in P.M., max. 35 miles per hour area. -- Wheaton Club (Floyd B. Chapman, Robert M. Geist, Robert B. Gordon, J. C. 15; Bluebird, 7; Golden-crowned Kinglet, 22; Starling, 3482; Meadowlark, 1; Red-winged Red-breasted Nuthatch, 15; Brown Creeper, 49; Winter Wren, 15; Carolina Wren, 52; Robin, Crow, 419; Carolina Chickadee, 130; Tufted Titmouse, 158; White-breasted Nuthatch, 95; Woodpecker, 114; Northern Horned Lark, 304; Prairie Horned Lark, 23; Blue Jay, 126; legged Hawk, 1; Marsh Hawk, 9; Sparrow Hawk, 19; Bob-white, 87 (12 coveys); Pheasant, 6; MAN, CHARLES F. WALKER, GEORGE WOLFRAM). Schoedinger, Jr., L. M. Shupe, Edward S. Thomas, John S. Thomas, Milton B. Traut-Many, no doubt, were duplicated during the day and, unquestionably, many fed outside of list for the first time. Most of the Starlings were observed coming to roosts in Columbus. Blackbird, 9; Rusty Blackbird, 1; Cowbird, 2; Cardinal, 180; Goldfinch, 116; Towhee, 6; Hambleton, L. E. Hicks, Harry Fabert, F. Dale Pontius, Grover Peters, George R. Longspur, 9. Total, 49 species, 7299 individuals. The White-throated Sparrow appears on the Junco, 233; Tree Sparrow, 952; White-throated Sparrow, 1; Song Sparrow, 304; Lapland Columbus, Ohio.—Dec. 24; 7.30 A.M. to 5 P.M. Cloudy, heavy rain in P.M.; ground bare

Dayton, Ohio.—Dec. 26; 8 A.M. to 5 P.M. Cloudy; about 2 in. of snow at daylight, with

Mrs. D. E. Klinger, Mrs. John R. Lehman, Carrie Faulkner, Louis Kalter, John CLIPPINGER, RUTH BRYANT, RUTH CLARK, ETHEL MEYERS, MARY OLT, MRS. D. W. MARSH, 118; Eastern Goldfinch, 5; Slate-colored Junco, 366; Eastern Tree Sparrow, 412; Mississippi Eastern Golden-crowned Kinglet, 1; Starling, 501; Eastern Meadowlark, 35; Eastern Cardinal r; Red-bellied Woodpecker, 4; Northern Downy Woodpecker, 31; Horned Lark (subsp. ?), more falling toward noon and later; skies clearing at sunset; calm at daylight, with wind RITTER, CHARLES BREISCH, Mr. and Mrs Ben J. BLINCOE). AUDUBON SOCIETY (MRS. PAUL WORTMAN, MR. and MRS. D. L. SOLLENBERGER, FLORENCE protected city garden and daily visiting feeding station of Mrs. D. E. Klinger.—Dayron Song Sparrow, 126. Total, 34 species, 2438 individuals. Brown Thrashers are wintering in 35; Northern Blue Jay, 11; Eastern Crow, 417; Carolina Chickadee, 61; Tufted Titmouse, Mourning Dove, 5; Eastern Screech Owl, 1; Eastern Belted Kingfisher, 2; Northern Flicker, Hooded Merganser, 3; American Merganser, 2; Marsh Hawk, 3; Eastern Sparrow Hawk, 2; Soldiers' Home, The Narrows, Triangle Park, Glenside, Uplands, Englewood Dam, Taylorsfrom 2 to 8 hours. About 35 miles on foot. Localities-Upper Dayton View, Wolf Creek, rising about noon; temp. 28° at daylight, 17° at sunset. Observers in 7 groups, each in field 49; White-breasted Nuthatch, 19; Brown Creeper, 7; Carolina Wren, 15; Brown Thrasher, 2; Eastern Bob-white, 90; Ring-necked Pheasant, 4; Killdeer, 1; Wilson's Snipe, 1; ville Dam, and Patterson Field. Common Mallard, 27; Black Duck, 80; Blue-winged Teal, 1; Eastern

Christmas censuses from this locality.—Lawrence E. Hicks. Mockingbird, and the Yellow-bellied Sapsucker are recorded for the first time in 12 consecutive absence of both the Robin and Bluebird. The European Partridge, the Swamp Sparrow, the the unusual numbers of the Blue Jay, Flicker, Red-headed Woodpecker, and Starling, and the Sparrow, 1; Song Sparrow, 33; Snow Bunting, 8. Total, 47 species, 2577 individuals. Note 2; Cardinal, 39; Goldfinch, 4; Towhee, 4; Slate-colored Junco, 97; Tree Sparrow, 211; Swamp Kinglet, 17; Cedar Waxwing, 3; Starling, 1044; Myrtle Warbler, 1; Meadowlark, 4; Cowbird, 4; Brown Creeper, 9; Winter Wren, 4; Carolina Wren, 11; Mockingbird, 1; Golden-crowned Chickadee, 28; Tufted Titmouse, 96; White-breasted Nuthatch, 41; Red-breasted Nuthatch Northern Horned Lark, 116; Prairie Horned Lark, 2; Blue Jay, 218; Crow, 133; Carolina pecker, 103; Hairy Woodpecker, 7; Downy Woodpecker, 22; Yellow-bellied Sapsucker, 2; Barred Owl, 1; Kingfisher, 4; Flicker, 96; Red-bellied Woodpecker, 7; Red-headed Wood-Kokosing River and through fields, swamps, and woods into the hill country to the northeast. temp. 31° to 48°. About 11 miles on foot and 96 by auto along the three branches of the Bob-white, 62 (6 coveys); Pheasant, 1; Mourning Dove, 103; Barn Owl, 1; Screech Owl, 1; Red-shouldered Hawk, 1; Marsh Hawk, 3; Sparrow Hawk, 5; European Partridge, 12; American Merganser, 5; Sharp-shinned Hawk, 1; Cooper's Hawk, 2; Red-tailed Hawk, 5; Fredericktown, Ohio.—Dec. 22; 7 A.M. to 6 P.M. Sunshine all day but with some haze;

Hillsboro, Ohio.—Dec. 22; 6 a.m. to 7 p.m. A clear, quiet day; temp. 32° to 40°. About 5 miles afoot and 20 miles by automobile. Turkey Vulture, 3; Black Vulture, 12; Marsh Hawk, 1; Eastern Sparrow Hawk, 3; Eastern Bob-white, 40; Wilson's Snipe, 1; Eastern Mourning Dove, 6; Eastern Screech Owl, 1; Eastern Belted Kingfisher, 1; Northern Flicker, 10; Redbellied Woodpecker, 5; Red-headed Woodpecker, 3; Eastern Hairy Woodpecker, 5; Northern Downy Woodpecker, 7; Northern Blue Jay, 7; Eastern Crow, 3000; Carolina Chickadee, 10; Tufted Titmouse, 15; White-breasted Nuthatch, 9; Brown Creeper, 2; Eastern Winter Wren, 2; Bewick's Wren, 1; Carolina Wren, 2; Eastern Mockingbird, 3; Eastern Robin, 1; Eastern Bluebird, 5; Eastern Golden-crowned Kinglet, 1; Starling, 500; English Sparrow, abundant; Eastern Meadowlark, 5; Bronzed Grackle, 200; Eastern Cardinal, 20; Slate-colored Junco, super-abundant; Eastern Tree Sparrow, common; Eastern Fox Sparrow, 5; Mississippi Song Sparrow, 45. Total, 36 species.—M. K. Roads.

Indian Lake (Logan Co.), Ohio (around the Lake in the a.m.; up the east fork of the Miami River and down the Miami to the junction of Manchinippi Creek in the P.M.).—Dec. 24; 6 a.M. to 6 P.M. Cloudy, visibility low most of the day, heavy intermittent storms in

the P.M.; wind northwest, high, at times nearly a gale; temp. 6 A.M., 52°, 12 M., 56°, 6 P.M., 40°. About 25 miles by auto, 3 by boat, 8 on foot. Loon, 1; Great Blue Heron, 5; Canada Goose, 10 (1 flock); Mallard, 21; Common Black Duck, 13; Lesser Scaup Duck, 15 (2 flocks); Canvasback, 4 (3 male, 1 female); Green-winged Teal, 7 (1 flock); American Merganser, 5; Red-shouldered Hawk, 1; Marsh Hawk, 1; Sparrow Hawk, 3; Bald Eagle, 1; Bob-white, 14; Ring-necked Pheasant, 1; American Coot, 1; Herring Gull, 23; Ring-billed Gull, 2; Barn Owl, 1; Barred Owl, 2; Screech Owl, 2; Belted Kingfisher, 1; Flicker, 2; Red-bellied Woodpecker, 1; Harry Woodpecker, 35; Downy Woodpecker, 20; Horned Lark, 33 (1 flock; a. alpestris); 2; Hairy Woodpecker, 35; Brown Creeper, 2; Winter Wren, 1; Carolina Wren, 1 (singing); Robin, 2; Golden-crowned Kinglet, 0; Starling, 17; Myrtle Warbler, 1; Meadowlark, 2; Red-winged Blackbird, 2; Bronzed Grackle, 15; Cardinal, 12; American Goldfinch, 4; Red-eyed Towhee, 1; Slate-colored Junco, 22 (2 flocks); Tree Sparrow, 210± (6 flocks); White-throated Sparrow, 1 (singing); Swamp Sparrow, 1; Song Sparrow, 38. Total, 51 species, 654 individuals.—Leo C. Mills.

Portsmouth, Ohio.—Dec. 24. Partly cloudy in the morning and cloudy with a strong wind in the afternoon, raining at intervals; temp. 56° at start and remaining about the same all day. Observers together, starting at 8 a.m. and returning at 5 p.m., covering 9 miles on foot and 40 miles by auto. Cooper's Hawk, 1; Eastern Red-tailed Hawk, 1; Marsh Hawk, 1; Eastern Sparrow Hawk, 6; Eastern Bob-white, 14; Eastern Mourning Dove, 9; Eastern Screech Owl, 1; Eastern Belted Kingfisher, 1; Northern Flicker, 4; Red-headed Woodpecker, 2; Yellow-bellied Sapsucker, 1; Eastern Hairy Woodpecker, 1; Northern Downy Woodpecker, 35; Northern Blue Jay, 1; Eastern Crow, 75; Carolina Chickadee, 80; Tufted Titmouse, 27; White-breasted Nuthatch, 5; Brown Creeper, 6; Eastern Winter Wren, 1; Carolina Wren, 21; Eastern Bluebird, 8; Starling, 175; Eastern Meadowlark, 1; Eastern Cardinal, 70; Eastern Purple Finch, 16; Eastern Goldfinch, 85; Red-eyed Towhee, 8; Slate-colored Junco, 125; Eastern Tree Sparrow, 60; Eastern Field Sparrow, 3; Eastern Fox Sparrow, 1; Mississippi Song Sparrow, 45. Total, 33 species, 88; individuals.—Conrad Roth, Robert H. McCormick.

streams and lake open; winds light, south in a.m. to strong, west in P.M.; temp. 48° at start shouldered Hawk, 1; Marsh Hawk, 2; Sparrow Hawk, 2; European Partridge, 16; Bob-white on foot except Bay trip. Mallard, 1; Black Duck (subsp. ?), 9; Lesser Scaup Duck, 35; 34° at close. Territory covered: 15 miles of Ten-Mile Creek Valley, 8 miles of Swan Creek Gull, 1; Mourning Dove, 3; Barn Owl, 3; Screech Owl, 1; Snowy Owl, 1; Barred Owl, 1; 96 (8 coveys); Ring-necked Pheasant, 2; Herring Gull, 126; Bonaparte's Gull, 80; Ring-billed SEYMOUR HOLLOWAY, FRED FLICKINGER, JAMES FLICKINGER, LAWRENCE HIETT, HOMER Grackle, 1; Cardinal, 90; Evening Grosbeak, 1; Purple Finch, 35; Canadian Pine Grosbeak Wren, 2; Golden-crowned Kinglet, 15; Starling, 1401; Meadowlark, 3; Red-wing, 55; Bronzed Nuthatch, 34; Red-breasted Nuthatch, 4; Brown Creeper, 27; Winter Wren, 1; Carolina Blue Jay, 55; Crow, 65; Black-capped Chickadee, 37; Tufted Titmouse, 31; White-breasted Flicker, 1; Red-headed Woodpecker, 6; Hairy Woodpecker, 4; Downy Woodpecker, American Golden-eye, 12; American Merganser, 3; Sharp-shinned Hawk, 1; Northern Red-Valley, Maumee Bay 12 miles to Reno Beach—all adjoining Toledo. Observers in 4 groups Friauf, Andrew Kondi, Reeve Bailey, Louis Campbell, Louis Klewer, Joseph Bailey, Toledo Field Naturalists' Association (John Stophlet, Chester Henderson, James PERCIVAL, BERNARD CAMPBELL) Junco, 87; Tree Sparrow, 130; Song Sparrow, 75. Total, 49 species, 2640 individuals.—The Common Redpoll, 7; Pine Siskin, 1; Goldfinch, 35; Red-eyed Towhee, 1; Slate-colored Toledo, Ohio. Dec. 24; 8.30 A.M. to 5 P.M. Very cloudy, with frequent rains; no snow,

Youngstown, Ohio.—Dec. 24; 7 a.m. to 6 p.m. Increasingly cloudy until 3 p.m. when it started to rain; temp. 8 a.m., 55°. Vicinity of Youngstown in Mill Creek, Yellow Creek and Meander Valleys. Observers in 6 parties. Mallard, 143; Black Duck, 290; Gadwall, 2; Baldpate, 6; Shoveller, 6; Lesser Scaup Duck, 18; Bufflehead, 1; Hooded Merganser, 1; American

Merganser, 3: Cooper's Hawk, 1; Red-tailed Hawk, 3; Red-shouldered Hawk, 1; Marsh Hawk, 2; Sparrow Hawk, 5; Ruffed Grouse, 1; Bob-white, 92 (10 coveys); Ring-necked Pheasant, 6; Killdeer, 1; Screech Owl, 1; Kingfisher, 3; Flicker, 2; Pleated Woodpecker, 1; Red-bellied Woodpecker, 1; Hairy Woodpecker, 8; Downy Woodpecker, 69; Northern Horned Lark, 40; Prairie Horned Lark, 55; Blue Jay, 118; Crow, 99; Chickadee, 127; Tufted Titmouse, 131; White-breasted Nuthatch, 143; Red-breasted Nuthatch, 12; Brown Creeper, 1; Carolina Wren, 8; Robin, 2; Golden-crowned Kinglet, 5; Starling, 54; Cardinal, 90; Evening Grosbeak, 5; Goldfinch, 14; Towhee, 18; Junco, 74; Tree Sparrow, 777; Song Sparrow, 33. Total, 46 species, 2477 individuals.—William Baker, Evan Dressel, N. H. Jebejian, William Rook, M. B. Skaggs, J. L. Beeghly, Vincent McLaughlin, Jerome Foxman, Almoge, Grant Cook, Dr. J. G. Brody, Ed. Minich, C. A. Leedy, H. W. Weisgerbeer.

Columbus, Ind. (Columbus to Ogilville).—Dec. 23; 8.30 A.M. to 1.30 P.M. Clear; wind southwest, light; temp. 60° at start, 70° at return. About 3 miles on foot, 12 miles in car. Observers together. Eastern Red-tailed Hawk, 1; Marsh Hawk, 3; Eastern Sparrow Hawk, 3; Eastern Mourning Dove, 35; Rock Dove, 22; Northern Flicker, 8; Red-bellied Woodpecker, 1; Eastern Hairy Woodpecker, 1; Northern Downy Woodpecker, 16; Prairie Horned Lark, 2; Blue Jay, 8; Eastern Crow, 22; Carolina Chickadee, 17; Tufted Titmouse, 8; White-breasted Nuthatch, 4; Brown Creeper, 6; Carolina Wren, 5; Eastern Bluebird, 6; Starling, 205; English Sparrow, 20; Eastern Meadowlark, 4; Eastern Cardinal, 8; Eastern Goldfinch, 30; Red-eyed Towhee, 9; Slate-colored Junco, 5; Eastern Tree Sparrow, 20; Eastern Song Sparrow, 14. Total, 27 species, 483 individuals.—RAYMOND J. FLEETWOOD, LOIS ADELADE BOOK.

Indianapolis, Ind.—Dec. 22; 8 A.M. to 3 P.M. Clear, sunny; temp. about 40°. Territory northeast of Indianapolis, including tramps through Woollen's Gardens of Birds and Botany and around Indian Lake. About 4 miles on foot. Observers together. Red-tailed Hawk, 1; Sparrow Hawk, 2; Mourning Dove, 5; Belted Kingfisher, 2; Flicker, 2; Red-bellied Woodpecker, 2; Hairy Woodpecker, 3; Downy Woodpecker, 6; Blue Jay, 13; Crow, 18; Blackcapped Chickadee, 11; Tufted Titmouse, 13; White-breasted Nuthatch, 5; Carolina Wren, 3; Starling, 2; Cardinal, 10; Slate-colored Junco, 88; Tree Sparrow, 184+; Song Sparrow, 14. Total, 19 species, 384+ individuals.—Elizabeth A. Tapt, J. E. Cook, S. E. Perkins, III.

Kurtz, Ind. (to Houston, Maumee, and back to Kurtz).—Dec. 24; 8 A.M. to 4 P.M. Cloudy; wind west, strong; temp. 68° at start, 48° at return. About 10 miles on foot, 7 miles in car. Observers together. Sharp-shinned Hawk, 1; Eastern Red-tailed Hawk, 2; Marsh Hawk, 1; Bob-white, 9 (1 covey); Eastern Mourning Dove, 90; (Rock Dove, 17;) Great Horned Owl, 1; Northern Flicker, 5; Northern Pleated Woodpecker, 1; Red-bellied Woodpecker, 3; Eastern Hairy Woodpecker, 3; Carolina Chickadee, 18; Tufted Titmouse, 15; White-breasted Nuthatch, 3; Brown Creeper, 2; Carolina Wren, 5; Eastern Bluebird, 9; Starling, 21; English Sparrow, 107; Eastern Meadowlark, 8; Eastern Cardinal, 27; Eastern Goldfinch, 45; Red-eyed Towhee, 17; Eastern Henslow's Sparrow, 1; Slate-colored Junco, 106; Eastern Henslow's Sparrow, 88; Eastern Song Sparrow, 7. Total, 30 species, 611 individuals. The Eastern Henslow's Sparrow, 88; Eastern Seng Sparrow, 7. Total, 30 species, 611 individuals. The Eastern Henslow's Sparrow, 98; Eastern Menslow's Sparrow, 18 Sparrow, 18 Sparrow, 18 Sparrow, 19 Sparrow,

Ottawa, Ills. (Ottawa to Utica on the south side of the Illinois River, and back on the north side).—Dec. 25; 6.30 a.m. to 3 p.m. Clear; ground bare; wind north, light; temp. 10° at start, 12° at return. About 17 miles on foot and 8 by auto. Common Loon, 1; Horned Grebe, 2; Common Mallard, 275 (est.); American Pintail, 3; Lesser Scaup Duck, 185 (est.); American Golden-eye, 23; American Merganser, 17; Cooper's Hawk, 1; Eastern Red-tailed Hawk, 1; Marsh Hawk, 1; Bob-white, 1; Coot, 7; Herring Gull, 125 (est.); Ring-billed Gull, 58; Screech Owl, 1; Downy Woodpecker, 21; Northern Blue Jay, 7; Crow, 16; Black-capped Chickadee, 26; Tutted Titmouse, 22; White-breasted Nuthatch, 15; Red-breasted Nuthatch, 15; Brown Creeper, 3; Carolina Wren, 1; House Sparrow, 75; Red-winged Blackbird, 1; Eastern

Goldfinch, 2; Cardinal, 24; Slate-colored Junco, 75; Tree Sparrow, 230 (est.). Total, 30 species, 1221 (est.) individuals.—Frank Bellrose.

Park Ridge, Ills. (the 6 square miles east of the Desplaines River and south of town).—
Dec. 23; 6 to 11.30 a.M. Cloudy to clear; ground bare; wind northeast, light; temp. 34° at start, 43° at finish. About 14 miles on foot. Observers together. Ring-necked Pheasant, 8: Herring Gull, 30; Eastern Belted Kingfisher, 1; Eastern Hairy Woodpecker, 2; Northern Downy Woodpecker, 4; Prairie Horned Lark, 70 (est.); Eastern Crow, 25; Black-capped Chickadee, 1 (heard); Northern White-breasted Nuthatch, 1; Brown Creeper, 6; Eastern Robin, 1; Starling, 30 (est.); English Sparrow, 60 (est.); Rusty Blackbird, 1; Slate-colored Junco, 12; Eastern Cardinal, 9; Eastern Tree Sparrow, 70 (est.); Eastern Song Sparrow, 6; Snow Bunting, 4. Total, 19 species, 271 (est.) individuals.—Auuden Cobie, Donald Directors

Backbone State Park (Delaware Co.), Iowa.—Dec. 24; 8 a.m. to 3 p.m. Cloudy most of the day; a very slight sifting of snow on the ground from a snowfall early in the morning; strong northwest wind; temp. 12° at start, 6° at noon, 12° at return. About 6 miles on foot in the park. Observers together. Eastern Red-tailed Hawk, 1; American Rough-legged Hawk, 1; Marsh Hawk, 2; Eastern Bob-white, 1; Ring-necked Pheasant, 2; Red-bellied Woodpecker, 5; Eastern Hairy Woodpecker, 1; Northern Downy Woodpecker, 2; Hoyt's Horned Lark, 30 (1 flock); Northern Blue Jay, 20; Eastern Crow, 15; Black-capped Chickadee, 15; White-breasted Nuthatch, 10; Eastern Cardinal, 6; Eastern Purple Finch, 2; Eastern Goldfinch, 1; Slate-colored Junco, 40; Eastern Tree Sparrow, 4. Total, 18 species, 158 individuals. The Backbone State Park is a tract of 1287 acres, mostly timberland. The subspecific name of the Horned Lark is based on the determination of the winter subspecies by DuMont's 'Birds of Iowa' (1933).—MYRLE L. Jones, Vance Allyn, Frad J. Perroe.

Davenport, Iowa (Credit Island and Duck Creek from Middle Road to mouth).—Dec. 22; 7.15 A.M. to 1 P.M. A bit hazy at first, later fine; temp. 35° at start, 59° at return. About 9 miles on foot. Duck (sp. ?), 4; Eastern Red-tailed Hawk, 1; Northern Red-shouldered Hawk, 1; Eastern Bob-white, 34 (3 coveys); Herring Gull, 38; Great Horned Owl, 1; Red-bellied Woodpecker, 7; Red-headed Woodpecker, 5; Eastern Hairy Woodpecker, 2; Northern Downy Woodpecker, 27; Prairie Horned Lark, 1; Northern Blue Jay, 23; Eastern Crow, 15; Black-capped Chickadee, 31; Tufted Titmouse, 8; White-breasted Nuthatch, 21; Brown Creeper, 2; Eastern Red-wing, 12; Eastern Cardinal, 14; Slate-colored Junco, 25; Eastern Tree Sparrow, 62. Total, 21 species, 334 individuals. Dec. 23, Eastern Goldfinch, 5.—Charles F.

1 (A.D., Mr. and Mrs. A.J.P., E.B., N.E.); Eastern Screech Owl, 3; Great Horned Owl Seventeen observers, in four groups. Combined mileage, 157 miles by auto and 28 miles on sun; I in. of snow; sharp northwest wind; temp. -6° at start, o° at noon, -I° at return. Levey, along Walnut Creek, Ashworth Park, Waterworks Sanctuary, Walnut Woods State roosting in the business district at 5 P.M.); Thick-billed (?) Red-wing, 3; Eastern Cardinal White-breasted Nuthatch, 69; Brown Creeper, 8; English Sparrow, 5051 (2800 of these works Sanctuary after 4.30 P.M.); Black-capped Chickadee, 407; Tufted Titmouse, 139; 76; Northern Blue Jay, 98; Eastern Crow, 4142 (4000 congregated for roosting in Water-Red-headed Woodpecker, 32; Eastern Hairy Woodpecker, 38; Northern Downy Woodpecker. fisher, 1 (open water below power plant); Northern Flicker, 7; Red-bellied Woodpecker, 29; 3; Northern Barred Owl, 4; Long-eared Owl, 1; Short-eared Owl, 10; Eastern Belted King-Killdeer, 1 (feeding near warm-water outlet from power plant); Mourning Dove, 5; Barn Owl Red-tailed Hawk, 5; Northern Red-shouldered Hawk, 2; Eastern Bob-white, 160 (11 coveys) Mallard, 102 (95 birds with flock of 85 wing-clipped Mallards); Cooper's Hawk, 1; Eastern foot. Blue Goose, 4 (associated with 7 pinioned birds in Waterworks Sanctuary); Common Park, and on North River south of Ft. Des Moines).—Dec. 26; 7.30 A.M. to 5.30 P.M. Bright 139; Eastern Purple Finch, 66; Common Redpoll, 1 (P.A.D.); Eastern Goldfinch, 64; Slate-Des Moines, Iowa (to Beaver Creek, Des Moines River bottoms from Lovington to

colored Junco, 369; Tree Sparrow, 401; Song Sparrow, 5. Total, 35 species, 11,447 individuals. Dec. 17, Marsh Hawk, 2; Dec. 20, Northern Shrike; Dec. 23, Hooded Merganser, 1; Sparrow Hawk, Pintail, Robin, 1.—Des Mornes Aduddon Society (Miss Etneil Badolley, Mrs. Charles F. Christy, A. Den Boer, Miss Nelle G. Evans, Philip A. Dumont, Mrs. W. G. Dumont, Miss Olivia McCabe, Miss Phyllis Moorcroft, Miss Jessie Morrison, Mr. and Mrs. A. J. Palas, Mrs. H. R. Peasley, Miss Edna Rounds, Mrs. John E. Stewart, Mr. and Mrs. Dwight Smith, Mrs. Toni R. Wendelburg).

on foot and about 30 miles by auto. Observers together with exception of Walter Rosene, Jr., after being observed with $8 \times \text{glasses}$ at about 50 feet. They left in three large flocks of at least Nuthatch, 6; English Sparrow, 25; Eastern Cardinal, 17; Eastern Goldfinch, 4; Slate colored 10; Eastern Crow, 7; Black-capped Chickadee, 27; Tufted Titmouse, 3; White-breasted pecker, 2; Northern Downy Woodpecker, 7; Prairie Horned Lark, 10; Northern Blue Jay Short-eared Owl, 1; Northern Flicker, 2; Red-bellied Woodpecker, 2; Eastern Hairy Wood 1; Eastern Bob-white, 15 (1 covey); Ring-necked Pheasant, 6; Eastern Screech Owl, who joined us in the afternoon only. Red-tailed Hawk (?), 1; American Rough-legged Hawk, and covered timbered bottom-lands along Des Moines River in afternoon. About 4 miles with temp, about oo all day. Visited various dry ponds and prairie tracts during forenoon thin covering of snow and snow fell during most of the day; wind southeast and bitter cold Walter Rosene, Jr. present in town but we failed to find them today.—W. M. Rosene, Robert Walker identification, but it was, no doubt, an immature bird. Red-breasted Nuthatches have been found where they had been feeding. The Red-tailed Hawk gave us a poor chance of positive 150 each and were followed by a large number of stragglers. A growth of smartweeds was viduals. The large flock of Longspurs were observed feeding in a cornfield and were flushed Junco, 17; Eastern Tree Sparrow, 23; Lapland Longspur, 500. Total, 22 species, 687 indi Ogden, Iowa.—Dec. 25; 10 A.M. to 12.30 P.M. and 1.30 to 4.30 P.M. Cloudy; ground with

Pierson, Iowa.—Dec. 27; 9 a.m. to 5.30 p.m. Clear; about 1 in. of snow; wind south; temp. 8° at start, 22° on return. One mile west of town on Petersen's farm; 8 miles east of town to Ranney's Knob and the Little Sioux River; 4 miles south of town to 'The Ranch.' Through wooded ravines, over hills, across fields and meadows, and along streams—all types of country being covered. About 30 miles by auto and 12 on foot. Observers together. Bob-white, 10; Ring-necked Pheasant, 12; Mourning Dove, 1; Barred Owl, 1; Northern Flicker, 2; Hairy Woodpecker, 2; Downy Woodpecker, 8; Prairie Horned Lark, 106; Blue Jay, 5; Crow, 17; Chickadee, 68; White-breasted Nuthatch, 1; Cardinal, 9; Redpoll, 38; Coldinch, 18; Slate-colored Junco, 178; Tree Sparrow, 500 (est.); Harris's Sparrow, 1; Lapland Longspur, 400 (est.). Total, 19 species, about 1377 individuals. The Harris's Sparrow was observed at a distance of 10 feet and we are positive of the identification. Paul Osborn saw a Western Meadowlark on Dec. 25. We are satisfied we saw a small flock of Snow Buntings but could not get near enough for positive identification. We failed to find any Hawks. This is unusual.—Wier R. Mills, Paul Osborn.

Bowling Green, Ky. (Chaney, McElroy, Smith Farms; Lost River; up Barren River to Ewing's Ford; up Drake's Creek to Middle Bridge).—Dec. 23; 6 A.M. to 5.30 p.M. Clear; wind southwest, strong; temp. 50° at start, 60° at return. Observers in 2 parties, each making about 12 miles on foot. Common Mallard, 1; Lesser Scaup Duck, 1; Turkey Vulture, 19; Black Vulture, 7; Sharp-shinned Hawk, 1; Cooper's Hawk, 2; Eastern Red-tailed Hawk, 2; Marsh Hawk, 12 (unusual); Eastern Sparrow Hawk, 5; Eastern Bob-white, 24; Killdeer, 7; Eastern Mourning Dove, 183; Great Horned Owl, 1; Eastern Belted Kingfisher, 1; Northern Flicker, 27; Southern Pileated Woodpecker, 6; Red-bellied Woodpecker, 14; Red-headed Woodpecker, 16; Yellow-bellied Sapsucker, 3; Eastern Hairy Woodpecker, 3; Southern Downy Woodpecker, 37; Prairie Horned Lark, 170; Northern Blue Jay, 35; Eastern Crow, 4000 (figures much too small; continuous lines from a roost for two hours); Carolina Chickadee, 100; Tufted Titmouse, 22; White-breasted Nuthatch, 3; Eastern Winter Wren, 3;

Bewick's Wren, 1; Carolina Wren, 39; Eastern Mockingbird, 18; Eastern Robin, 21; Eastern Hermit Thrush, 1; Eastern Bluebird, 44; Golden-crowned Kinglet, 11; Cedar Waxwing, 120; Migrant Shrike, 2; Starling, 6000 (figures small); Myrtle Warbler, 10; Eastern Meadowlark, 49; Eastern Red-wing, 6; Bronzed Grackle, 4; Eastern Cardinal, 108; Eastern Goldfinch, 77; Red-eyed Towhee, 52; Eastern Savannah Sparrow, 3; Slate-colored Junco, 134; Eastern Field Sparrow, 21; White-crowned Sparrow, 124; White-throated Sparrow, 44; Swamp Sparrow, 3; Eastern Song Sparrow, 70. Total, 52 species, 11,676 individuals (est.). Other species seen lately: Dec. 9, Eastern Purple Finch, 12; Eastern Tree Sparrow, 10; Dec. 21, Phœbe, 1; Dec. 22, Canada Goose, 35.—Hayward Brown, W. J. Edens, L. Y. Lancaster, C. L. Taylor, J. R. Whitmer, Gordon Wilson.

billed Grebe, 2 (Dr. Louis LeRoy at Island 40). A very warm winter.—Scouters, Ben B. Coffey, Jr., Jack Embury, Henry Turner, Wm. W. Heiskell and Scouts Franklin crowned Sparrow, 5; White-throated Sparrow, 475; Fox Sparrow, 15; Swamp Sparrow, 3 Song Sparrow, 61. Total, 68 species, 8764+ individuals. Cormorants, Pintails, Woodcock Also, Dec. 25, White-breasted Nuthatch, 2; Purple Finch, 5 (Mary Davant); Dec. 22, Piedand most of Mallards and Black Ducks seen at Island 40, 2 miles outside prescribed area 15; Bronzed Grackle, 631; Cowbird, 150; Blackbirds (sp. ?), 3000; Cardinal, 147; Goldfinch, 75; Towhee, 76; Savannah Sparrow, 5; Slate-colored Junco, 362; Field Sparrow, 95; Whitesucker, 4; Hairy Woodpecker, 4; Downy Woodpecker, 13; Phœbe, 3; Blue Jay, 205; Crow, 34; 3; Marsh Hawk, 2; Sparrow Hawk, 9; Bob-white, 27; Killdeer, 315; Wilson's Snipe, 6; Herand Island 40 (Land). One party on foot all day, about 10 miles; second party, 70 miles by in afternoon; temp. 52° to 62°. Raleigh, Wolf River bottoms, west then back southeast to Memphis Yacht Club) (Troop 40) (Mfs. Chap. Tenn. Orni. Soc.); also E. R. Moore and W. H. Land (members McCamey, Clark McDonald, L. H. Goff (Troop 11) and Hoke Leigh, Robert Hovis lish Sparrow, common; Meadowlark, 158; Red-winged Blackbird, 2+; Rusty Blackbird, Pipit, 254; Cedar Waxwing, 9; Migrant Shrike, 25; Starling, 547; Myrtle Warbler, 45; Eng-Thrush, 5; Bluebird, 53; Golden-crowned Kinglet, 18; Ruby-crowned Kinglet, 2; American Wren, 2; Carolina Wren, 62; Mockingbird, 34; Brown Thrasher, 14; Robin, 28; Hermit Carolina Chickadee, 31; Tufted Titmouse, 38; Brown Creeper, 6; Winter Wren, 7; Bewick's Flicker, 44; Red-bellied Woodpecker, 20; Red-headed Woodpecker, 3; Yellow-bellied Sapring Gull, 8; Ring-billed Gull, 24; Mourning Dove, 15; Barred Owl, 1; Belted Kingfisher, 3; Duck, 12; Turkey Vulture, 4; Black Vulture, 2; Red-tailed Hawk, 1; Red-shouldered Hawk, and on foot for two hours. Two boat club members up river (separately) also coöperated. Double-crested Cormorant, 8; Great Blue Heron, 2; Canada Goose, 30; Mallard, 1035; auto (within prescribed area) with many stops and about 6 miles on foot; third party in car Nonconnah Creek levee, Piney Woods, Brooks Ave., and Municipal Airport. Overton Park. L. & N. R. R. to National Cemetery; Wells Ave. to Macon Road and Five Points, back P.M., with occasional sprinkle; ground muddy, river-bottoms generally flooded; brisk wind Black Duck, 256; Pintail, 80; Green-winged Teal, 24; Blue-winged Teal, 12; Ring-necked 'Normal' section and old Saunders golf course. Mississippi River at Middle Bar (Moore) through Raleigh to Woodstock; uptown wharf. Riverside Park, south to and east along Memphis, Tenn.—Dec. 23; 8.30 a.m. to 5 p.m. Fair, except overcast from 11 a.m. to

Nashville, Tenn. (due east, south, and southwest, from Cumberland River bottoms to Westmeade, including Radnor [85-acre] Lake).—Dec. 24; 7 A.M. to 5 P.M. Weather mixed: ground bare; wind southwest, light; temp. 58° to 65°. Six parties in 6 areas, mostly afoot. Pied-billed Grebe, 1; Mallard, 32; Black Duck, 54; Gadwall, 6; Ring-necked Duck, 125; Canvasback, 10; Lesser Scaup, 70; Golden-eye, 2; Bufflehead, 3; Hooded Merganser, 3 (all Ducks at the lake); Turkey Vulture, 17; Black Vulture, 18; Sharp-shinned Hawk (?), 1; Cooper's Hawk, 3; Red-tailed Hawk, 4; Marsh Hawk, 3; Sparrow Hawk, 20; Bob-white, 13; Coot, 65; Killdeer, 15; Wilson's Snipe, 5 (in 3 localities); Mourning Dove, 100; Screech Owl, 1; Kingfisher, 9; Flicker, 71; Pileated Woodpecker, 9; Red-bellied Woodpecker, 33; Red-headed

Woodpecker, 13 (in 1 locality); Yellow-bellied Sapsucker, 3; Hairy Woodpecker, 7; Downy Woodpecker, 24; Phoebe, 1 (rare in winter); Prairie Horned Lark, 50; Blue Jay, 16; Crow, 230; Carolina Chickadee, 85; Tutted Titmouse, 61; White-breasted Nuthatch, 7; Brown Creeper, 7; Winter Wren, 2; Bewick's Wren, 11; Carolina Wren, 60; Mockingbird, 120; Brown Thrasher, 2 (very rare in winter); Robin, 25; Hermit Thrush, 11; Bluebird, 88; Golden-crowned Kinglet, 7; Cedar Waxwing, 15; Migrant Shrike, 1; Starling, 3000 (many flocks); Myrtle Warbler, 27; English Sparrow, 200; Meadowlark, 175; Bronzed Grackle, 60; Cardinal, 195; Purple Finch, 3; Goldfinch, 60; Red-eyed Towhee, 135; Savannah Sparrow, 5; Fox Sparrow, 10; Slate-colored Junco, 190; Field Sparrow, 160; White-crowned Sparrow, 44; White-throated Sparrow, 115; Swamp Sparrow, 4; Song Sparrow, 90. Total, 67 species, 6233 individuals. A very mild winter to date.—Jack Calhoun, Albert F. Ganter, Wayland Hayes, E. C. and Mrs. Hicks, Mrs. F. C. Laskey, George R. Mayfield, H. C. Monk, J. M. Shayer, Vernon Sharp, E. C. Tompkins, H. S. Vaughn, Eugene Williams, and G. B. Woodbeing.

Paris, Tenn.—Dec. 25; 8 hours. Clear through noon, then cloudy and rain; temp. at start 33°, finish 38°. By motor from Paris to Eagle Creek; 15 miles hiked, traversing section between Eagle Creek, Sandy and Tennessee Rivers. Six observers. Turkey Vulture, 8; Cooper's Hawk, 1; Red-tailed Hawk, 1; Bob-white, 16; Killdeer, 3; Mourning Dove, 8; Barred Owl, 2; Great Horned Owl, 1; Flicker, 3; Red-bellied Woodpecker, 1; Bue Jay, 12; Crow, 6; Woodpecker, 3; Yellow-bellied Sapsucker, 1; Downy Woodpecker, 1; Blue Jay, 12; Crow, 6; Carolina Chickadee, 8; Tufted Titmouse, 10; White-breasted Nuthatch, 6; Brown Creeper, 1; Winter Wren, 1; Carolina Wren, 4; Mockingbird, 2; Robin, 2; Hermit Thrush, 1; Bluebird, 4; Golden-crowned Kinglet, 4; Myrtle Warbler, 3; House Sparrow, 10; Meadowlark, 3; Cardinal, 11; Towhee, 4; Slate-colored Junco, 18; Field Sparrow, 8; White-throated Sparrow, 4; Fox Sparrow, 1; Swamp Sparrow, 4; Song Sparrow, 6. Total, 39 species, 182 individuals.—Buster Thompson, Roy Reynolds; Scouts Joe Harrell Stephenson, Ellison Will-Loughby, Charles Veltman, Benny Whippile.

BEN B. COFFEY, JR., and FRANKLIN McCAMEY, JR. (members Tennessee Ornithological 16; Pileated Woodpecker, 3; Red-bellied Woodpecker, 8; Yellow-bellied Sapsucker, 6; Hairy park and by river road to Hamburg, Counce, Pickwick, and Red Sulphur Springs. About sprinkle; wind gentle; temp. 53° to 66°. Snake Creek to mouth of Gill Creek, through the Society) and Scouts Hoke Leigh and Robert Hovis. have been common in the park; Mockingbirds and Shrikes were scarce.—Mr. and Mrs Sparrow, 26. Total, 50 species, 1454 individuals. 38; Purple Finch, 10; Goldfinch, 46; Towhee, 8; Savannah Sparrow, 6; Slate-colored English Sparrow, common; Meadowlark, 15; Red-wing, 67; Bronzed Grackle, 422; Cardinal. crowned Kinglet, 20; Cedar Waxwing, 99; Migrant Shrike, 2; Starling, 8; Myrtle Warbler, 2; 4; Carolina Wren, 13; Mockingbird, 2; Robin, 4; Hermit Thrush, 3; Bluebird, 9; Goldendec, 32; Tufted Titmouse, 28; White-breasted Nuthatch, 4; Brown Creeper, 3; Winter Wren, Woodpecker, 3; Downy Woodpecker, 8; Phæbe, 1; Blue Jay, 25; Crow, 22; Carolina Chickawhite, 12; Killdeer, 38; Mourning Dove, 32; Barred Owl, 1; Belted Kingfisher, 1; Flicker, Red-tailed Hawk, 1; Red-shouldered Hawk, 1; Marsh Hawk, 1; Spatrow Hawk, 1; Bob 20 miles by car, several on foot. Great Blue Heron, 1; Turkey Vulture, 16; Black Vulture, 8; Junco, 129; Field Sparrow, 89; White-throated Sparrow, 157; Fox Sparrow, 4; Song Shioh National Park, Tenn.-Dec. 24; 9.30 A.M. to 5.15 P.M. Overcast, with occasional Red-headed Woodpeckers should

Water Valley, Miss.—Dec. 22; 10 A.M. to 4 P.M. Overcast, with rain at intervals; temp. 50° to 60°. Southeast of town, east to Tuckolofa Canal, south, then west to I. C. R. R. About 8 miles on foot. Turkey Vulture, 4; Red-tailed Hawk, 1; Marsh Hawk, 1; Bob-white, 2; Killdeer, 18; Wilson's Snipe, 60; Mourning Dove, 89; Flicker, 13; Red-bellied Woodpecker, 3; Red-headed Woodpecker, 1; Yellow-bellied Sapsucker, 1; Hairy Woodpecker, 6; Downy Woodpecker, 4; Blue Jay, 97; Crow, 11; Carolina Chickadee, 7; Tufted Titmouse, 18; House Wren, 1; Winter Wren, 2; Carolina Wren, 27; Mockingbird, 15; Brown Thrasher, 12; Robin, 4; Hermit Thrush, 4; Bluebird, 6; Cedar Waxwing, 325; English Sparrow, common; Meadow-

Bird-Lore's Thirty-fourth Christmas Census

lark, 42; Rusty Blackbird, 200; Bronzed Grackle, 80; Cowbird, 4; Cardinal, 37; Towhee, 4; Savannah Sparrow, 33; Grasshopper Sparrow, 9; Slate-colored Junco, 10; Field Sparrow, 10; White-throated Sparrow, 200; Fox Sparrow, 4; Swamp Sparrow, 2; Song Sparrow, 20. Total, 41 species, 1387 individuals.—M. M. Turner.

SCOTT, LOVINA SCOTT, MARY E. HEAD, MARGARET BROWN; MESSRS. L. JEFFREY, I. C. Common Mallard, 4; American Pintail, 2; Eastern Goshawk, 2; Eastern Red-tailed Hawk, 1; about 12 miles on foot, covered by 3 parties in different localities within 8 miles of Columbia. Adams, Jr., A. B. Hatton, F. Walter. Anderson; Misses J. V. Downing, Alice Shepard, Jane Kelly, Betty Johnson, Rebecca CAMERON, Dept. of Zoölogy, University of Missouri; Mrs. O. R. Johnson, Mrs. Helen D 37 species and subspecies, 1932 (est.) individuals.—R. Bennitt, F. H. Woods, and J. A. C. Eastern Tree Sparrow, 500; Eastern Fox Sparrow, 6; Mississippi (?) Song Sparrow, 9. Total Finch, 62; Eastern Goldfinch, 6; Eastern Vesper Sparrow, 2; Slate-colored Junco, 600; (including 2 large flocks); Cedar Waxwing, 18 (2 flocks); Eastern Cardinal, 78; Eastern Purple Eastern Winter Wren, 2; Carolina Wren, 8; Eastern Mockingbird, 1; Eastern Robin, 135 mouse, 100; White-breasted Nuthatch, 34; Red-breasted Nuthatch, 2; Brown Creeper, 1; 49; Eastern Crow, 72; Black-capped Chickadee, 125; Carolina Chickadee, 4; Tufted Titr6; Eastern Hairy Woodpecker, 7; Northern Downy Woodpecker, 34; Northern Blue Jay, Barred Owl, 1; Eastern Belted Kingfisher, 1; Northern Flicker, 11; Red-bellied Woodpecker, Bob-white, 29 (3 coveys); Eastern Mourning Dove, 6; Eastern Screech Owl, 1; Northern Harlan's Hawk, 1; American Rough-legged Hawk, 1; Eastern Sparrow Hawk, 1; Eastern Columbia, Mo.—Dec. 27. Clear; light wind; trace of snow; temp. 10° to 18°. Total,

of the area covered, which is about 15 miles, although groups did 30 or more miles of walking early, turning to leaden skies and blustering wind, the wind dying down and sun reappearing STERLING JONES, MRS. CHARLES STONES, MISSES JANE GALLAGUER, CLARA BEERMAN and Harold o'Byrne, Marshall Magner, Tom Kirksey, Arthur Christ, Julian Siever 87; Purple Finch, 7; Eastern Goldfinch, 7; Slate-colored Junco, 348; Eastern Tree Sparrow Carolina Wren, 11; Robin, 1; Bluebird, 53; Cedar Waxwing, 23; Meadowlark, 2; Cardinal, Pileated Woodpecker, 4; Red-bellied Woodpecker, 1; Hairy Woodpecker, 11; Northern Downy 2; Bob-white, 10; Long-eared Owl, 1; Belted Kingfisher, 3; Northern Flicker, 9; Northern boundaries. Canada Goose, 23; Red-tailed Hawk, 4; Sparrow Hawk, 7; Sharp-shinned Hawk, Woodland, hills, and valleys, with the Meramec River bordering the southern and western separate allotments of the Rankin area and ending at Nature-Study Lodge near the center at noon, 34° at finish. There were 18 observers, working in groups of 2 to 4, each covering late in the afternoon, when the birds apparently were easier to find; temp. 50° at start, 40° from this list.—Webster Groves Nature-Study Society, Bird Group Section (Stuart 16; Mississippi Song Sparrow, 2. Total, 32 species, 932 individuals. English Sparrows omitted Tufted Titmouse, 62; White-breasted Nuthatch, 14; Brown Creeper, 1; Winter Wren, 1; Woodpecker, 26; Blue Jay, 27; Crow, 104; Chickadee (Black-capped and Carolina), 61; RUTH MEYERS; ARTHUR PETERSON, R. C. LANGE) MARK, WESLEY SIMPSON, HUGO PRESS, GEORGE FOSTER, ROBERT ZAHN, R. A. RANDOLPH, Rankin (St. Louis Co.), Mo.—Dec. 24; 7.30 A.M. to 4.30 P.M. Weather mild and clear

Lakeview, Ark.—Dec. 25; 11.15 A.M. to 5.15 P.M. Threatening weather, with occasional sprinkle; bottom-lands partially flooded; temp. 35° to 39° (a drop of about 28° from previous day). Barton Creek; from Lakeview around lake to Old Town and return in auto, occasional stops. Double-crested Cormorant, 19 (175 later); Turkey Vulture, 4; Black Vulture, 8; Redsidel Hawk, 1; Red-shouldered Hawk, 1; Bald Eagle, 1; Marsh Hawk, 1; Sparrow Hawk, 1; Bob-white, 1; Coot, 1; Killdeer, 7; Herring Gull, 3; Ring-billed Gull, 2; Mourning Dove, 2; Belted Kingfisher, 2; Flicker, 14; Pileated Woodpecker, 3; Red-bellied Woodpecker, 18; Yellow-bellied Sapsucker, 1; Hairy Woodpecker, 2; Downy Woodpecker, 4; Phœbe, 1; Blue Jay, 8; Crow, 7; Carolina Chickadee, 2; Winter Wren, 2; Carolina Wren, 6; Mockingbird, 12; Robin, 2; Hermit Thrush, 1; Bluebird, 1; Golden-crowned Kinglet, 6; Ruby-crowned King-

let, 1; Migrant Shrike, 21; Starling, 289 (see Blackbird); Myrtle Warbler, 4; English Sparrow, fairly common; Meadowlark, 50; Red-wing, 8+; Bronzed Grackle, 43 (later 18,500); Cowbird, 2; Blackbirds (Grackles, Starlings, perhaps Red-wings and Cowbirds and maybe Rusties) 41,300; Cardinal, 17; Goldfinch, 5; Towhee, 4; Slate-colored Junco, 82; Field Sparrow, 5; Myhite-throated Sparrow, 95; Fox Sparrow, 1; Lincoln's Sparrow, 5; Swamp Sparrow, 2; Song Sparrow, 16. Total, 51 species, 60,803 individuals. Also en route from Memphis, Great Blue Heron, 1; Ducks (sp. ?), 19; Brown Thrasher, 1. On return drive around lake, Cormorants were noted flying in from surrounding country and 175 were seen at a roost; the large flocks of Grackles and unidentified Blackbirds were flying northeastward to a roost. The Lincoln's Sparrows were studied at close range with 8× glasses for several minutes, and after much thought and study the identification is believed to be reasonably correct.—Mr. and Mrs.

2 females, were observed by the entire party at distances often as close as 100 feet. The birds species and subspecies, 1050 (est.) individuals. The Ivory-billed Woodpeckers, 2 males and rare); Myrtle Warbler, 55; English Sparrow, 4; Southern (subsp. ?) Meadowlark, 8; Red-75 (1 flock; est.); Cedar Waxwing, 17; Migrant (subsp. ?) Shrike, 29; Starling, 3 (unusually 7; Eastern Bluebird, 16; Golden-crowned Kinglet, 15; Ruby-crowned Kinglet, 22; Pipit, 4; Winter Wren, 2; Carolina Wren, 9; Mockingbird, 8; Brown Thrasher, 27; Hermit Thrush, Crow, 16; Carolina Chickadee, 14; Tufted Titmouse, 13; Florida White-breasted Nuthatch, Woodpecker, 4; Ivory-billed Woodpecker, 411; Phæbe, 6; Southern Blue Jay, 14; Southern ern Flicker, 24; Pileated Woodpecker, 17; Red-bellied Woodpecker, 22; Red-headed Wood-3; Woodcock, 1; Florida (subsp. ?) Barred Owl, 1; Belted Kingfisher, 2; Northern and South-30 feet of our concealment by means of a Turkey caller—a rare and beautiful sight!); Killdeer, 3; Eastern Sparrow Hawk, 5; Eastern Turkey, 8 (all immense gobblers, attracted to within 2; Wood Duck, 2; Turkey Vulture, 33; Black Vulture, 24; Sharp-shinned Hawk, 1; Cooper's Hawk, 1; Eastern (subsp. ?) Red-tailed Hawk, 4; Florida (subsp. ?) Red-shouldered Hawk, in census trip. Observers together. Great Blue Heron, 1; Common Mallard, 15; Shoveller, and beech, cypress swamps and lakes, and a few open fields along edge of Preserve included the Singer Sewing Machine 82,460-acre Game and Forest Preserve. Virgin stands of oak 5 on foot, all within area not exceeding 15 miles in diameter. Practically entire census made on showers; wind west by south; temp. about 45° at start, 65° at return. About 15 miles in car, BEN B. COFFEY, JR., and FRANKLIN McCamey (members Tennessee Ornithological Society). looked.—John S. Campbell, J. J. Kuhn, George H. Lowery, Sr., George H. Lowery, Jr. they retreated to the taller timbers and were lost from sight. Due to the time that was their peculiar, nasal, rather high-pitched yaamp-yaamp until finally disturbed, after which were feeding energetically on dead stumps and low trees, and were calling frequently with Sparrow, 300 (est.); Swamp Sparrow, 1; Mississippi (subsp. ?) Song Sparrow, 1. Total, 60 Slate-colored Junco, 13; Eastern Chipping Sparrow, 10; Field Sparrow, 2; White-throated Cardinal, 23; Eastern Goldfinch, 12; Red-eyed Towhee, 6; Eastern Savannah Sparrow, 11; winged Blackbird, 20; Rusty Blackbird, 1; Bronzed Grackle, 48; Eastern Cowbird, 30; Eastern pecker, 3; Yellow-bellied Sapsucker, 11; Southern Hairy Woodpecker, 2; Southern Downy necessarily spent in searching for the Woodpeckers, many of the commoner birds were over-Tallulah, La.—Dec. 25; 6.30 A.M. to 4.30 P.M. Weather cloudy and misty, with occasional

Argusville, N. Dak.—Dec. 23; 8 A.M. to 4 P.M. Cloudy; 12 in. of snow; wind northeast to north, strong; snowing heavily in forenoon, blizzard rising in evening; temp. 10° to -5° About 7 miles on foot. Ring-necked Pheasant, 60 (flock in cornfield); Snowy Owl, 1; Snowflake, 58. Total, 3 species, 119 individuals. Dec. 19, Redpoll, 20. Dec. 24, Short-eared Owl, 1. Dec. 26, Prairie Hen, 18.—Gale W. Monson.

Fargo, N. Dak.—Dec. 25.; temp. -31° to -20° ; 1 ft. or more of snow. Severe weather and storms have practically precluded any census. Downy Woodpecker, 1; Chickadee, 4; White-breasted Nuthatch, 2; Red-breasted Nuthatch, 1 (at window-shelf). Total, 4 species, 8 individuals.—O. A. Stevens.

Hurley, S. Dak.—Dec. 21; 12.30 to 5 P.M. Clear, ground bare; light west wind at start

changed to northwest about 1.30; temp. 50° at start, 43° at return. About 12 miles on bicycle and on foot. Started from a point 3 miles south and 2 east of Hurley, covered a territory extending 4 miles north of starting point. Red-tailed Hawk, 4; Prairie Chicken, 2; Ringnecked Pheasant, 50 (est.); Downy Woodpecker, 2; Horned Lark, 250 (est.); Crow, 28; Chickadee, 2; Tree Sparrow, 40 (est.). Total, 8 species, 378 (est.) individuals.—Rhea Sanborn.

Yankton, S. Dak.—Dec. 22; 10 A.M. to 4 P.M. Clear; ground bare; wind southwest, light; temp. 56° at start, 50° at return. About 25 miles by auto and on foot. Observers together except for last hour and a half. Mallard, 2; Hawk (sp. ?), 1; Great Horned Owl, 2; Ringnecked Pheasant, 1; Hairy Woodpecker, 4; Downy Woodpecker, 2; Flicker, 1; Horned Lark (Hoyt's ?), 4; Crow, 12; Chickadee, 30; White-breasted Nuthatch, 15; Brown Creeper, 6; Robin, 1; Bluebird, 8; Cardinal, 5; Common Redpoll, 22; Slate-colored Junco, 6; Tree Sparrow, 2; Song Sparrow (subsp.), 1. Total, 19 species, 125 individuals.—A. P. LARRABEE, C. A. VAN Epps.

Fairbury (Jefferson Co.), Neb.—Dec. 22; 9.30 A.M. to 3 P.M. Clear; very light westerly wind; temp. 42° to 64°. Observers in two groups: two on prairie land and along thickets on Blue River, also through timber at Crystal Springs Park, a walk of 6 miles; other two, 6 miles by auto and return, 4 miles on foot at Rose Creek. Marsh Hawk, 1; Cooper's Hawk, 1; Red-tailed Hawk, 3; Red-bellied Woodpecker, 7; Downy Woodpecker, 32; Hairy Woodpecker, 6; Red-shafted Flicker, 1; Yellow-shafted Flicker, 3; Prairie Horned Lark, 20; Crow, 31; Chickadee, 80; Titmouse, 15; Nuthatch, 11; Carolina Wren, 1; Bluebird, 8; Cardinal, 10; Goldfinch, 3; Tree Sparrow, 325; Harris's Sparrow, 75; Junco, 37. Total, 20 species, 670 individuals.—Mrs. C. M. Bogardus, Miss Bertha Holly, Mrs. Charles Richardson. Miss Susie Callaway.

Fremont, Neb.—Dec. 25; 8 A.M. to 12 M., 1.30 to 4 P.M. Clear; temp., 42° at start, up to 58° at close. Cemetery, country roads, MacLean's and Hormel's Islands. Marsh Hawk, 1; Sparrow Hawk, 1; Screech Owl, 1; Northern Flicker, 12; Hairy Woodpecker, 8; Downy Woodpecker, 16; Blue Jay, 2; Crow, 90; Chickadee, 45; White-breasted Nuthatch, 25; Brown Creeper, 15; Eastern Robin, 36; Eastern Bluebird, 30; Golden-crowned Kinglet, 10; Western Meadowlark, 1; Cedar Waxwing, 25; Cardinal, 8 males, 6 females; Goldfinch, 40; Pine Siskin, 8; Slate-colored Junco, 50; Tree Sparrow, 75; Harris's Sparrow, 5. Total, 22 species, 509 individuals.—Lily Ruegg-Button.

Kansas City, Kans. (north of city).—Dec. 24; 9.30 A.M. to 1.30 P.M. Clear; wind velocity, 30 miles, northwest; temp. 21° at start, 25° at return, low 19°. About 6 miles on foot. Bohwhite, 17 (1 covey); Mourning Dove, 1; Downy Woodpecker, 4; Red-bellied Woodpecker, 3; Flicker, 2; American Crow, 1; Blue Jay, 5; Black-capped Chickadee, 19; Tufted Titmouse, 7; Bluebird, 1; Goldfinch, 28; Tree Sparrow, 60+; Field Sparrow, 3; Slate-colored Junco, 26; Song Sparrow, 5; Swamp Sparrow, 2; Towhee, 1; Cardinal, 14. Total, 18 species, 199+ individuals.—James N. Sussex.

Wichita, Kans.—Dec. 22; 7,30 A.M. to 6,30 P.M. Clear; ground bare; hazy at start; light southwest wind; temp. 32° at start, 40° at return. About 25 miles on foot through parks, open fields, and prairies; along Big Arkansas River, Cowskin Creek, and roadside. Piedbilled Grebe, 2; Sharp-shinned Hawk, 1; Northern Red-shouldered Hawk, 2; Marsh Hawk, 2; Eastern Sparrow Hawk, 3; Eastern Bob-white, 9; Killdeer, 6; Mourning Dove, 12; Screech Owl, 1; Eastern Belted Kingfisher, 1; Northern Flicker, 2; Red-bellied Woodpecker, 2; Seastern Hairy Woodpecker, 3; Northern Downy Woodpecker, 2; Eastern Hairy Woodpecker, 3; Northern Hairy Woodpecker, 2; Northern Downy Woodpecker, 2; Carolina Chickadee, 20; Black-capped Chickadee, 15; Tufted Titmouse, 4; Brown Creeper, 2; Carolina Wren, 1; Eastern Robin, 3; Mountain Bluebird, 1; Townsend's Solitaire, 1; Eastern Goldencowned Kinglet, 1; Migrant Shrike, 3; Eastern Meadowlark, 6; Western Meadowlark, 8; Brewer's Blackbird, 1; Eastern Cardinal, 9; Eastern Goldfinch, 14; Arctic Towhee, 6; Slatecolored Junco, 165+; Montana Junco, 173+; Shufeldt's Junco, 1; Western Tree Sparrow,

452; Western Field Sparrow, 14; Harris's Sparrow, 572; Song Sparrow, 6; Lapland Longspur, 100+; Smith's Longspur, 500+. Total, 42 species and subspecies, 2380 individuals. Also English Sparrow, 253+. Pied-billed Grebe identified at close range through a 3½× bird-glass. Northern Hairy Woodpeckers appear larger and whiter below. They are noisier, shyer, and more restless than our common Hairy Woodpecker. Black-capped Chickadees are darker above, browner below, and have less white in wing than the Long-tailed Chickadee. Mountain Bluebird was seen at close range through a 3½× bird-glass. Breast was washed with blue. Meadowlarks were distinguished by their song. Brewer's Blackbird was identified by purplish head, square tail, yellowish eye, and notes. Shufeldt's Junco had black head and upper chest, brown back and wings, brownish pink sides, and white belly and outer tail feathers. Lapland and Smith's Longspurs were told by notes and the buffy underparts of the latter.—Wilfered Goodman.

Holdenville, Okla.—Dec. 24; 8 A.M. to 3 P.M. Clear, sunshiny; brisk north wind; temp. 35° at 8 A.M., about 50° at M., too windy for good observing. Observed alone, from Holdenville 3 miles west, in automobile and on foot, intermittently during day. Total time of observing 1½ hours, in jack-oak covered hills, brushy stream valleys, roadside thickets, and open fields. Weather had been much warmer up to and including Dec. 23, on which date sulphur butterflies were observed. Eastern Red-tailed Hawk, 1; Marsh Hawk, 7; Sparrow Hawk, 1; Southern Flicker, 6; Red-bellied Woodpecker, 2; Southern Hairy Woodpecker, 3; Southern Downy Woodpecker, 2; Northern Blue Jay, 6; Eastern Crow, 9; Chickadee (sp. ?), 2; Tufted Titmouse, 12; Carolina Wren, 2; Southern Robin, 8; Eastern Bluebird, 2; Migrant Shrike, 2; Western Meadowlark, 17; Red-winged Blackbird, 100 (1 flock); Bronzed Grackle, 10; Cardinal, 3; Eastern Goldfinch, 6; Slate-colored Junco, 45; Field Sparrow, 1; Harris's Sparrow, 3; White-throated Sparrow, 3; Song Sparrow, 1. Total, 25 species, 254 individuals. Other species seen in the same area within the past week are: Bob-white, Western Mourning Dove, Prairie Horned Lark, Eastern Cowbird, Arctic Towhee. A Roadrunner was seen on December.

17 in northeastern Okfuskee County, 18 miles west of Okmulgee.—Joseph L. Borden.

wooded creek, pond, and open fields. Observers together. Cooper's Hawk, 1; Red-tailed 22; Pileated Woodpecker, 2; Red-bellied Woodpecker, 6; Yellow-bellied Sapsucker, 3; Hairy 1; Least Sandpiper, 4; Killdeer, 5; Mourning Dove, 50; Screech Owl, 1; Southern Flicker, Hawk, 2; American Rough-legged Hawk (sp. ?), 1; Bob-white, 14 (2 coveys); Wilson's Snipe, light easterly wind all day; temp. 32° at start, 30° at return. About 8 miles on foot along 8; Song Sparrow, 11. Total, 45 species, 990 (est.) individuals. Within the past week, the 1; Bronzed Grackle, 10; Cardinal, 42; Purple Finch, 19; Eastern Goldfinch, 22; Red-eyed Shrike, 1; Starling, 12; English Sparrow, 100 (est.); Meadowlark, 41; Red-winged Blackbird, Mockingbird, 5; Robin, 30; Bluebird, 98; American Pipit, 2; Cedar Waxwing, 70; Migrant Tufted Titmouse, 5; White-breasted Nuthatch, 2; Bewick's Wren, 2; Carolina Wren, 5; Woodpecker, 3; Downy Woodpecker, 17; Blue Jay, 7; Crow, 3; Carolina Chickadee, 10; Hawk, 1; Least Flycatcher, 2; Winter Wren, 1; Golden-crowned Kinglet, 6.—James Priest, following were seen: Herring Gull, 1; Marsh Hawk, 1; Belted Kingfisher, 1; Eastern Sparrow White-crowned Sparrow, 5; White-throated Sparrow, 60; Fox Sparrow, 33; Swamp Sparrow, Towhee, 11; Eastern Savannah Sparrow (sp. ?), 8; Slate-colored Junco, 81; Field Sparrow, 44: Spiro, Okla.—Dec. 27; 10 A.M. to 6 P.M. Sky partly cloudy at start, overcast in afternoon;

Tulsa, Okla.—Dec. 23; 7.30 A.M. to 6 P.M. Beautiful, mild, sunshiny day; southerly breezes; temp. 43° at 7 A.M., 64° at 1 P.M., and 60° at 5.30 P.M. Seven groups of observers, 4 or less in a group, totaling 19 individuals. Total distance covered about 10 miles walking and 75 miles by auto, within 15-mile radius of Tulsa. Areas covered: north to and west on Osage-Tulsa County line to Sand Springs, south to Red Fork, north to Travers Park and Tulsa; east and north to Mohawk Lake and Bird Creek through Mohawk Park and return; southeast in area bounded by Lewis, Harvard and 41st streets; north on Memorial Drive to Federal, east to Sheridan Road north to Mohawk Park, grounds surrounding polo-fields,

and habitats typical of the areas, i.e. prairie, weed-patches, wooded areas, streams, and sandcollected by Mrs. A. E. Gilmore); English Sparrow, 151; Meadowlark (Southern ?), 53; and Luckhardt), 42; Tufted Titmouse, 95; White-breasted Nuthatch, 11; Brown Creeper, 4; dee (id. Coggeshall), 3; Carolina Chickadee (id. Chase), 4; Plumbeous Chickadee (id. Force ern Downy Woodpecker, 47; Northern Blue Jay, 84; Eastern Crow, 310; Long-tailed Chicka-500; Redhead, 50; Canvasback, 50; Greater Scaup Duck, 65; Black Vulture, 1; Sharp-shinned 200 abreast, on the same day, flying north of Tulsa continuously for 40 minutes. Mallard, time. G. E. Tenney, Instructor in Science at Cleveland Junior High School, observed flocks localities, were not even recorded. Gardner reported counting (Dec. 22) 78,000 in a short Blackbirds, Grackles, and Crows were closely estimated. Other immense flocks, in differing lake. It has been a mild fall with high temperatures and green vegetation. Dec. 22 registered hills with ravines, undisturbed timber area of game-refuge, plowed farmlands, and reservoir through Nature Trails and around reservoir returning via North Lewis to Tulsa. Vegetation little Bobby Hill and Maurice Beck. (Edith R. Force and Robert Luckhardt, ANNABELLE and GERALD BECK and KATHLEEN CHASE (Wilson Junior High School) and WARNER, L. E. FITTS, BOB OILER, JAY THOMPSON (members of Field and Stream Club) (University of Tulsa); BEATRICE LEWIS (A. and M. College); HARRIET FOSTER, MARION FORCE (Instructor of Science, Wilson Junior High School). STUDENTS: ROBERT LUCKHARDT (experienced observers); H. D. Chase (Professor of Zoölogy, University of Tulsa); Ерггн R. MRS. PAUL BECK, JAMES H. GARDNER, ED BRANIFF, N. J. GUBSER, BOB COGGESHALL but probably was a breeding species which stayed because of the extremely mild weather. and subspecies, 18,545 individuals. The Chipping Sparrow is unusual for this time of year, 94; Lincoln's Sparrow, 7; Smith's Longspur, 1; Sparrow (sp. ?), 1 (Gardner). Total, 56 species Sparrow, 68; White-crowned Sparrow, 3; White-throated Sparrow, 2; Song Sparrow (sp. ?). Sparrow, 2; Eastern Vesper Sparrow, 11; Eastern Fox Sparrow, 7; Slate-colored Junco, 165; Grackles and Crows), 5030; Bronzed Grackle, 5022; Eastern Cowbird, 1775; Cardinal, 53; Red-winged Blackbird, 3000; Rusty Blackbirds (often in flocks with Red-wings, Cowbirds, Golden-crowned Kinglet, 12; Migrant Shrike, 7; Starling, 162 (6 flocks of 10 to 50 each; 1 Carolina Wren, 11; Eastern Mockingbird, 8; Southern Robin, 30; Eastern Bluebird, 30; bellied Woodpecker, 6; Red-headed Woodpecker, 47; Southern Hairy Woodpecker, 8; South-Sparrow Hawk, 4; Eastern Bob-white, 15 (1 covey); Killdeer, 56; Southern Flicker, 65; Red Hawk, 2; Eastern Red-tailed Hawk, 12; Red-shouldered Hawk (sp. ?), 4; Marsh Hawk, 9; the warmest record for this locality since 1909—71° between 3 and 4 P.M. The large flocks of Eastern Tree Sparrow, 68; Eastern Chipping Sparrow, 1; Eastern Field Sparrow, 91; Harris's Eastern Goldfinch, 62; Arctic Towhee, 13; Eastern Savannah Sparrow (?), 3; Leconte's

Hawk, 1; Harris's Hawk, 27; Sparrow Hawk, 61; Florida Gallinule, 2; Coot, 21; Killdeer, Scaup, 33; Turkey Vulture, 3; Black Vulture, 99; Red-tailed Hawk, 1; Red-shouldered crowned Night Heron, 25; Mallard, 100; Pintail, 91; Shoveller, 15; Canvasback, 5; Lesser Egret, 5; Reddish Egret, 27; Louisiana Heron, 2; Black-crowned Night Heron, 125; Yellow-Grebe, 4; Mexican Cormorant, 30; Anhinga, 20; Ward's Heron, 6; American Egret, 7; Snowy River and return by car; side trips into chaparral and jungle (near river) on foot. Pied-billed moderately strong south wind in P.M.; temp. at nightfall, 70°. From Harlingen to Rio Grande Thrasher, 1; Bluebird, 24; Blue-gray Gnatcatcher, 2; Ruby-crowned Kinglet, 5; American Wren, 5; Cactus Wren, 1; Western Mockingbird, 27; Sennett's Thrasher, 1; Curve-billed 1; Whip-poor-will, 1; Nighthawk, 3; Belted Kingfisher, 10; Texas Kingfisher, 2; Golden-Herring Gull, 1; Western Mourning Dove, 77; Mexican Ground Dove, 5; Chuck-will's-widow, 136; Wilson's Snipe, 14; Dowitcher, 21; Long-billed Dowitcher, 5; Black-necked Stilt, 62; Phæbe, 13; Black-crested Titmouse, 26; Western House Wren, 34; Bewick's Wren, 1; Lomita fronted Woodpecker, 4; Texas Woodpecker, 4; Couch's Kingbird, 1; Derby Flycatcher, 9; Pipit, 32; Sprague's Pipit, 6; White-rumped Shrike, 3; Blue-headed Vireo, 4; Black and White Harlingen, Texas.—Dec. 23; 7.30 to 11 A.M., 1 to 6.30 P.M. Clear (fog in early morning):

Warbler, 4; Orange-crowned Warbler, 11; Nashville Warbler, 2; Myrtle Warbler, 61; Black-throated Green Warbler, 4; Pine Warbler, 1; Western Yellow-throat, 1; Rio Grande Meadow-lark, 51; Rio Grande Red-winged Blackbird, 2525; Audubon's Oriole, 1; Brewer's Blackbird, 1; Great-tailed Grackle, 496; Gray-tailed Cardinal, 6; Morellet's Seed-eater, 3; Texas Sparrow, 6; Western Savannah Sparrow, 32; Western Field Sparrow, 1; Lincoln's Sparrow, 1; Dakota (?) Song Sparrow, 33. Total, 75 species, 4381 individuals.—L. Irby Davis.

1 (red eye, black head, and brown on sides noted); American Goldfinch, 40; Western Grass Meadowlark, 90; Western Meadowlark, 15; Brewer's Blackbird, 25; Great-tailed Grackle crowned Warbler, 2; Myrtle Warbler, 350; Black-throated Green Warbler, 2; Maryland 6; Eastern Bluebird, 50; Ruby-crowned Kinglet, 1; Blue-gray Gnatcatcher, 35; American Bewick's Wren, 15; Western Mockingbird, 40; Sennett's Thrasher, 1; Curve-billed Thrasher, White-necked Raven, 250; Black-crested Titmouse, 4; Western House Wren, 20; Texas Woodpecker, 3; Texas Woodpecker, 2; Phœbe, 20; Vermilion Flycatcher, 1; Green Jay, 5; Dove, 16; Burrowing Owl, 2; Belted Kingfisher, 4; Red-shafted Flicker, 4; Golden-fronted 10; Virginia Rail, 1; Florida Gallinule, 6; American Coot, 4; Killdeer, 150; Wilson's Snipe, 4: 6; Red-tailed Hawk, 1; Texas Red-shouldered Hawk, 2; Sparrow Hawk, 12; Texas Bob-white Night Heron, 50; Lesser Scaup Duck, 4; Turkey Vulture, 20; Black Vulture, 8; Marsh Hawk, Grebe, 3; Pied-billed Grebe, 2; Mexican Cormorant, 3; Ward's Heron, 3; Black-crowned temp., low about 65°, high about 85°. About 10 miles on foot, 22 by auto. Least or Mexican Song Sparrow (subsp.?), 2; Texas Sparrow, 1. Total, 65 species, about 2010 individuals. hopper Sparrow, 1; Lark Sparrow, 10; White-crowned Sparrow, 8; Western Field Sparrow, 8 100; Gray-tailed Cardinal, 60; Texas Pyrrhuloxia, 1; Sharpe's Seed-eater, 1; Red-eyed Towhee, Yellow-throat (subsp.), 15; English Sparrow, 20; Red-winged Blackbird, 220; Rio Grande Pipit, 225; Cedar Waxwing, 18; White-rumped Shrike, 2; Small White-eyed Vireo, 1; Orange-Western Sandpiper, 6; Spotted Sandpiper, 1; Western Mourning Dove, 18; Mexican Ground ARTHUR HALE, JR. Mission, Texas.—Dec. 24; 7.30 A.M. to 5.30 P.M. Clear and fair; wind southeast, light;

Ballantine, Mont.—Dec. 26; 10 A.M. to 4.30 P.M. Cloudy, with snow beginning in afternoon; 2 in. snow on ground; no wind; temp. —6° at start, 7° at return. In car with side-trips afoot in villages, farming country, and along Yellowstone River. Most observations made together. Greater Scaup Duck (?), 35; Great Horned Owl, 2; American Short-eared Owl (?), 2; Sparrow Hawk, 2; Ring-necked Pheasant, 14; Red-shafted Flicker, 1; Black-headed Jay, 1; American Magpie, 9; Long-tailed Chickadee, 31; Mountain Chickadee, 3; Northern Shrike, 2; Bohemian Waxwing, 43; Tree Sparrow, 30. Total, 13 species, 175 individuals.—Mrs. Joe Pickens, Betty and Nextee Pessman, Arthur Seamans, Thomas McCamant. Fortine, Mont. (river flats, forests, and cut-over land in central Fortine valley).—Dec.

24; 8 A.M. to 4,30 P.M. Clear in morning, clouding up early in afternoon; 1 to 14 in. old, crusted snow; streams unfrozen; no wind; temp. 11° to 32°. About 18 miles on foot. Common Mallard, 18; Green-winged Teal, 1; American or Barrow's Golden-eye, 2 (females); Barrow's Golden-eye, 1 (male); Gray Ruffed Grouse, 3; Wilson's Snipe, 1; Northern Hairy Woodpecker, 1; Rocky Mountain Hairy Woodpecker, 1; Batchelder's Woodpecker, 1; Arctic Three-toed Woodpecker, 1; Alpine Three-toed Woodpecker, 2 (1 possibly an intergrade with Alaska); Alaska Three-toed Woodpecker, 1; American Magpie, 8; Clarke's Nutcracker, 36; Long-tailed Chickadee, 2; Mountain Chickadee, 41; Rocky Mountain Nuthatch, 56; Red-breasted Nuthatch, 5; Western Golden-crowned Kinglet, 9; Rocky Mountain Pine Grosbeak, 15; Common Redpoll, 3; White-winged Crossbill, 31; Merrill's Song Sparrow, 3; Eastern Snow Bunting, 11; English Sparrow, 3. Total, 24 or 25 species, 226 individuals. Bohemian Waxwings and American Ravens seen frequently lately. A Western Robin was seen Dec. 23, the first December record for this locality.—Winnow Weydemerker.

Lewiston, Idaho.—Dec. 25; 10.30 A.M. to 1 P.M., 2 to 4 P.M. Wet snow falling all day; 2 in on ground at 4 P.M.; temp. about 32°. Afoot through city parks, cemetery, West Lewiston orchards and grain-fields, returning along Snake River. Observers together, walking about

7 miles. American Merganser, 8; European Partridge, 18 (2 flocks); Killdeer, 1; Western Belted Kingfisher, 1; Red-shafted Flicker, 9; Horned Lark (subsp. ?), 4; Western Robin, 480+; Bohemian Waxwing, 14; Western Meadowlark, 7; Western Evening Grosbeak, 15; Common House Finch, 15; Shufeldt's Junco, 5; Gambel's Sparrow, 2; Merrill's Song Sparrow, 8. Total, 14 species, 587+ individuals.—Lorena Miller, Lucile Miller.

Salt Creek Oil-Field, Wyo. (Midwest to Izaak Walton Park to Teapot Dome, returning via Castle Rock).—Dec. 24; 12 M. to 4.45 P.M. Clear at start, partly cloudy at return; ground bare; no wind; temp. 33° at start, 31° at return. About 37 miles by auto, 3 miles on foot. Hawks (sp. ?), 2; Golden Eagle, 2; American Magpie, 2; Mountain Chickadee, 1; English Sparrow (around camps), 57+; Gray-crowned Rosy Finch, 6. Total, 6 species, 70+ individuals.—A. D. Attken, Jr.

Wapiti (Park Co.), Wyo.—Dec. 25; 9 A.M. to 4 P.M. Weather fair; 6 in. of snow on ground; temp. 35°. Canyon Creek to Pagoda Creek, north fork of the Shoshone River. Downy Woodpecker, 1; Black-crested Jay, 1; Mountain Chickadee, 2; White-breasted Nuthatch, 1; Townsend's Solitaire, 2; Gray-crowned Rosy Finch (Leucosticte), 150; Redpoll, 1. Total, 7 species, 158 individuals.—John S. Du Bois.

Marston Lake (Jefferson Co.), Colo.—Dec. 28; 7 a.m. to 5 p.m. Clear; calm, alternating with light south wind; temp. 3° to 70°. South along the Platte River and Plum Creek to Happy Canyon, and return by auto to outskirts of South Denver. Observers were in pairs, walking about 10 miles on foot. Pied-billed Grebe, 4; Double-crested Cormorant, 4; Mallard, 2500; Baldpate, 2; Pintail, 2; Green-winged Teal, 1; Shoveller, 5; Canvasback, 20; Lesser Scaup, 5; Golden-eye, 50; Bufflehead, 5; Ruddy Duck, 12; American Merganser, 75; Marsh Hawk, 2; Coot, 100; Killdeer, 2; Wilson's Snipe, 10; Ring-billed Gull, 4; Belted Kingfisher, 1; Red-shafted Flicker, 20; Rocky Mountain Hairy Woodpecker, 1; Batchelder's Woodpecker, 3; Desert Horned Lark, 17; Woodhouse's Jay, 3; Magpie, 35; Long-tailed Chickadee, 8; Mountain Chickadee, 2; Rocky Mountain Nuthatch, 3; Black-eared Nuthatch, 2; Northern Shrike, 1; English Sparrow, 35; Western Meadowlark, 17; Thick-billed Red-wing, 21; Cassin's Purple Finch, 3; Common House Finch, 20; Northern Pine Siskin, 20; Pale Gold-finch, 27; White-winged Junco, 3; Slate-colored Junco, 5; Shufeldt's Junco, 25; Montana Junco, 150; Pink-sided Junco, 2; Gray-headed Junco, 1; Western Tree Sparrow, 100; Gambel's Sparrow, 100; Rocky Mountain Song Sparrow, 20. Total, 46 species, 3428 individuals.—C. W. WILLIAMS, F. H. MAY, C. C. Sperry, E. R. Kalmbach.

Fort Morgan, Colo.—Dec. 22; 9 A.M. to 4 P.M. Ground almost bare; no wind; temp. 36° at start, 32° at return. About 12 miles on foot and in car. South Platte River bottoms from mouth of Bijou Creek to Narrows Bridge and return over upland farms. Mallard, 23; Greenwinged Teal, 6; Blue-winged Teal, 2; Red-tailed Hawk, 1; Marsh Hawk, 4; Sparrow Hawk, 1; Bob-white, 11; Ring-necked Pheasant, 50 (est.); Wilson's Snipe, 14; Belted Kingfisher, 2; Red-shafted Flicker, 7; Batchelder's Woodpecker, 2; Desert Horned Lark, 150 (est.); American Magpie, 100 (est.); Western Crow, 20; Long-tailed Chickadee, 15; Mountain Chickadee, 1; White-breasted Nuthatch, 1; Red-breasted Nuthatch, 1; Rocky Mountain Creeper, 2; Western Robin, 8; White-rumped Shrike, 4; English Sparrow, 100 (est.); Western Meadowlark, 32; Red-winged Blackbird, 2000 (est.); Common House Finch, 7; White-winged Junco, 1; Pink-sided Junco, 500 (est.); Song Sparrow, 150 (est.). Total, 29 species, 3200 (est.) individuals.—Edward Hellstern.

Denver, Colo. (southwest 15 miles in A.M.; 12 miles east in F.M.).—Dec. 25; 9 to 12 A.M.; 2 to 4,30 F.M. (Cloudy A.M., partly cloudy F.M.; ground bare (area parched); east and north winds A.M. and F.M.; temp. 30° at start, 40° at return. About 30 miles by auto and afoot. Pied-billed Grebe, 2; Northern Diver, 1; Mallard, 200; Lesser Bluebill, 1; American Goldeneye, 4; Pigeon Hawk, 1; Sparrow Hawk, 1; Ring-necked Pheasant, 1; Killdeer, 1; Ring-billed Gull, 4; Orange-shafted Flicker, 8; Magpie, 35; Robin, 6; Northern Shrike, 1; Red-winged Blackbird, 50; Meadowlark, 7; Cassin's Purple Finch, 12; House Finch, 20; Pale Goldfinch, 2; Tree Sparrow, 75; Slate-colored Junco, 1; Shufeldt's Junco, 2; Gray-headed Junco, 2;

Fox Sparrow, I (a great surprise); Song Sparrow, I; Alaskan Longspur, 200. Total, 26 species 500 (est.) individuals.—W. H. Bergiold.

Fruita, Colo.—Dec. 22; 10 A.M. to 4 P.M. Weather clear; ground covered with light snow; no wind; temp. 40° to 50°. About 50 miles by auto in vicinity of Fruita. Observers together, A notable feature was the absence or scarcity of many very common winter species. Mallard, 25; Marsh Hawk, 9; Western Goshawk, 1; American Rough-legged Hawk, 1; Desert Sparrow Hawk, 2; Gambel's Partridge, 23; Ring-necked Pheasant, 3; Rocky Mountain Screech Owl, 1; Red-shafted Flicker, 17; Lewis's Woodpecker, 1; Say's Phoebe, 1; Desert Horned Lark, 150 (est.); American Magpie, 7; American Raven, 3; Western Robin, 26; Mountain Bluebird, 17; Northern Shrike, 2; White-rumped Shrike, 3; House Sparrow, 300 (est.); Red-winged Blackbird, 300 (est.); Western Meadowlark, 100; Brewer's Blackbird, 100 (est.); House Finch, 17; Pallid Goldfinch, 8; Pine Siskin, 175 (est.); Gambel's Sparrow, 150; Shufeld's Junco, 11; Pink-sided Junco, 10; Mountain Song Sparrow, 16. Total, 29 species, 1479 individuals.—Mr. and Mrs. F. S. Carman, Mr. and Mrs. At Benson.

Salt Lake City, Utah.—Dec. 24; 7.30 a.m. to 5.30 p.m. Clear in a.m., cloudy by m., murky late p.m.; ground bare, except traces of snow in shade; slight south wind; temp. about 30° at start, 40° at finish. Distance about 20 miles but extreme diameter of points across city less than 15 miles. Pied-billed Grebe, 1; Mallard, 1; Baldpate, 1; Shoveller, 1; Pintail, 6; Marsh Hawk, 2; Prairie Falcon (?), 1; Sparrow Hawk, 3; Ruffed Grouse, 1; California Quail, 137+; Ring-necked Pheasant, 2; Coot, 26; Killdeer, 100+; Wilson's Snipe, 14; Hairy Woodpecker, 3; Downy Woodpecker, 3; Lewis's Woodpecker, 1; Red-shafted Flicker, 20; Magpie, 13; Black-headed Jay, 1; Long-tailed Chickadee, 22+; Mountain Chickadee, 4; Creeper, 3; Water Ouzel, 2; Tule Wren, 4 (wintering in cat-tails near a spring); Robin, 3; Pipti, 2; Northern Shrike, 1; English Sparrow, numerous but not counted; Red-winged Blackbird, 110+; Brewer's Blackbird, 650+; Meadowlark, 18; Spurred Towhee, 11; House Finch, 10; Pale Goldfinch, 3; Pine Siskin, 30; Shuteldt's Junco, 20; Gambel's Sparrow, 70+; Song Sparrow, 35. Total, 30 species, 1335 individuals.—L. D. Alcock, Mrs. Elizabeth Hansen, Mr. and Mrs. Lockerbei.

F. SIMON, EARL A. MARSHALL, ED. F. AVERILL, MAUDE RAGON, ARLIE SEAMAN, B. A to gusts of 56 miles per hour, temp. 40° to 48°. There were 12 field parties who covered a CROWELL, MRS. A. L. CAMPBELL, EMMA APPLEGATE, FLORENCE McDONALD, RUFUS COM Thaxter, F. E. Shepard, Mrs. Mary Burnett, George Burnett, Clara Nelson, W. H 41; Pine Siskin, 100; Willow Goldfinch, 200; Oregon Towhee, 30; Oregon Junco, 15; Shufeldt's Sparrow, 192; Western Meadowlark, 27; Brewer's Blackbird, 175; California Purple Finch 1; Western Golden-crowned Kinglet, 86; Sitka Kinglet, 7; Audubon's Warbler, 10; English Western Robin, 797; Pacific Varied Thrush, 9; Alaska Hermit Thrush, 2; Western Bluebird Red-breasted Nuthatch, 1; Sierra Creeper, 1; Western Winter Wren, 4; Seattle Wren, 443; Oregon Chickadee, 70; Chestnut-backed Chickadee, 8; Slender-billed Nuthatch, 1 Flicker, 37; Lewis's Woodpecker, 1; Gairdner's Woodpecker, 1; Coast Jay, 4; Western Crow, Gulls (sp. ?), 1175; Arctic Tern, 2 (Raker and Du Bois); Short-eared Owl, 1; Northwestern Gull, 154; Herring Gull, 6; California Gull, 82; Ring-billed Gull, 8; Short-billed Gull, 302 American Coot, 81; Killdeer, 90; Wilson's Snipe, 4; Glaucous-winged Gull, 52; Western Sharp-shinned Hawk, 1; Sparrow Hawk, 4; Mountain Quail, 4; Ring-necked Pheasant, 11; Scaup Duck, 64; Gadwall, 3; Bufflehead, 25; American Merganser, 37; Ducks (sp. ?), 379: Teal, 3; Blue-winged Teal, 1; Shoveller, 24; Ring-necked Duck, 30; Canvasback, 2; Lesser Goose, 100; Common Mallard, 201; European Widgeon, 1; Baldpate, 352; Green-winged region about 20 miles in diameter, including the city of Portland, Sauvais Island, Oswego Total, 62 species, 6451 (est.) individuals.—WILLARD A. ELIOT, HAROLD S. GILBERT, LEC Districts. Pied-billed Grebe, 4; Lesser Loon, 1; Northwest Coast Heron, 6; Common Canada Junco, 938; Golden-crowned Sparrow, 15; Fox Sparrow (sp. ?), 7; Rusty Song Sparrow, 121 Lake, Tualatin Valley, Columbia Slough, Pittock Bird Sanctuary, and Vancouver, Portland, Ore, -Dec. 17; 8 A.M. to 4 P.M. Rain all day; wind south and west, ranging up

STOCK, BILLY CARROLL, MR. MORROW, MELLA WHITE, ISABEL WILDE, JOYCE WILDE, H. M. DU BOIS, W. S. RAKER.

5; California Gull, 80; Ring-billed Gull, 6; Bonaparte's Gull, 1; Band-tailed Pigeon, 1; Anna's Sparrow Hawk, 7; California Quail, 22; Black-bellied Plover, 24; Killdeer, 33; Snowy Plover, Scaup Duck, 1; Surf Scoter, 12; Sharp-shinned Hawk, 1; Western Red-tailed Hawk, 1; Desert Burlingame, small part of Hillsborough). California Heron, 1; Canvasback, 12; afternoon; gentle northwest wind; average temp. 56°. About 6 miles on foot (city limits of California Woodpecker, 7; Red-shafted Flicker, 32; Say's Phæbe, 2; Black Phæbe, 2; Steller's Hummingbird, 32; Western Kingfisher, 1; Willow Woodpecker, 2; Hairy Woodpecker, Hermit Thrush, 21; Western Robin, 325; Northern Varied Thrush, 380; Western Bluebird, Slender-billed Nuthatch, 2; California Creeper, 9; Wren-tit, 5; Western Winter Wren, Sparrow, 6; Spotted Towhee, 19; Brown Towhee, 35; Song Sparrow, 21. Total, 66 species, Sparrow, 24; Nuttall's Sparrow, 6; Golden-crowned Sparrow, 89; Oregon Junco, 185; Fox 58; Brewer's Blackbird, 2; California Purple Finch, 54; House Finch, 32; Willow Goldfinch Hutton's Vireo, 6; Audubon's Warbler, 105; Townsend's Warbler, 7; Western Meadowlark, 17; Western Ruby-crowned Kinglet, 33; Pipit, 18; Cedar Waxwing, 36; California Shrike, 1; Vigor's Wren, 12; Western Mockingbird, 1 (unusual here in winter); California Thrasher, Jay, 4; California Jay, 23; Plain Titmouse, 11; Barlow's Chickadee, 120; Coast Bush-tit, 200; 12; Green-backed Goldfinch, 72; Pine Siskin, 350; Western Savannah Sparrow, 90; Gambel's Sandpipers (Least and Western), 500; Red-backed Sandpiper, 10; Glaucous-winged Gull Burlingame, Calif.—Dec. 24; 7.30 a.m. to 3.30 p.m. Fog in morning, clear and sunny in individuals.—E. H. McClintock.

Plain Titmouse, 3; Coast Bushtit, 32; Intermediate Wren-tit, 9; Vigor's Wren, 1; Western Woodpecker, 1; Black Phœbe, 2; Coast Steller Jay, 16; Northwestern California Jay, 18; Gull, 48; Anna's Hummingbird, 3; Red-shafted Flicker, 4; Willow Woodpecker, 1; Nuttall's winged Gull, 400+; Western Gull, 4; California Gull, 12; Ring-billed Gull, 3; Bonaparte's 40+; Red-backed Sandpiper, 45+; Western Sandpiper, 200+; Sanderling, 37; Glaucous-16; Cooper's Hawk, 1; Sparrow Hawk, 2; California Quail, 27; Killdeer, 7; Least Sandpiper, Western Grebe, 45; Lesser Scaup, 1; White-winged Scoter, 2; Surf Scoter, 4; Ruddy Duck, II A.M., I to 3 P.M. Clear; light wind; temp. 50°. Along bay shore and university campus 1331+ individuals.—JAMES STEVENSON. Brewer's Blackbird, 55+; California Purple Finch, 2; House Finch, 15; Pine Siskin, 3; Shrike, 2; Audubon's Warbler, 35+; Townsend's Warbler, 1; Western Meadowlark, 9; Western Bluebird, 2; Western Ruby-crowned Kinglet, 15; American Pipit, 17; California Mockingbird, 1; Western Robin, 6; Coast Varied Thrush, 13; Dwarf Hermit Thrush, 12; 1; Alameda Song Sparrow, 7; Santa Cruz Song Sparrow, 16. Total, 56 species and subspecies Sparrows, 40+; Golden-crowned Sparrow, 15; Fox Sparrow (subsp.?), 11; Lincoln's Sparrow, hee, 11; Bryant's Sparrow, 11; Point Pinos and Sierra Junco, 30+; Nuttall's and Gambel's Green-backed Goldfinch, 7; San Francisco Spotted Towhee, 10; San Francisco Brown Tow-El Cerrito (Contra Costa Co.), Calif. (south to Berkeley, Alameda Co.).—Dec. 25; 8 to

wanterey Peninsula, Calif.—Dec. 20; 6.35 A.M. to 6.45 P.M. Clear; ground bare; light variable winds; temp. 42° at start, considerably warmer at middle of day. About 56 miles variable winds; temp. 42° at start, considerably warmer at middle of day. About 56 miles by car (automobile speedometer reading which includes some back-tracking) to points of bird-concentration mostly coastwise (except for 3¼ miles up Carmel Valley) from Seaside Pond (Laguna del Rey) to Point Lobos. At no point exceeding a circle of 8½ miles in diameter. Common Loon, 1; Pacific Loon, 4; Red-throated Loon, 1; Holbell's Gebe, 2; Horned Grebe, 4; Eared Grebe, 17; Western Grebe, 6; Pied-billed Grebe, 17; California Brown Pelican, 20; 4; Eared Grebe, 17; Western Grebe, 6; Pied-billed Grebe, 17; California Brown Pelican, 20; 4; Eared Grebe, 17; Western Grebe, 6; Pied-billed Grebe, 17; Canvasback, 48; Lesser Teal, 14; Cinnamon Teal, 4; Shoveller, 5; Ring-necked Duck, 1; Canvasback, 48; Lesser Scaup Duck, 5; White-winged Scoter, common; Surf Scoter, abundant; Ruddy Duck, 73 (est.); Red-breasted Merganser, several; Sparrow Hawk, 1; California Quail, 5; Virginia Rail, 1; Florida Gallinule, 2; American Coot, 45 (est.); Black Oystercatcher, 1; Killdeer, several;

Common House Finch, 10 (est.); Pine Siskin, 10; Willow Goldfinch, several; San Francisco Towhee, 3; California Towhee, 1; Passerculus sandwichensis (subsp.), 2; Junco oreganus billed Gull, 20 (est.); Heermann's Gull, 2; Ancient Murrelet, 4; Band-tailed Pigeon, 15 (est.); Surf-bird, 8; Black Turnstone, 53; Wilson's Snipe, 2; Spotted Sandpiper, 1; Least Sandpiper, Total, 103 species, 2470 (est.) individuals of species whose numbers were counted.—LAIDcommon; Passerella iliaca (subsp.), 5; Melospiza lincolni (subsp.), 1; Song Sparrow, several (subsp.), abundant; Zonotrichia leucophrys (subsp.), common; Golden-crowned Sparrow, 50 (est.); San Francisco Red-wing, 3; Brewer's Blackbird, several; California Purple Finch, 3; Warbler, 2; Salt Marsh Yellow-throat, 3; English Sparrow, common; Western Meadowlark, (subsp.), 5; Hutton's Vireo, 1; Dusky Warbler, 2; Audubon's Warbler, abundant; Townsend's calendula (subsp.), common; American Pipit, 1; Cedar Waxwing, 15; Lanius Iudovicianus common; Hermit Thrush, common; Western Bluebird, 5; Western Gnatcatcher, 1; Corthylio several; Telmatodytes palustris (subsp.), several; Western Robin, several; Varied Thrush, California Creeper, 1; Wren-tit, 1; Western Winter Wren, 1; Thryomanes bewicki (subsp.). Chickadee, several; Plain Titmouse, 1; Coast Bush-tit, several; Pygmy Nuthatch, several; Jay, 2; California Jay, several; Yellow-billed Magpie, 2; Western Crow, several; Barlow's 1; Willow Woodpecker, 1; Nuttall's Woodpecker, 1; Black Phœbe, 3; Say's Phœbe, 6; Coast ro (est.); California Woodpecker, several; Red-breasted Sapsucker, 1; Cabanis's Woodpecker, (est.; 1 flock); Anna's Hummingbird, 2; Western Belted Kingfisher, 1; Red-shafted Flicker, Barn Owl, 1; Pacific Horned Owl, 1; Western Burrowing Owl, 1; White-throated Swift, 50 about same size, one of which contained 850, roughly counted); Ring-billed Gull, 2; Short-Gull, common; Herring Gull, common; California Gull, 1700 (est.; principally in 2 flocks of 121; Red-backed Sandpiper, 1; Sanderling, 42; Glaucous-winged Gull, abundant; Western

Quail, 13; Light-footed Rail, 3; Virginia Rail, 1; Farallone Black Rail, 1; Florida Gallinule, 2; American Coot, 71; Western Snowy Plover, 33; Semipalmated Plover, 4; Killdeer, 58; bird, 5; Western Gnatcatcher, 1; Black-tailed Gnatcatcher, 2; Western Ruby-crowned King mouse, 2; Coast Bush-tit, 18; Pallid Wren-tit, 11; Western House Wren, 1; Northern Cactus catcher, 1; California Horned Lark, 13; Tree Swallow, 2; California Jay, 4; San Diego Tit-Woodpecker, 1; Cassin's Kingbird, 3; Black Phoebe, 14; Say's Phoebe, 16; Vermilion Fly. witcher, 84; Western Sandpiper, 576; Marbled Godwit, 308; Sanderling, 101; Glaucous-winged Greater Yellow-legs, 7; Least Sandpiper, 399; Red-backed Sandpiper, 64; Long-billed Do-Rough-legged Hawk, 1; Golden Eagle, 1; Marsh Hawk, 4; Desert Sparrow Hawk, 17; Valley Sharp-shinned Hawk, 1; Cooper's Hawk, 3; Western Red-tailed Hawk, 4; Ferruginous Scoter, 422; Ruddy Duck, 28; American Merganser, 3 (Gander); Red-breasted Merganser, 2; Scaup Duck, 1181; American Golden-eye, 1; Bufflehead, 141; White-winged Scoter, 1; Surf Pelican, 19; California Brown Pelican, 39; Farallone Cormorant, 19; California Heron, Loon, 1; Horned Grebe, 1; Eared Grebe, 60; Western Grebe, 71; Pied-billed Grebe, 6; White front; Huey and Harter worked from water-front inland. Common Loon, 8; Red-throated more than 15 miles from any other point. Gander, Crouch, and Arnold remained on waterwesterly wind later; average temp. 55°. San Diego Bay to Sweetwater Reservoir, no point Thrasher, 3; Western Robin, 3; Hermit Thrush, 4; Western Bluebird, 48; Mountain Blue Wren, 1; Tule Wren, 3; Common Rock Wren, 2; Western Mockingbird, 25; California Western Belted Kingfisher, 1; Red-shafted Flicker, 20; California Woodpecker, 2; Nuttall's 35; Road-runner, 1; Barn Owl, 3; Western Burrowing Owl, 3; Anna's Hummingbird, 11; Gull, 282; Bonaparte's Gull, 122; Forster's Tern, 17; Royal Tern, 7; Western Mourning Dove, Gull, 254; Wyman's Western Gull, 58; Herring Gull, 2; California Gull, 280; Ring-billed Long-billed Curlew, 22; Hudsonian Curlew, 12; Spotted Sandpiper, 2; Western Willet, Black-bellied Plover, 72; Ruddy Turnstone, 15; Black Turnstone, 8; Wilson's Snipe, Pintail, 214; Green-winged Teal, 8; Cinnamon Teal, 1; Shoveller, 20; Canvasback, 3; Lesser American Egret, 20; Snowy Egret, 47; Black-crowned Night Heron, 3; Baldpate, 3; American San Diego, Calif.—Dec. 23; 7 A.M. to 5 P.M. Heavy fog along coast until 10 A.M.; light

let, 4; American Pipit, 44; Cedar Waxwing, 127; Phainopepla, 1; California Shrike, 20; Hutton's Virco, 1; Dusky Warbler, 2; Audubon's Warbler, 158; Tule Yellow-throat, 3; English Sparrow, 39; Western Meadowiark, 109; San Diego Red-wing, 186; Brewer's Blackbird, 1132; Dwarf Cowbird, 51; California Purple Finch, 59; Common House Finch, 549; Willow Goldfinch, 203; Green-backed Goldfinch, 205; San Diego Towhee, 2; California Towhee, 14; Western Savannah Sparrow, 65; Belding's Sparrow, 29; Large-billed Sparrow, 72; Western Vesper Sparrow, 4; Western Lark Sparrow, 2; Rufous-crowned Sparrow, 18 Bell's Sparrow, 2; Slate-colored Junco, 1; Shufeldt's Junco, 1; Thurber's Junco, 15; Gambel's Sparrow, 198; Golden-crowned Sparrow, 20; Lincoln's Sparrow, 3; San Diego Song Sparrow, 8. Total, 131 species, 12,915 (est.) individuals.—Laurence M. Huey, Frank F. Gander, James E. Crouch, Samuel G. Harter, Leroy W. Arnold.

C. Robbins, Laura R. Robbins, Doris Delker, Hugh P. Dearing, Margaret L. Dearing Sparrow, 2; San Diego Song Sparrow, 23. Total, 132 species, 4195 individuals.—REGINALD Dearing); Fox Sparrow (Valdez type), 4; Fox Sparrow (Thick-billed type), 17; Lincoln's row, 2; Rufous-crowned Sparrow, 2; Western Chipping Sparrow, 1; Thurber's Junco, 32: fornia Towhee, 26; Western Savannah Sparrow, 6; Belding's Sparrow, 8; Large-billed Spar-Finch, 118; Willow Goldfinch, 7; Green-backed Goldfinch, 47; San Diego Towhee, 16; Cali American Pipit, 73; Cedar Waxwing, 26; California Shrike, 13; Hutton's Vireo, 9; Dusky Owl, 6; Western Burrowing Owl, 10; Anna's Hummingbird, 18; Red-shafted Flicker, 41; Mourning Dove, 7; Road-runner, 7; Barn Owl, 2; Pasadena Screech Owl, 2; Pacific Horned California Murre, 1 (Mrs. H. P. Dearing and R. C. Robbins); Band-tailed Pigeon, 2; Western Plover, 30; Killdeer, 62; Black-bellied Plover, 46; Wilson's Snipe, 2; Spotted Sandpiper, 3; r (Mr. and Mrs. H. P. Dearing); Cooper's Hawk, 2; Western Red-tailed Hawk, 5; Desert Sparrow, 38; White-throated Sparrow, I (regular visitor at home of Mr. and Mrs. H. P. Western Lark Sparrow, 17; Gambel's Sparrow, 41; Nuttall's Sparrow, 60; Golden-crowned San Diego Red-wing, 18; Brewer's Blackbird, 79; California Purple Finch, 20; Common House lated Warbler, I (Miss M. W. Webb and Dr. W. R. Varick); Western Meadowlark, 85; Warbler, 3; Townsend's Warbler, 1; Audubon's Warbler, 200; Tule Yellow-throat, 4; Pileo-Jay, 49; Western Crow, 13; San Diego Titmouse, 40; Coast Bush-tit, 165; Pallid Wren-tit, Woodpecker, 1; Black Phœbe, 20; Say's Phœbe, 24; California Horned Lark, 130; California California Woodpecker, 29; Willow Woodpecker, 7; Nuttall's Woodpecker, 1; Cabanis' billed Gull, 6; Short-billed Gull, 1; Bonaparte's Gull, 53; Heermann's Gull, 2; Royal Tern, 4; Glaucous-winged Gull, 33; Western Gull, 50; Herring Gull, 2; California Gull, 250; Ring-Mountain Quail, 3; Light-footed Rail, 15; Sora Rail, 2; American Coot, 215; Western Snowy Sparrow Hawk, 28; Golden Eagle, 1 (Mr. and Mrs. Robert Canterbury); Valley Quail, 190; Merganser, 5; Turkey Vulture, 1; Sharp-shinned Hawk, 8; Ferruginous Rough-legged Hawk, Scaup Duck, 55; White-winged Scoter, 7; Surf Scoter, 100; Ruddy Duck, 150; Red-breasted Townsend's Solitaire, 1; Western Gnatcatcher, 25; Western Ruby-crowned Kinglet, Northern Varied Thrush, 7; Hermit Thrush (Alaska and Dwarf), 20; Western Bluebird, 160; Dotted Wren, 2; Western Mockingbird, 43; California Thrasher, 6; Western Robin, 178; 58; Slender-billed Nuthatch, 2; Western House Wren, 1; San Diego Wren, 5; Tule Wren, 3; Long-billed Dowitcher, 4; Western Sandpiper, 5; Hudsonian Curlew, 2; Marbled Godwit, 3; Western Willet, 17; Greater Yellow-legs, 2; Least Sandpiper, 38; Red-backed Sandpiper, 7; Shoveller, 54; Redhead, 13; Ring-necked Duck, 4; Bufflehead, 5; Canvasback, 22; Lesser Mallard, 5; Baldpate, 8; American Pintail, 65; Green-winged Teal, 20; Cinnamon Teal, 4; Cormorant, 2; California Heron, 15; American Egret, 6; Black-crowned Night Heron, 3; 72; Pied-billed Grebe, 13; California Brown Pelican, 18; Farallone Cormorant, 104; Brandt's throated Loon, 4; Holbæll's Grebe, 2; Horned Grebe, 6; Eared Grebe, 200; Western Grebe, about 4 miles, and out into the channel 2 miles. Common Loon, 1; Pacific Loon, 28; Red-Territory from 111/2 miles east to 31/2 miles west of Santa Barbara, and from the shore north max. 73°. Ten separate parties in the field, members of the Museum of Natural History Santa Barbara, Calif.—Dec. 20; 5 a.m. to 4 P.M. Bright, calm; visibility good; temp

CLARA A. CANTERBURY, ROBERT H. CANTERBURY, MARGARET ELY WEBB, GRACE B. WIN-CHELL, W. R. VARICK, E. S. SPAULDING.

4; Greater Yellow-legs, 5; Lesser Yellow-legs, 2; Least Sandpiper, 39; Red-backed Sandpiper, Avocet, 7; Parasitic Jægar, 1; Glaucous-winged Gull, 224; Western Gull, 189; Herring Gull 2; Western Sandpiper, 22; Sanderling, 420; Long-billed Dowitcher, 2; Marbled Godwit, 65; Valley Quail, 215; California Clapper Rail, 1; Light-footed Rail, 1; Sora Rail, 3; American 22; Red-breasted Merganser, 3; Turkey Vulture, 5; White-tailed Kite, 1 female, 2 dead; Canvasback, 2; Greater Scaup, 145; Lesser Scaup Duck, 60; Red-necked Duck, 1; Bufflehead winged Teal, 60; Cinnamon Teal, 6; Shoveller, 120; American Pintail, 210; Redhead, 4; fronted Goose, 4; Common Canada Goose, 1; Common Mallard, 50; Baldpate, 27; Greenant, 23; California Heron, 2; American Egret, 4; Brewster's Egret, 3; Anthony's Green Heron, Shearwater, 20; California Brown Pelican, 276; Farallone Cormorant, 288; Brandt's Cormorsea. Common Loon, 12; Pacific Loon, 12; Red-throated Loon, 30; Western Grebe, 143: groups of 2 to 4. Mileage aggregated 120 miles by auto and 30 miles by foot, with 4 miles at MISS J. MORTON, MISS B. SMITH, J. M. BRENNAN, MISS M. FADDIS, MR. PELHAM. C. Veatch, Miss E. Johns, Mrs. E. E. Cobb, Mrs. J. J. Schmitz, Mrs. R. L. Sargeant, T. H. SHEARER, MRS. M. SALMON, MISS and MRS. HAMILTON, MRS. E. E. ELDRIDGE, MRS. EDWARDS, MRS. G. S. HALL, MR. and MRS. H. ANDERSON, W. D. QUATTLEBAUM, MRS. AUDUBON SOCIETY (Mrs. JAMES M. BRENNAN, President, Mrs. M. DEUPREY, Mrs. O. C 4815; and Thick-billed Fox Sparrow, 7. Total, 156 species, 34,794 individuals.—Los Angeles Golden-crowned Sparrow, 24; San Diego Song Sparrow, 105; also Common House Finch Sparrow, 6; Thurber's Junco, 1; Western Chipping Sparrow, 4; Gambel's Sparrow, 181 4; Western Lark Sparrow, 21; Valdez Fox Sparrow, 9; Bell's Sparrow, 1; Rufous-crowned Green-backed Goldfinch, 87; Lawrence's Goldfinch, 1; San Diego Towhee, 27; California Sparrow, 211; California Purple Finch, 20; Cassin's Purple Finch, 2; Willow Goldfinch, 13: 24; Red-winged Blackbird, 522; Western Meadowlark, 385; Brewer's Blackbird, 9376; English Warbler, 1070; Black-throated Gray Warbler, 1; Townsend's Warbler, 1; Tule Yellow-throat, 22; American Pipit, 92; California Shrike, 58; Hutton's Vireo, 1; Dusky Warbler, 4; Audubon's Townsend's Solitaire, 1; Alaska Hermit Thrush, 14; Western Robin, 37; Western Bluebird, Western House Wren, 2; Tule Wren, 18; Western Mockingbird, 90; California Thrasher, 10; Titmouse, 19; Bailey's Chickadee, 4; Coast Bush-tit, 324; Wren-tit, 74; San Diego Wren, 1; Blue-fronted Jay, 1; California Jay, 60; Western Crow, 5; American Raven, 2; San Diego Black Phoebe, 39; Western Flycatcher, 1; California Horned Lark, 103; Tree Swallow, 10; California Woodpecker, 25; Red-shafted Flicker, 37; Cassin's Kingbird, 2; Say's Phœbe, 23; Nuttall's Woodpecker, 5; Red-naped Sapsucker, 1; Southern Red-breasted Sapsucker, bird, 2; Anna's Hummingbird, 68; Western Belted Kingfisher, 2; Willow Woodpecker, Screech Owl, 8; Great Horned Owl, 1; Western Burrowing Owl, 1; Black-chinned Humming-Dove, 22; Ring-necked Dove, 4; California Cuckoo, 1; Road-runner, 4; Barn Owl, 2; Pasadena Bonaparte's Gull, 1190; Forster's Tern, 225; Western Mourning Dove, 46; Chinese Spotted 50; California Gull, 7000; Ring-billed Gull, 1410; Short-billed Gull, 2; Heermann's Gull, 116; Plover, 102; Wilson's Snipe, 30; Hudsonian Curlew, 1; Spotted Sandpiper, 2; Western Willet, Coot, 375; Black-bellied Plover, 187; Killdeer, 215; Semipalmated Plover, 24; Western Snowy Marsh Hawk, 3; Western Pigeon Hawk, 1; Prairie Falcon, 1; Desert Sparrow Hawk, Sharp-shinned Hawk, 3; Cooper's Hawk, 6; Western Red-tailed Hawk, 4; Golden Eagle, 1; Duck, 1; White-winged Scoter, 100; Surf Scoter, 405; Ruddy Duck, 28; American Merganser, r; Black-crowned Night Heron, 59; American Bittern, 6; Lesser Snow Goose, 1; White-Horned Grebe, 4; Eared Grebe, 15; Pied-billed Grebe, 10; Sooty Shearwater, 1; Black-vented Towhee, 75; Western Savannah Sparrow, 105; Belding's Sparrow, 34; Large-billed Sparrow, 18; Western Gnatcatcher, 9; Black-tailed Gnatcatcher, 1; Western Ruby-crowned Kinglet —Dec. 22; 6 a.m. to 4.30 p.m. Clear; temp. 55° at start and 75° at finish. Observers in 11 Santa Monica, Calif. (Bay District radiating 71/2 miles, with Santa Monica as the center) 70

Yosemite Valley, Yosemite National Park, Calif. (Mirror Lake to El Portal).—Dec. 20;

8 A.M. to 5 P.M. Clear; 7 in. of snow average; wind, none; temp. at start 30°, at return 38°, About 15 miles. Four observers working singly in four-hour shifts. Sharp-shinned Hawk, 1; Western Red-tailed Hawk, 4; Golden Eagle, 1; Valley Quail, 8; Mountain Quail, 36±; Western Belted Kingfisher, 2; Red-shafted Flicker, 10; Western Pileated Woodpecker, 1; California Woodpecker, 48; Modoc Woodpecker, 3; Northern White-headed Woodpecker, 1; Black Phobe, 1; Blue-fronted Jay, 54±; California Jay, 20±; Short-tailed Mountain Chickadee, 10; Plain Titmouse, 6; Slender-billed Nuthatch, 1; Red-breasted Nuthatch, 4; Sierra Creeper, 10; Pallid Wren-tit, 3; Dipper (Water Ouzel), 5; Dotted Canyon Wren (?), 1; Rock Wren, 3; California Brown Thrasher, 1; Northern Varied Thrush, 2; Hermit Thrush, 1; Western Bluebird, 13; Western Golden-crowned Kinglet, 3; Western Ruby-crowned Kinglet, 9; Audubon's Warbler, 7; English Sparrow, 2; California Purple Finch, 12; House Finch (Linnet), 5; Sacramento Spotted Towhee, 40±; Sacramento Brown Towhee, 30±; Thurber's Junco, 57; Gambel's Sparrow (?), 20±; Golden-crowned Sparrow, 4; Fox Sparrow, 8; Song Sparrow, 2. Total, 40 species, 449 (est.) individuals.—C. A. Harwell (Park Naturalist), M. E. Beatry and A. E. Borell (Assistant Park Naturalists), Raymond M. Gilmore.

Gray Partridge, 4; Jerdon's Little Ringed Plover, 18; Sandpiper (sp.), 1; Pond Heron, 50 Marsh Harrier, 1; Indian Shikra, 2; Indian Ring Dove, 6; Little Brown Dove, 2; Southern 2; Smaller White Scavenger Vulture, 2; Brahminy Kite, 30; Pariah Kite, 15; Pale Harrier, 2 House Swift, 45; Bengal Palm Swift, 8; Brown-throated Spinetail, 1; Southern Spotted Owlet Ceylon Kingfisher, 2; Indian White-breasted Kingfisher, 5; Ceylon Hoopee, 6; Nepal Indian Common Indian Bee-eater, 6; Blue-tailed Bee-eater, 25; Indian Pied Kingfisher, 2; Common billed Malkoha, 6; Southern Coucal, 5; Rose-ringed Paroquet, 7; Southern Indian Roller, 2; 60; Tawny Pipit, 6; Madras Bush Lark, 2; Ashy-crowned Finch-Lark, 2; Indian White-eye bler, 1; Indian Wren Warbler, 2; Jungle Wren Warbler, 20; Rosy Starling, 52; Common Myna, Indian Little Green Heron, 1; Indian Little Grebe, 2. Total, 69 species, 1193 individuals.— 4; Purple Sunbird, 12; Purple-rumped Sunbird, 30; Tickell Flowerpecker, 1; Small Green Common Swallow, 75; Large Pied Wagtail, 4; Blue-headed Wagtail, 3; Gray-headed Wagtail 150; White-throated Munia, 14; Burmese House Sparrow, 60; Dusky Crag Martin, city. Auto used. Southern Jungle Crow, 1; Common Indian House Crow, 100; Indian Tree temp. 75° to 80°. Scrub jungle, dry and irrigated fields, groves, and ponds within 7 miles of Barbet, 2; Indian Crimson-breasted Barbet, 2; Common Hawk-Cuckoo, 1; Small Green Tree Warbler (sp.), 1; White-throat (sp.), 2; Tytler Willow Warbler, 6; Greenish Willow War-Wood Shrike, 1; Black Drongo, 100; Indian Tailor-bird, 1; Streaked Fantail Warbler, 1 Flycatcher, 2; Bay-backed Shrike, 15; Southern Rufous-backed Shrike, 2; Indian Common browed Bulbul, 9; Kashmir Redstart, 1; Black-backed Indian Robin, 12; Indian Paradise Pie, 4; Bourdillon Babbler, 6; Common Iora, 6; Ceylon Red-vented Bulbul, 150; White-Dindigul, S. India.—Dec. 5, 1932; 634 hours afield. Partly cloudy; light east wind

The Chickadee

In unobtrusive suit of gray,
In sober black cravat and cap,
He makes glad music day by day—
This merry-hearted little chap.

In wind or sleet, in sun or rain,
He sings high in the hemlock tree
His cheery notes in loud refrain—
His joyous "Chick-a-dee-dee-dee."

-Eddie W. Wilson, Cullowhee, N. C.

310L=Lore

Devoted to the Study and Protection of Birds
official organ of the Audubon Societies
Edited by FRANK M. CHAPMAN
Contributing Editor, MABEL OSGOOD WRIGHT

Published by
D. APPLETON-CENTURY COMPANY, Inc.
Vol. XXXVI Published Feb. 1, 1994 No. 1

SUBSCRIPTION RATES n the United States, one dollar and fifty ce

Price in the United States, one dollar and fifty cents a year; uside the United States, one dollar and seemly-five cents represented the United States, one dollar and seemly-five cents represented the United States, one dollar and seemly-five instance of the United States, one dollar and seemly-five instance of the United States, one dollar and five seemly-five instance of the United States, one dollar and five seemly-five instance of the United States, one dollar and fifty cents a year.

COPYRIGHTED, 1934, BY FRANK M. CHAPMAN

Bird-Lore's Motto:
A Bird in the Bush Is Worth Two in the Hand

The Federal Government is embarking on a country-wide land-utilization policy as part of the program of planned economy. This is of enormous importance in its bearing on wild life.

The scope of the undertaking may be grasped from the statement of the Secretary of Agriculture that 50,000,000 acres are to be taken out of agricultural production. The moneys for the initial purchase and development of such submarginal farm lands are to be allotted from available P. W. A. funds.

It has been tentatively proposed that some \$18,000,000 be spent in the United States during 1934 in the acquisition of and restoration of natural conditions on, lands suitable for breeding-grounds of migratory water-fowl and upland game-birds. It is the purpose to administer these lands as inviolate sanctuaries.

That a well-rounded plan inevitably involves the establishment of national policies as to such matters as resting-places for migratory water-fowl, sanctuaries for song, insectivorous, and other non-game birds, control of predatory animals, and environmental biological studies, goes without saying.

The personnel of such permanent administration as may be selected to carry out these ideas is of the utmost importance.

Maintenance funds will have to be provided later. One source of such funds, although far from sufficient in total amount, would be

> the income provided for in the Duck Stamp Bill referred to more fully on page 79.

The Committee appointed by the Secretary of Agriculture to submit a definite, detailed plan consists of Messrs. Thomas H. Beck, Chairman; J. N. Darling, and Aldo Leopold, who have asked the Audubon Association to make suggestions and the Association will appreciate expressions of the views of our readers on this very important subject.—J. H. B.

WE are again faced, as we were a year ago, with the necessity of publishing an issue of Bred-Lore quite inadequate in size for the material which we would like to see it contain. 'The Season' and 'Book News and Reviews' have to be omitted to make room for a 'Christmas Census' which is reduced by the omission of many interesting and worthwhile reports.

We realize that it his been impossible to solve this problem of reduced space without disappointing valued readers and contributors, and wish to say that we do so with the utmost regret.

counter to it. Man is everywhere a disturbdamage we otherwise are doing. An article sideration, and a little effort, to offset the ing element, and the works of man are too the Balance of Nature and work with and not peration from this blow has been hampered and greatly reduced in numbers. Its recuattention. Some thirty-five years ago the in this issue by T. E. Musselman, entitled it is possible by a little thought, a little consuitable nesting-boxes—all the home facilirelatively simple matter to provide for and other man-made conditions. Yet it is a sites correlated with modern farm-methods by a progressive reduction of suitable nesting-Bluebird was overtaken by a natural calamity 'Help the Bluebird,' is worthy of your careful often detrimental to wild life. But sometimes True conservation tries to take account of

Mr. Musselman has tried various types of bird-boxes and describes one of simple construction which his Bluebirds accept as satisfactory for their needs. There is here an example of finding a constructive solution to a given problem in conservation.—J. T. N.

Borrower: FZU

Lending String: *LRT,ASA,LUU,LUU

Patron: Barrow, Wylie

Journal Title: Bird lore.

Volume: we will copy if you prefer to Issue:

Month/Year: 1934Pages: unknown

17-66

1

Article Author:

Article Title: Christmas Census 34th

ILL Number: 97581952

NOTICE: THIS MATERIAL MAY BE PROTECTED BY COPYRIGHT LAW (TITLE 17 U.S. CODE)

Call #: QL671 .A82 V.34 36 Location: LATECH PERIODICAL

ARIEL

Maxcost: 000.00IFM

Shipping Address:

Research Library, ILL/U.S. Geol. Surv., 700 Cajundome Blvd.

Lafayette, La. 70506-3152

Odyssey:

Ariel: 64.40.17.85/159.189.128.41

Fax: 337-266-8513

Email:

ij,

NOV 2 6